

6th Annual Johns Hopkins Critical Care Rehabilitation Conference Literature List

1. Abdulsatar, F., Walker, R. G., Timmons, B. W., & Choong, K. (2013). "Wii-Hab" In Critically Ill Children: A Pilot Trial. *Journal of Pediatric Rehabilitation Medicine*, 6(4), 193–204. <https://doi.org/10.3233/PRM-130260>
2. Abraham, S. S., & Wolf, E. L. (2000). Swallowing Physiology of Toddlers With Long-Term Tracheostomies: A Preliminary Study. *Dysphagia*, 15(4), 206–212. <https://doi.org/10.1007/s004550000029>
3. Abrams, D., Javidfar, J., Farrand, E., Mongero, L. B., Agerstrand, C. L., Ryan, P., et al. Brodie, D. (2014). Early mobilization of patients receiving extracorporeal membrane oxygenation: a retrospective cohort study. *Critical Care / the Society of Critical Care Medicine*, 18(1), R38. <https://doi.org/10.1186/cc13746>
4. Adachi, I., Guzmán-Pruneda, F. A., Khan, M. S., McKenzie, E. D., & Fraser, C. D., Jr. (2015). Ventricular Assist Device in Children with Cardiac Graft Failure. *ASAIO Journal*, 61(6), 729–730. <https://www.ncbi.nlm.nih.gov/pubmed/26366683>
5. Adler, J., & Malone, D. (2012). Early Mobilization In The Intensive Care Unit: A Systematic Review. *Cardiopulmonary Physical Therapy Journal*, 23(1), 5–13. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/22807649>
6. Agarwal, A., Marks, N., Wessel, V., Willis, D., Bai, S., Tang, X., et al. Carroll, J. L. (2016). Improving Knowledge, Technical Skills, And Confidence Among Pediatric Health Care Providers In The Management Of Chronic Tracheostomy Using A Simulation Model. *Pediatric Pulmonology*, 51(7), 696–704. <https://doi.org/10.1002/ppul.23355>
7. Akcan, E., Yiğit, R., & Atıcı, A. (2009). The Effect Of Kangaroo Care On Pain In Premature Infants During Invasive Procedures. *The Turkish Journal of Pediatrics*, 51(1), 14–18. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/19378885>
8. Akerman, E., Backman, C., Egerod, I., Jones, C., Knuck, D., Nydahl, P., & Storli, S. ICU-Diary.org. Retrieved from <http://icu-diary.org/diary/start.html>
9. Al-Mousawi, A. M., Mecott-Rivera, G. A., Jeschke, M. G., & Herndon, D. N. (2009). Burn Teams And Burn Centers: The Importance Of A Comprehensive Team Approach To Burn Care. *Clinics in Plastic Surgery*, 36(4), 547–554. <https://doi.org/10.1016/j.cps.2009.05.015>
10. Al-Mousawi, A. M., Williams, F. N., Mlcak, R. P., Jeschke, M. G., Herndon, D. N., & Suman, O. E. (2010). Effects of Exercise Training On Resting Energy Expenditure And Lean Mass During Pediatric Burn Rehabilitation. *Journal of Burn Care & Research: Official Publication of the American Burn Association*, 31(3), 400–408. <https://doi.org/10.1097/BCR.0b013e3181db5317>
11. Albin, A. (2012). Lung transplant recipient defies all odds: New approach to oxygenation helps patient live long enough for surgery. Retrieved from <http://newsroom.ucla.edu/releases/lung-transplant->



This work, created by Carrie Price, MLS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

[recipient-defies-236093](#)

12. Ali, R., Cornelius, P. J., Herasevich, V., Gajic, O., & Kashyap, R. (2017). Effect of Daily Use of Electronic Checklist On Physical Rehabilitation Consultations In Critically Ill Patients. *Journal of Critical Care*, 38, 357–361. <https://doi.org/10.1016/j.jcrc.2016.12.007>
13. Alloju, S. M., Herndon, D. N., McEntire, S. J., & Suman, O. E. (2008). Assessment of Muscle Function In Severely Burned Children. *Burns: Journal of the International Society for Burn Injuries*, 34(4), 452–459. <https://doi.org/10.1016/j.burns.2007.10.006>
14. Alugubelli, N. R., Al-Ani, A., Needham, D. M., & Parker, A. M. (2017). Understanding Early Goal-Directed Mobilization In The Surgical Intensive Care Unit. *Annals of Translational Medicine*, 5(7), 176. <https://doi.org/10.21037/atm.2017.03.44>
15. American Board of Internal Medicine. Choosing Wisely. Retrieved from <http://www.choosingwisely.org/>
16. American Psychiatric Association. (2013). *Diagnostic and Statistical Manual of Mental Disorders (DSM-5®)*. American Psychiatric Publication. Retrieved from <https://market.android.com/details?id=book--JivBAAQBAJ>
17. Andelic, N., Bautz-Holter, E., Ronning, P., Olafsen, K., Sigurdardottir, S., Schanke, A.-K., et al. Roe, C. (2012). Does an early onset and continuous chain of rehabilitation improve the long-term functional outcome of patients with severe traumatic brain injury? *Journal of Neurotrauma*, 29(1), 66–74. <https://doi.org/10.1089/neu.2011.1811>
18. Anderson, V., Catroppa, C., Morse, S., Haritou, F., & Rosenfeld, J. (2005). Functional Plasticity Or Vulnerability After Early Brain Injury? *Pediatrics*, 116(6), 1374–1382. <https://doi.org/10.1542/peds.2004-1728>
19. Angelino, A. F., & Treisman, G. J. (2001). Major Depression and Demoralization In Cancer Patients: Diagnostic And Treatment Considerations. *Supportive Care in Cancer: Official Journal of the Multinational Association of Supportive Care in Cancer*, 9(5), 344–349. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/11497387>
20. Ann Naughton, K. (2013). The Combined Use of Sucrose and Nonnutritive Sucking for Procedural Pain in Both Term and Preterm Neonates: An Integrative Review of the Literature. *Advances in Neonatal Care: Official Journal of the National Association of Neonatal Nurses*, 13(1), 9. <https://doi.org/10.1097/ANC.0b013e31827ed9d3>
21. Arbesman, M., Bazyk, S., & Nochajski, S. M. (2013). Systematic Review of Occupational Therapy And Mental Health Promotion, Prevention, and Intervention For Children And Youth. *The American Journal of Occupational Therapy: Official Publication of the American Occupational Therapy Association*, 67(6), e120–30. <https://doi.org/10.5014/ajot.2013.008359>



22. Arroliga, A., Frutos-Vivar, F., Hall, J., Esteban, A., Apezteguía, C., Soto, L., et al. International Mechanical Ventilation Study Group. (2005). Use of sedatives and neuromuscular blockers in a cohort of patients receiving mechanical ventilation. *Chest*, 128(2), 496–506. <https://doi.org/10.1378/chest.128.2.496>
23. Arvedson, J. C., & Brodsky, L. (2002). *Pediatric Swallowing and Feeding: Assessment and Management*. Cengage Learning. Retrieved from <https://market.android.com/details?id=book-er-lpJJ0XLgC>
24. Askim, T., Bernhardt, J., Salvesen, O., & Indredavik, B. (2014). Physical Activity Early After Stroke and its Association To Functional Outcome 3 Months Later. *Journal of Stroke and Cerebrovascular Diseases: The Official Journal of National Stroke Association*, 23(5), e305–12. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2013.12.011>
25. Association of Child Life Professionals. Association of Child Life Professionals. Retrieved from <https://www.childlife.org/>
26. AVERT Trial Collaboration group, Bernhardt, J., Langhorne, P., Lindley, R. I., Thrift, A. G., Ellery, F., et al. Donnan, G. (2015). Efficacy and safety of very early mobilisation within 24 h of stroke onset (AVERT): a randomised controlled trial. *The Lancet*, 386(9988), 46–55. [https://doi.org/10.1016/S0140-6736\(15\)60690-0](https://doi.org/10.1016/S0140-6736(15)60690-0)
27. Bachman, S. L., Salzman, G. A., Burke, R. V., Arbogast, H., Ruiz, P., & Upperman, J. S. (2016). Observed child restraint misuse in a large, urban community: Results from three years of inspection events. *Journal of Safety Research*, 56, 17–22. <https://doi.org/10.1016/j.jsr.2015.11.005>
28. Badr, L. K., Abdallah, B., & Kahale, L. (2015). A Meta-Analysis of Preterm Infant Massage: An Ancient Practice With Contemporary Applications. *MCN. The American Journal of Maternal Child Nursing*, 40(6), 344–358. <https://doi.org/10.1097/NMC.0000000000000177>
29. Bailey, P. P., Miller, R. R., 3rd, & Clemmer, T. P. (2009). Culture of early mobility in mechanically ventilated patients. *Critical Care Medicine*, 37(10 Suppl), S429–35. <https://doi.org/10.1097/CCM.0b013e3181b6e227>
30. Bailey, P., Thomsen, G. E., Spuhler, V. J., Blair, R., Jewkes, J., Bezdjian, L., et al. Hopkins, R. O. (2007). Early Activity Is Feasible And Safe In Respiratory Failure Patients. *Critical Care Medicine*, 35(1), 139–145. <https://doi.org/10.1097/01.CCM.0000251130.69568.87>
31. Bala, P., Kaur, R., Mukhopadhyay, K., & Kaur, S. (2016). Oromotor Stimulation for Transition from Gavage to Full Oral Feeding in Preterm Neonates: A Randomized Controlled Trial. *Indian Pediatrics*, 53(1), 36–38. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/26840669>
32. Balestreri, M., Czosnyka, M., Chatfield, D. A., Steiner, L. A., Schmidt, E. A., Smielewski, P., et al. Pickard, J. D. (2004). Predictive Value Of Glasgow Coma Scale After Brain Trauma: Change In Trend Over The Past Ten Years. *Journal of Neurology, Neurosurgery, and Psychiatry*, 75(1), 161–162. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/14707332>



33. Banwell, B. L., Mildner, R. J., Hassall, A. C., Becker, L. E., Vajsar, J., & Shemie, S. D. (2003). Muscle Weakness In Critically Ill Children. *Neurology*, 61(12), 1779–1782. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/14694046>
34. Barber, E. A., Everard, T., Holland, A. E., Tipping, C., Bradley, S. J., & Hodgson, C. L. (2015). Barriers and Facilitators To Early Mobilisation In Intensive Care: A Qualitative Study. *Australian Critical Care: Official Journal of the Confederation of Australian Critical Care Nurses*, 28(4), 177–82; quiz 183. <https://doi.org/10.1016/j.aucc.2014.11.001>
35. Barr, J., Fraser, G. L., Puntillo, K., Ely, E. W., Gélinas, C., Dasta, J. F., et al. American College of Critical Care Medicine. (2013). Clinical Practice Guidelines for The Management Of Pain, Agitation, And Delirium In Adult Patients In The Intensive Care Unit. *Critical Care Medicine*, 41(1), 263–306. <https://doi.org/10.1097/CCM.0b013e3182783b72>
36. Bassett, R. D., Vollman, K. M., Brandwene, L., & Murray, T. (2012). Integrating A Multidisciplinary Mobility Programme Into Intensive Care Practice (IMMPTP): A Multicentre Collaborative. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 28(2), 88–97. <https://doi.org/10.1016/j.iccn.2011.12.001>
37. Bay, E. J., & Algase, D. L. (1999). Fear and Anxiety: A Simultaneous Concept Analysis. *Nursing Diagnosis: ND: The Official Journal of the North American Nursing Diagnosis Association*, 10(3), 103–111. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/10595125>
38. Beck, J. S. (2011). *Cognitive Behavior Therapy, Second Edition: Basics and Beyond*. Guilford Press. Retrieved from <https://www.guilford.com/books/Cognitive-Behavior-Therapy/Judith-Beck/9781609185046/reviews>
39. Bennett, T. D., Riva-Cambrin, J., Keenan, H. T., Korgenski, E. K., & Bratton, S. L. (2012). Variation In Intracranial Pressure Monitoring and Outcomes In Pediatric Traumatic Brain Injury. *Archives of Pediatrics & Adolescent Medicine*, 166(7), 641–647. <https://doi.org/10.1001/archpediatrics.2012.322>
40. Bennett, T. D., Niedzwecki, C. M., Korgenski, E. K., & Bratton, S. L. (2013). Initiation of Physical, Occupational, and Speech Therapy In Children With Traumatic Brain Injury. *Archives of Physical Medicine and Rehabilitation*, 94(7), 1268–1276. <https://doi.org/10.1016/j.apmr.2013.02.021>
41. Berg, H. E., Larsson, L., & Tesch, P. A. (1997). Lower Limb Skeletal Muscle Function After 6 Weeks of Bed Rest. *Journal of Applied Physiology*, 82(1), 182–188. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/9029214>
42. Berney, S. C., Harrold, M., Webb, S. A., Seppelt, I., Patman, S., Thomas, P. J., & Denehy, L. (2013). Intensive Care Unit Mobility Practices In Australia And New Zealand: A Point Prevalence Study. *Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine*, 15(4), 260–265. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/24289506>
43. Bettany et al. Journal of Occupational Therapy, C., & 2015. (2015). et al. Therapy Intervention Using Patient Diaries To Evaluate Early Symptoms of Post-Traumatic Stress Disorder In Patients Following



Admission To Intensive Care. 78. 89-90.

<https://www.researchgate.net/publication/296086110> Occupational Therapy intervention using 'patient diaries' to evaluate early symptoms of post-traumatic stress disorder in patients following admission to intensive care

44. Bier, J. A., Ferguson, A., Cho, C., Oh, W., & Vohr, B. R. (1993). The Oral Motor Development of Low-Birth-Weight Infants Who Underwent Orotracheal Intubation During the Neonatal Period. *American Journal of Diseases of Children*, 147(8), 858–862. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/7688931>
45. Bisnaire, D., & Robinson, L. (1997). Accuracy of Levelling Intraventricular Collection Drainage Systems. *The Journal of Neuroscience Nursing: Journal of the American Association of Neuroscience Nurses*, 29(4), 261–268. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/9307930>
46. Blair, S. N., Kohl, H. W., Paffenbarger, R. S., Clark, D. G., Cooper, K. H., & Gibbons, L. W. (1989). Physical Fitness and All-Cause Mortality. A Prospective Study of Healthy Men and Women. *JAMA: The Journal of the American Medical Association*, 262(17), 2395–2401. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/2795824>
47. Bockli, K., Andrews, B., Pellerite, M., & Meadow, W. (2014). Trends and Challenges In United States Neonatal Intensive Care Units Follow-Up Clinics. *Journal of Perinatology: Official Journal of the California Perinatal Association*, 34(1), 71–74. <https://doi.org/10.1038/jp.2013.136>
48. Bombardier, C. H., Rimmele - Rehabilitation Psychology, C. T. (1999). Motivational Interviewing To Prevent Alcohol Abuse After Traumatic Brain Injury: A Case Series. *Psycnet.apa.org*. Retrieved from <http://psycnet.apa.org/journals/rep/44/1/52/>
49. Borgognoni, L., & 2002. (2002). Biological effects of silicone gel sheeting. *Wound Repair and Regeneration*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1046/j.1524-475X.2002.00205.x/full>
50. Brach, T. Tara Brach. Retrieved from <https://www.tarabrach.com/>
51. Bradley, E. H., Curry, L. A., Ramanadhan, S., Rowe, L., Nembhard, I. M., & Krumholz, H. M. (2009). Research In Action: Using Positive Deviance To Improve Quality of Health Care. *Implementation Science: IS*, 4, 25. <https://doi.org/10.1186/1748-5908-4-25>
52. Bradley, E. H., Webster, T. R., Baker, D., Schlesinger, M., Inouye, S. K., Barth, M. C., et al. Koren, M. J. (2004). Translating Research Into Practice: Speeding The Adoption of Innovative Health Care Programs. *Issue Brief*, (724), 1–12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/15270051>
53. Bridges, W. (2010). *Managing Transitions: Making the Most of Change*. ReadHowYouWant.com. Retrieved from <http://a.co/ezJJQP6>
54. Bright, F. A. S., Kayes, N. M., Worrall, L., & McPherson, K. M. (2015). A Conceptual Review Of Engagement In Healthcare And Rehabilitation. *Disability and Rehabilitation*, 37(8), 643–654.



<https://doi.org/10.3109/09638288.2014.933899>

55. Brodsky, M. B., Huang, M., Shanholtz, C., Mendez-Tellez, P. A., Palmer, J. B., Colantuoni, E., & Needham, D. M. (2017). Recovery from Dysphagia Symptoms after Oral Endotracheal Intubation in Acute Respiratory Distress Syndrome Survivors. A 5-Year Longitudinal Study. *Annals of the American Thoracic Society*, 14(3), 376–383. <https://doi.org/10.1513/AnnalsATS.201606-455OC>
56. Brodsky, M. B., Levy, M. J., Jedlanek, E., Blackford, B., Price, C., Hillel, A. T., et al. Akst, L. M. (2017). Laryngeal and Upper airway Symptoms and Injury following Endotracheal Intubation: A Systematic Review. In A53. *Critical Care: Problems Related To Intubation, Weaning, And Extubation* (pp. A1873–A1873). American Thoracic Society. https://doi.org/10.1164/airccm-conference.2017.195.1_MeetingAbstracts.A1873
57. Brodsky, M. B., Suiter, D. M., González-Fernández, M., Michtalik, H. J., Frymark, T. B., Venediktov, R., & Schooling, T. (2016). Screening Accuracy for Aspiration Using Bedside Water Swallow Tests: A Systematic Review and Meta-Analysis. *Chest*, 150(1), 148–163. <https://doi.org/10.1016/j.chest.2016.03.059>
58. Brown, C. J., Foley, K. T., Lowman, J. D., MacLennan, P. A., Razjouyan, J., Najafi, B., et al. Allman, R. M. (2016). Comparison Of Posthospitalization Function and Community Mobility In Hospital Mobility Program and Usual Care Patients: A Randomized Clinical Trial. *JAMA Internal Medicine*, 176(7), 921–927. <https://doi.org/10.1001/jamainternmed.2016.1870>
59. Brown, C. J., Redden, D. T., Flood, K. L., & Allman, R. M. (2009). The Underrecognized Epidemic of Low Mobility During Hospitalization of Older Adults. *Journal of the American Geriatrics Society*, 57(9), 1660–1665. <https://doi.org/10.1111/j.1532-5415.2009.02393.x>
60. Brownback, C. A., Fletcher, P., Pierce, L. N. B., & Klaus, S. (2014). Early Mobility Activities During Continuous Renal Replacement Therapy. *American Journal of Critical Care: An Official Publication, American Association of Critical-Care Nurses*, 23(4), 348–51; quiz 352. <https://doi.org/10.4037/ajcc2014889>
61. Bush, R. W. (2007). Reducing Waste In US Health Care Systems. *JAMA: The Journal of the American Medical Association*, 297(8), 871–874. <https://doi.org/10.1001/jama.297.8.871>
62. Cabana, M. D., Rand, C. S., Powe, N. R., Wu, A. W., Wilson, M. H., Abboud, P. A., & Rubin, H. R. (1999). Why Don't Physicians Follow Clinical Practice Guidelines? A Framework For Improvement. *JAMA: The Journal of the American Medical Association*, 282(15), 1458–1465. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/10535437>
63. Cameron, S., Ball, I., Cepinskas, G., Choong, K., Doherty, T. J., Ellis, C. G., et al. Fraser, D. D. (2015). Early Mobilization In The Critical Care Unit: A Review Of Adult and Pediatric Literature. *Journal of Critical Care*, 30(4), 664–672. <https://doi.org/10.1016/j.jcrc.2015.03.032>



64. Canadian Institutes of Health Research. Knowledge Translation Strategy: 2004-2009. Retrieved October 30, 2017, from <http://www.cihr-irsc.gc.ca/e/26574.html>
65. Caplan, L. R., Siesjo, B. K., Weir, B., Welch, M. K., & Reis, D. J. (Eds.). (1997). *Primer on Cerebrovascular Diseases*. Academic Press. Retrieved from <http://a.co/3oZrcQ6>
66. Carruthers, H., Astin, F., & Munro, W. (2017). Which alternative communication methods are effective for voiceless patients in Intensive Care Units? A Systematic Review. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 42, 88–96. <https://doi.org/10.1016/j.iccn.2017.03.003>
67. Celis, M. M., Suman, O. E., Huang, T. T., Yen, P., & Herndon, D. N. (2003). Effect of a Supervised Exercise And Physiotherapy Program On Surgical Interventions In Children With Thermal Injury. *The Journal of Burn Care & Rehabilitation*, 24(1), 57–61; discussion 56. <https://doi.org/10.1097/01.BCR.0000045662.98101.6D>
68. Central Coast Children's Foundation Augmentative Communication Inc. Rehabilitation Engineering Research Center on Communication Enhancement (AACRERC). Effective Communication in Children's Hospitals A Handbook of Resources for Parents. Retrieved from <http://www.patientprovidercommunication.org/pdf/25.pdf>
69. Chambers, M. A., Moylan, J. S., & Reid, M. B. (2009). Physical Inactivity And Muscle Weakness In The Critically Ill. *Critical Care Medicine*, 37(10 Suppl), S337–46. <https://doi.org/10.1097/CCM.0b013e3181b6e974>
70. Chan, G. J., Labar, A. S., Wall, S., & Atun, R. (2016). Kangaroo Mother Care: A Systematic Review Of Barriers And Enablers. *Bulletin of the World Health Organization*, 94(2), 130–141J. <https://doi.org/10.2471/BLT.15.157818>
71. Cheifetz - Respiratory care, I. M., & 2003. (2003). Invasive and Noninvasive Pediatric Mechanical Ventilation. *Respiratory Care Journal*. Retrieved from <http://rc.rcjournal.com/content/48/4/442.short>
72. Chlan, L. L. (2004). Relationship Between Two Anxiety Instruments In Patients Receiving Mechanical Ventilatory Support. *Journal of Advanced Nursing*, 48(5), 493–499. <https://doi.org/10.1111/j.1365-2648.2004.03231.x>
73. Choi, J., Campbell, M. L., Gélinas, C., Happ, M. B., Tate, J., & Chlan, L. (2017). Symptom Assessment In Non-Vocal Or Cognitively Impaired ICU Patients: Implications For Practice And Future Research. *Heart & Lung: The Journal of Critical Care*, 46(4), 239–245. <https://doi.org/10.1016/j.hrtlng.2017.04.002>
74. Choong, K., Al-Harbi, S., Siu, K., Wong, K., Cheng, J., Baird, B., et al. Canadian Critical Care Trials Group. (2015). Functional Recovery Following Critical Illness In Children: The “Wee-Cover” Pilot Study. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 16(4), 310–318. <https://doi.org/10.1097/PCC.0000000000000362>



75. Choong, K., Chacon, M. D. P., Walker, R. G., Al-Harbi, S., Clark, H., Al-Mahr, G., et al. Thabane, L. (2015). In-Bed Mobilization in Critically Ill Children: A Safety and Feasibility Trial. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 04(04), 225–234. <https://doi.org/10.1055/s-0035-1563545>
76. Choong, K., Foster, G., Fraser, D. D., Hutchison, J. S., Joffe, A. R., Jouvet, P. A., et al. Canadian Critical Care Trials Group. (2014). Acute Rehabilitation Practices In Critically Ill Children: A Multicenter Study. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 15(6), e270–9. <https://doi.org/10.1097/PCC.0000000000000160>
77. Choong, K., Koo, K. K. Y., Clark, H., Chu, R., Thabane, L., Burns, K. E. A., et al. Meade, M. O. (2013). Early Mobilization In Critically Ill Children: A Survey of Canadian Practice. *Critical Care Medicine*, 41(7), 1745–1753. <https://doi.org/10.1097/CCM.0b013e318287f592>
78. Chung, C.-Y., Chen, C.-L., Cheng, P.-T., See, L.-C., Tang, S. F.-T., & Wong, A. M.-K. (2006). Critical Score of Glasgow Coma Scale For Pediatric Traumatic Brain Injury. *Pediatric Neurology*, 34(5), 379–387. <https://doi.org/10.1016/j.pediatrneurol.2005.10.012>
79. Ciccone, C. D. (2015). *Pharmacology in rehabilitation*. FA Davis. Retrieved from <http://a.co/fpV53An>
80. Cichero, J., Lam, P., Steele, C. M., Hanson, B., Chenet al. - Dysphagia, J. (2017). Development of International Terminology and Definitions For Texture-Modified Foods and Thickened Fluids Used In Dysphagia Management: The IDDSI. *Springer*. Retrieved from <http://link.springer.com/article/10.1007/s00455-016-9758-y>
81. Ciesla, N. D., Murdock, K. R. (2000). Lines, Tubes, Catheters, And Physiologic Monitoring In The ICU. *Cardiopulmonary Physical Therapy Journal*. Retrieved from <http://search.proquest.com/openview/14883b867834aaed0b591d259fc42684/1?pq-origsite=gscholar&cbl=32821>
82. Clark, D. E., Lowman, J. D., Griffin, R. L., Matthews, H. M., & Reiff, D. A. (2013). Effectiveness of an early mobilization protocol in a trauma and burns intensive care unit: a retrospective cohort study. *Physical Therapy*, 93(2), 186–196. <https://doi.org/10.2522/ptj.20110417>
83. Clarke, D. M., Kissane, D. W., Trauer, T. (2005). Demoralization, Anhedonia and Grief In Patients With Severe Physical Illness. *World Psychiatry*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/pmc1414748/>
84. Clements, L., Moore, M., Tribble, T., & Blake, J. (2014). Reducing Skin Breakdown In Patients Receiving Extracorporeal Membranous Oxygenation. *The Nursing Clinics of North America*, 49(1), 61–68. <https://doi.org/10.1016/j.cnur.2013.11.003>
85. Clini, E., & Ambrosino, N. (2005). Early Physiotherapy in the Respiratory Intensive Care Unit. *Respiratory Medicine*, 99(9), 1096–1104. <https://doi.org/10.1016/j.rmed.2005.02.024>



86. Cole, M. G., McCusker, J., Bellavance, F., Primeau, F. J., Bailey, R. F., Bonnycastle, M. J., & Laplante, J. (2002). Systematic Detection and Multidisciplinary Care of Delirium In Older Medical Inpatients: A Randomized Trial. *CMAJ: Canadian Medical Association Journal*. 167(7), 753–759. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/12389836>
87. Colquhoun, H. L., Squires, J. E., Kolehmainen, N., Fraser, C., & Grimshaw, J. M. (2017). Methods for Designing Interventions To Change Healthcare Professionals' Behaviour: A Systematic Review. *Implementation Science: IS*, 12(1), 30. <https://doi.org/10.1186/s13012-017-0560-5>
88. Colville, G. A., Cream, P. R., & Kerry, S. M. (2010). Do parents benefit from the offer of a follow-up appointment after their child's admission to intensive care?: an exploratory randomised controlled trial. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 26(3), 146–153. <https://doi.org/10.1016/j.iccn.2010.02.005>
89. Colville, G., Darkins, J., Hesketh, J., Bennett, V., Alcock, J., & Noyes, J. (2009). The impact on parents of a child's admission to intensive care: integration of qualitative findings from a cross-sectional study. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 25(2), 72–79. <https://doi.org/10.1016/j.iccn.2008.10.002>
90. Connelly, D. M., Thomas, B. K., Cliffe, S. J., Perry, W. M., & Smith, R. E. (2009). Clinical utility of the 2-minute walk test for older adults living in long-term care. *Physiotherapy Canada. Physiotherapie Canada*, 61(2), 78–87. <https://doi.org/10.3138/physio.61.2.78>
91. Cossu, G. (2014). Therapeutic Options to Enhance Coma Arousal After Traumatic Brain Injury: State of The Art of Current Treatments To Improve Coma Recovery. *British Journal Of Neurosurgery*. Retrieved from <http://www.tandfonline.com/doi/abs/10.3109/02688697.2013.841845>
92. Costello, J. M., Patak, L., & Pritchard, J. (2010). Communication Vulnerable Patients In The Pediatric ICU: Enhancing Care Through Augmentative And Alternative Communication. *Journal of Pediatric Rehabilitation Medicine*, 3(4), 289–301. <https://doi.org/10.3233/PRM-2010-0140>
93. Coughlin, M. (2014). *Transformative Nursing in the NICU: Trauma-Informed Age-Appropriate Care*. Springer Publishing Company. Retrieved from <http://a.co/eVnR9MP>
94. Craig, J. W., Glick, C., Phillips, R., Hall, S. L., Smith, J., & Browne, J. (2015). Recommendations for involving the family in developmental care of the NICU baby. *Journal of Perinatology: Official Journal of the California Perinatal Association*, 35 Suppl 1, S5–8. <https://doi.org/10.1038/jp.2015.142>
95. Cubitt, J. J., Davies, M., Lye, G., Evans, J., Combellack, T., Dickson, W., & Nguyen, D. Q. (2016). Intensive care unit-acquired weakness in the burn population. *Journal of Plastic, Reconstructive & Aesthetic Surgery: JPRAS*, 69(5), e105–9. <https://doi.org/10.1016/j.bjps.2016.01.033>
96. Cui, L. R., LaPorte, M., Civitello, M., Stanger, M., Orringer, M., Casey, F., 3rd, et al. Fink, E. L. (2017). Physical and occupational therapy utilization in a pediatric intensive care unit. *Journal of Critical Care*, 40, 15–20. <https://doi.org/10.1016/j.jcrc.2017.03.003>



97. Cuijpers, P., van Straten, A., & Warmerdam, L. (2007). Behavioral activation treatments of depression: a meta-analysis. *Clinical Psychology Review*, 27(3), 318–326. <https://doi.org/10.1016/j.cpr.2006.11.001>
98. Cummings, S. M., Cooper, R. L., & Cassie, K. M. (2008). Motivational Interviewing to Affect Behavioral Change in Older Adults. *Research on Social Work Practice*, 19(2), 195–204. <https://doi.org/10.1177/1049731508320216>
99. Curley, M. A. Q., Harris, S. K., Fraser, K. A., Johnson, R. A., & Arnold, J. H. (2006). State Behavioral Scale: A Sedation Assessment Instrument For Infants And Young Children Supported On Mechanical Ventilation. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 7(2), 107–114. <https://doi.org/10.1097/01.PCC.0000200955.40962.38>
100. Curley, M. A. Q., Wypij, D., Watson, R. S., Grant, M. J. C., Asaro, L. A., Cheifetz, I. M., et al. RESTORE Study Investigators and the Pediatric Acute Lung Injury and Sepsis Investigators Network. (2015). Protocolized sedation vs usual care in pediatric patients mechanically ventilated for acute respiratory failure: a randomized clinical trial. *JAMA: The Journal of the American Medical Association*, 313(4), 379–389. <https://doi.org/10.1001/jama.2014.18399>
101. Curtis, J. R., Cook, D. J., Wall, R. J., Angus, D. C., & 2006. (2006). Intensive Care Unit Quality Improvement: A “How-To” Guide For The Interdisciplinary Team. *Critical Care Medicine*. Retrieved from [http://journals.lww.com/ccmjournal/Abstract/2006/01000/Intensive care unit quality improvement/A.29.aspx](http://journals.lww.com/ccmjournal/Abstract/2006/01000/Intensive%20care%20unit%20quality%20improvement/A.29.aspx)
102. Curtis, L. J., Langmore, A. L., Schulze-Delr, & K. (1997). Respiratory Function and Complications Related To Deglutition. *Deglutition and Its Disorders*.
103. Cuthbertson, B. H., & Goddard, S. (2017). Benefits and Harms of Early Rehabilitation. *Intensive Care Medicine*. 1-3. <https://doi.org/10.1007/s00134-017-4904-z>
104. Dalle, J.H., & Giralt, S. A. (2016). Hepatic Veno-Occlusive Disease after Hematopoietic Stem Cell Transplantation: Risk Factors and Stratification, Prophylaxis, and Treatment. *Biology of Blood and Marrow Transplantation: Journal of the American Society for Blood and Marrow Transplantation*, 22(3), 400–409. <https://doi.org/10.1016/j.bbmt.2015.09.024>
105. Damluji, A., Zanni, J. M., Mantheiy, E., Colantuoni, E., Kho, M. E., & Needham, D. M. (2013). Safety and Feasibility of Femoral Catheters During Physical Rehabilitation In The Intensive Care Unit. *Journal of Critical Care*, 28(4), 535.e9–15. <https://doi.org/10.1016/j.jcrc.2013.01.006>
106. Dammeyer, J. A., Baldwin, N., Packard, D., Harrington, S., Christofferson, B., Christopher, J., et al. Iwashyna, J. (2013). Mobilizing Outcomes: Implementation Of A Nurse-Led Multidisciplinary Mobility Program. *Critical Care Nursing Quarterly*, 36(1), 109–119. <https://doi.org/10.1097/CNQ.0b013e31827535db>



107. Darovic, G. O. (2017). Hemodynamic Monitoring: Invasive and Noninvasive Clinical Application. *Nursing*. Retrieved from http://journals.lww.com/nursing/Citation/1987/11000/Hemodynamic_Monitoring_Invasive_And_Noninvasive.30.aspx
108. Davey, H. M., Barratt, A. L., Butow, P. N., & Deeks, J. J. (2007). A one-item question with a Likert or Visual Analog Scale adequately measured current anxiety. *Journal of Clinical Epidemiology*, 60(4), 356–360. <https://doi.org/10.1016/j.jclinepi.2006.07.015>
109. Davey, R. B. (1999). The Changing Face of Burn Care: The Adelaide Children's Hospital Burn Unit: 1960–1996. *Burns: Journal of the International Society for Burn Injuries*, 25(1), 62–68. [https://doi.org/10.1016/S0305-4179\(98\)00059-X](https://doi.org/10.1016/S0305-4179(98)00059-X)
110. Davydow, D. S., Gifford, J. M., Desai, S. V., Needham, D. M., & Bienvenu, O. J. (2008). Posttraumatic stress disorder in general intensive care unit survivors: a systematic review. *General Hospital Psychiatry*, 30(5), 421–434. <https://doi.org/10.1016/j.genhosppsych.2008.05.006>
111. de Jonghe, A., Korevaar, J. C., van Munster, B. C., & de Rooij, S. E. (2010). Effectiveness of Melatonin Treatment On Circadian Rhythm Disturbances In Dementia. Are There Implications For Delirium? A Systematic Review. *International Journal of Geriatric Psychiatry*, 25(12), 1201–1208. <https://doi.org/10.1002/gps.2454>
112. de Jonghe, B., Lacherade, J.-C., Sharshar, T., & Outin, H. (2009). Intensive Care Unit-Acquired Weakness: Risk Factors And Prevention. *Critical Care Medicine*, 37(10 Suppl), S309–15. <https://doi.org/10.1097/CCM.0b013e3181b6e64c>
113. De Jonghe, B., Sharshar, T., Lefaucheur, J.P., Authier, F.J., Durand-Zaleski, I., Boussarsar, M., et al. Groupe de Réflexion et d'Etude des Neuromyopathies en Réanimation. (2002). Paresis acquired in the intensive care unit: a prospective multicenter study. *JAMA: The Journal of the American Medical Association*, 288(22), 2859–2867. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/12472328>
114. de Letter, M. A., Schmitz, P. I., Visser, L. H., Verheul, F. A., Schellens, R. L., Op de Coul, D. A., & van der Meché, F. G. (2001). Risk Factors For The Development Of Polyneuropathy And Myopathy In Critically Ill Patients. *Critical Care Medicine*, 29(12), 2281–2286. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/11801825>
115. Dean, E. (2008). Mobilizing Patients in the ICU: Evidence and Principles of Practice. *Acute Care Perspectives*. Retrieved from <http://search.ebscohost.com/login.aspx?direct=true&profile=ehost&scope=site&authtype=crawler&jrnld=15519147&AN=34221087&h=u5IXPi6zxEQ7u3mqN2DsP6fBP5%2Fg8Z2CGYvig%2FAM%2FGY9%2BNqTcmj2as0zp31lefUHiMv%2Fb9yEWZUC4ju0k2mvA%3D%3D&crl=c>
116. Denehy, L., de Morton, N. A., Skinner, E. H., Edbrooke, L., Haines, K., Warrillor, S., & Berney, S. (2013). A Physical Function Test For Use In The Intensive Care Unit: Validity, Responsiveness, And Predictive Utility of The Physical Function ICU Test (Scored). *Physical Therapy*, 93(12), 1636–1645.




<https://doi.org/10.2522/ptj.20120310>

117. Department of Health and Human Services. CDC Evaluation Briefs: Writing SMART Objectives. Retrieved from <https://www.cdc.gov/healthyyouth/evaluation/pdf/brief3b.pdf>
118. Detsky, M. E., Harhay, M. O., Bayard, D. F. (2017). Six-Month Morbidity and Mortality among ICU Patients Receiving Life-Sustaining Therapy: A Prospective Cohort Study. *Annals of the Am Thoracic Soc.* Retrieved from <http://www.atsjournals.org/doi/abs/10.1513/AnnalsATS.201611-875OC>
119. DeTurk, W., & Cahalin, L. (2018). *Cardiovascular and Pulmonary Physical Therapy, Third Edition.* McGraw-Hill Education. Retrieved from <http://a.co/a0mK5I7>
120. Dewey, W. S., Richard, R. L., & Parry, I. S. (2011). Positioning, splinting, and contracture management. *Physical Medicine and Rehabilitation Clinics of North America*, 22(2), 229–47, v. <https://doi.org/10.1016/j.pmr.2011.02.001>
121. Dimidjian, S., Martell, C. R., Addis, M. E.. (2008). Behavioral Activation for Depression. The Guilford Press. Retrieved from <http://a.co/1GLzv9k>
122. Ding, R., & Logemann, J. A. (2005). Swallow Physiology In Patients With Trach Cuff Inflated Or Deflated: A Retrospective Study. *Head & Neck*, 27(9), 809–813. <https://doi.org/10.1002/hed.20248>
123. Dinglas, V. D., Aronson Friedman, L., Colantuoni, E., Mendez-Tellez, P. A., Shanholtz, C. B., Ciesla, N. D., et al. Needham, D. M. (2017). Muscle Weakness and 5-Year Survival in Acute Respiratory Distress Syndrome Survivors. *Critical Care Medicine*, 45(3), 446–453. <https://doi.org/10.1097/CCM.0000000000002208>
124. Dinglas, V. D., Colantuoni, E., Ciesla, N., Mendez-Tellez, P. A., Shanholtz, C., & Needham, D. M. (2013). Occupational Therapy For Patients With Acute Lung Injury: Factors Associated With Time To First Intervention In The Intensive Care Unit. *The American Journal of Occupational Therapy: Official Publication of the American Occupational Therapy Association*, 67(3), 355–362. <https://doi.org/10.5014/ajot.2013.007807>
125. Dinglas, V. D., Parker, A. M., Reddy, D. R. S., Colantuoni, E., Zanni, J. M., Turnbull, A. E., et al. Needham, D. M. (2014). A Quality Improvement Project Sustainably Decreased Time To Onset of Active Physical Therapy Intervention In Patients With Acute Lung Injury. *Annals of the American Thoracic Society*, 11(8), 1230–1238. <https://doi.org/10.1513/AnnalsATS.201406-231OC>
126. Dixon, M., & Ratliff, C. (2011). Hair Braids as A Risk Factor For Occipital Pressure Ulcer Development: A Case Study. *Ostomy/Wound Management*, 57(9), 48–53. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/2191824> 7
127. Dobson, D., & Dobson, K. S. (2016). *Evidence-Based Practice of Cognitive-Behavioral Therapy, Second Edition.* Guilford Publications. Retrieved from <http://a.co/6s3lgbw>



128. Dodd, A. R., Nelson-Mooney, K., Greenhalgh, D. G., Beckett, L. A., Li, Y., & Palmieri, T. L. (2010). The effect of hand burns on quality of life in children. *Journal of Burn Care & Research: Official Publication of the American Burn Association*, 31(3), 414–422. <https://doi.org/10.1097/BCR.0b013e3181db5295>
129. Doering, L. V., Chen, B., Cross Bodán, R., Magsarili, M. C., Nyamathi, A., & Irwin, M. R. (2013). Early Cognitive Behavioral Therapy For Depression After Cardiac Surgery. *The Journal of Cardiovascular Nursing*, 28(4), 370–379. <https://doi.org/10.1097/JCN.0b013e31824d967d>
130. Dowdy, D. W., Eid, M. P., Dennison, C. R., Mendez-Tellez, P. A., Herridge, M. S., Guallar, E., et al. Needham, D. M. (2006). Quality Of Life After Acute Respiratory Distress Syndrome: A Meta-Analysis. *Intensive Care Medicine*, 32(8), 1115–1124. <https://doi.org/10.1007/s00134-006-0217-3>
131. Dubb, R., Nydahl, P., Hermes, C., Schwabbauer, N., Toonstra, A., Parker, A. M., et al. Needham, D. M. (2016a). Barriers and Strategies for Early Mobilization of Patients in Intensive Care Units. *Annals of the American Thoracic Society*, 13(5), 724–730. <https://doi.org/10.1513/AnnalsATS.201509-586CME>
132. Dubois, M. J., Bergeron, N., Dumont, M., Dial, S., & Skrobik, Y. (2001). Delirium in an intensive care unit: a study of risk factors. *Intensive Care Medicine*, 27(8), 1297–1304. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/11511942>
133. Duclos, C., Beauregard, M.-P., Bottari, C., Ouellet, M.-C., & Gosselin, N. (2015). The impact of poor sleep on cognition and activities of daily living after traumatic brain injury: a review. *Australian Occupational Therapy Journal*, 62(1), 2–12. <https://doi.org/10.1111/1440-1630.12164>
134. Dyer, J. A. (2003). Multidisciplinary, Interdisciplinary, and Transdisciplinary Educational Models and Nursing Education. *Nursing Education Perspectives*, 24(4), 186. Retrieved from http://journals.lww.com/neponline/Abstract/2003/07000/Multidisciplinary,_Interdisciplinary,_and.8.a.spx
135. Eakin, M. N., Ugbah, L., Arnautovic, T., Parker, A. M., & Needham, D. M. (2015). Implementing and sustaining an early rehabilitation program in a medical intensive care unit: A qualitative analysis. *Journal of Critical Care*, 30(4), 698–704. <https://doi.org/10.1016/j.jcrc.2015.03.019>
136. Eddleston, J. M., White, P., & Guthrie, E. (2000). Survival, morbidity, and quality of life after discharge from intensive care. *Critical Care Medicine*, 28(7), 2293–2299. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/10921555>
137. Edgar, D. W., Fish, J. S., Gomez, M., & Wood, F. M. (2011). Local and systemic treatments for acute edema after burn injury: a systematic review of the literature. *Journal of Burn Care & Research: Official Publication of the American Burn Association*, 32(2), 334–347. <https://doi.org/10.1097/BCR.0b013e31820ab019>
138. Edraki, M., Paran, M., Montaseri, S., Razavi Nejad, M., & Montaseri, Z. (2014). Comparing the effects of swaddled and conventional bathing methods on body temperature and crying duration in premature infants: a randomized clinical trial. *Scandinavian Journal of Caring Sciences*, 3(2), 83–91.



<https://doi.org/10.5681/jcs.2014.009>

139. Egbers, P. H., & Boerma, E. C. (2017). Communicating with conscious mechanically ventilated critically ill patients: let them speak with deflated cuff and an in-line speaking valve! *Critical Care / the Society of Critical Care Medicine*, 21(1), 7. <https://doi.org/10.1186/s13054-016-1587-8>
140. Egbers, P. H., Bultsma, R., Middelkamp, H., & Boerma, E. C. (2014). Enabling speech in ICU patients during mechanical ventilation. *Intensive Care Medicine*, 40(7), 1057–1058. <https://doi.org/10.1007/s00134-014-3315-7>
141. Ehde, D. M., Dillworth, T. M., & Turner, J. A. (2014). Cognitive-Behavioral Therapy For Individuals With Chronic Pain: Efficacy, Innovations, and Directions For Research. *The American Psychologist*, 69(2), 153–166. <https://doi.org/10.1037/a0035747>
142. Elliott, D., Davidson, J. E., Harvey, M. A., Bemis-Dougherty, A., Hopkins, R. O., Iwashyna, T. J., et al. Needham, D. M. (2014). Exploring the Scope of Post–Intensive Care Syndrome Therapy and Care: Engagement of Non–Critical Care Providers and Survivors in a Second Stakeholders Meeting. *Critical Care Medicine*, 42(12), 2518. <https://doi.org/10.1097/CCM.0000000000000525>
143. Elser, H. E. (2012). Positioning After Feedings: What Is the Evidence to Reduce Feeding Intolerances? *Advances in Neonatal Care: Official Journal of the National Association of Neonatal Nurses*, 12(3), 172. <https://doi.org/10.1097/ANC.0b013e318256b7c1>
144. Ely, E. W., Inouye, S. K., Bernard, G. R., Gordon, S., Francis, J., May, L., et al. Dittus, R. (2001). Delirium in Mechanically Ventilated Patients: Validity and Reliability of the Confusion Assessment Method for the Intensive Care Unit (CAM-ICU). *JAMA: The Journal of the American Medical Association*, 286(21), 2703. <https://doi.org/10.1001/jama.286.21.2703>
145. Ely, E. W., Inouye, S. K., Bernard, G. R., Gordon, S., Francis, J., May, L., et al. Dittus, R. (2001). Delirium in mechanically ventilated patients: validity and reliability of the confusion assessment method for the intensive care unit (CAM-ICU). *JAMA: The Journal of the American Medical Association*, 286(21), 2703–2710. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11730446>
146. Ely, E. W., Margolin, R., Francis, J., May, L., Truman, B., Dittus, R., et al. Inouye, S. K. (2001). Evaluation of delirium in critically ill patients: validation of the Confusion Assessment Method for the Intensive Care Unit (CAM-ICU). *Critical Care Medicine*, 29(7), 1370–1379. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11445689>
147. Ely, E. W., Pun, B. (2006). ICU delirium epidemiology, monitoring, & management. *Slides from the Vanderbilt and VA ICU Delirium Cognitive Impairment Study Group*. Retrieved from http://www.mc.vanderbilt.edu/root/sbworddocs/HCA_Vanderbilt/ICU_Delirium.pdf
148. Ely, E. W., Shintani, A., Truman, B., Speroff, T., Gordon, S. M., Harrell, F. E., et al. Dittus, R. S. (2004). Delirium as a predictor of mortality in mechanically ventilated patients in the intensive care unit. *JAMA: The Journal of the American Medical Association*, 291(14), 1753–1762.



<https://doi.org/10.1001/jama.291.14.1753>

149. Engels, P. T., Beckett, A. N., Rubenfeld, G. D., Kreder, H., Finkelstein, J. A., da Costa, L., et al. Tien, H. C. (2013). Physical rehabilitation of the critically ill trauma patient in the ICU. *Critical Care Medicine*, 41(7), 1790–1801. <https://doi.org/10.1097/CCM.0b013e31828a2abf>
150. Enke, C., Oliva Y Hausmann, A., Miedaner, F., Roth, B., & Woopen, C. (2017). Communicating with parents in neonatal intensive care units: The impact on parental stress. *Patient Education and Counseling*, 100(4), 710–719. <https://doi.org/10.1016/j.pec.2016.11.017>
151. Epstein, E. G., Sherman, J., Blackman, A., & Sinkin, R. A. (2015). Testing the Feasibility of Skype and FaceTime Updates With Parents in the Neonatal Intensive Care Unit. *American Journal of Critical Care: An Official Publication, American Association of Critical-Care Nurses*, 24(4), 290–296. <https://doi.org/10.4037/ajcc2015828>
152. ERAS Society. ERAS Society. Retrieved from <http://erassociety.org/>
153. Esselman, P. C. (2007). Burn Rehabilitation: An Overview. *Archives of Physical Medicine and Rehabilitation*, 88(12, Supplement 2), S3–S6. <https://doi.org/10.1016/j.apmr.2007.09.020>
154. Evangelist, M., & Gartenberg, A. (2015). Toolkit for developing an occupational therapy program in the ICU. *OT Practice*, 20–22.
155. Fan, E., Dowdy, D. W., Colantuoni, E., Mendez-Tellez, P. A., Sevransky, J. E., Shanholtz, C., et al. Needham, D. M. (2014). Physical complications in acute lung injury survivors: a two-year longitudinal prospective study. *Critical Care Medicine*, 42(4), 849–859. <https://doi.org/10.1097/CCM.0000000000000040>
156. Fan, E., Shahid, S., Kondreddi, V. P., Bienvenu, O. J., Mendez-Tellez, P. A., Pronovost, P. J., & Needham, D. M. (2008). Informed consent in the critically ill: a two-step approach incorporating delirium screening. *Critical Care Medicine*, 36(1), 94–99. <https://doi.org/10.1097/01.CCM.0000295308.29870.4F>
157. Fan, E., Zanni, J. M., Dennison, C. R., Lepre, S. J., & Needham, D. M. (2009). Critical illness neuromyopathy and muscle weakness in patients in the intensive care unit. *AACN Advanced Critical Care*, 20(3), 243–253. <https://doi.org/10.1097/NCI.0b013e3181ac2551>
158. Farley, K. J., Eastwood, G. M., & Bellomo, R. (2016). A feasibility study of functional status and follow-up clinic preferences of patients at high risk of post intensive care syndrome. *Anaesthesia and Intensive Care*, 44(3), 413–419. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/27246943>
159. Ferrando, A. A., Lane, H. W., Stuart, C. A., Davis-Street, J., & Wolfe, R. R. (1996). Prolonged bed rest decreases skeletal muscle and whole body protein synthesis. *The American Journal of Physiology*, 270(4 Pt 1), E627–33. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/8928769>
160. Fessler, H. E., & Hess, D. R. (2007). Respiratory controversies in the critical care setting. Does high-frequency ventilation offer benefits over conventional ventilation in adult patients with acute



respiratory distress syndrome? *Respiratory Care*, 52(5), 595–605; discussion 606–8. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/17484791>

161. Field-Ridley, A., Dharmar, M., Steinhorn, D., McDonald, C., & Marcin, J. P. (2016). ICU-Acquired Weakness Is Associated With Differences in Clinical Outcomes in Critically Ill Children. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 17(1), 53–57. <https://doi.org/10.1097/PCC.0000000000000538>
162. Fields, C., Trotsky, A., Fernandez, N., & Smith, B. A. (2015). Mobility and Ambulation for Patients With Pulmonary Artery Catheters: A Retrospective Descriptive Study. *Ann Arbor*, 1001, 48109. Retrieved from http://pdfs.journals.lww.com/jacpt/9000/00000/Mobility_and_Ambulation_for_Patients_With.99998.pdf
163. Fildissis, G., Zidianakis, V., Tsigou, E., Koulenti, D., Katostaras, T., Economou, A., & Baltopoulos, G. (2007). Quality Of Life Outcome of Critical Care Survivors Eighteen Months After Discharge From Intensive Care. *Croatian Medical Journal*, 48(6), 814–821. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/18074416>
164. Fina, D. K., Lopas, L. J., Stagnone, J. H., & Santucci, P. R. (1997). Parent Participation in the Postanesthesia Care Unit: Fourteen Years Of Progress At One Hospital. *Journal of Perianesthesia Nursing: Official Journal of the American Society of PeriAnesthesia Nurses / American Society of PeriAnesthesia Nurses*, 12(3), 152–162. [https://doi.org/10.1016/S1089-9472\(97\)80033-0](https://doi.org/10.1016/S1089-9472(97)80033-0)
165. Fink, E. L., Beers, S. R., Russell, M. L., & Bell, M. J. (2009). Acute brain injury and therapeutic hypothermia in the PICU: A rehabilitation perspective. *Journal of Pediatric Rehabilitation Medicine*, 2(4), 309–319. <https://doi.org/10.3233/PRM-2009-0095>
166. Fink, H., Helming, M., Unterbuchner, C., Lenz, A., Neff, F., Martyn, J. A. J., & Blobner, M. (2008). Systemic inflammatory response syndrome increases immobility-induced neuromuscular weakness. *Critical Care Medicine*, 36(3), 910–916. <https://doi.org/10.1097/CCM.0B013E3181659669>
167. Fisch-Gómez, E., Vasung, L., Meskaldji, D.-E., Lazeyras, F., Borradori-Tolsa, C., Hagmann, P., et al. Hüppi, P. S. (2015). Structural Brain Connectivity in School-Age Preterm Infants Provides Evidence for Impaired Networks Relevant for Higher Order Cognitive Skills and Social Cognition. *Cerebral Cortex*, 25(9), 2793–2805. <https://doi.org/10.1093/cercor/bhu073>
168. Flacker, J. M., & Lipsitz, L. A. (1999). Neural mechanisms of delirium: current hypotheses and evolving concepts. *The Journals of Gerontology. Series A, Biological Sciences and Medical Sciences*, 54(6), B239–46. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/10411009>
169. Fotiou, C., Vlastarakos, P. V., Bakoula, C., Papagaroufalis, K., Bakoyannis, G., Darviri, C., & Chrouzos, G. (2016). Parental stress management using relaxation techniques in a neonatal intensive care unit: A randomised controlled trial. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 32, 20–28. <https://doi.org/10.1016/j.iccn.2015.08.006>



170. Free Mindfulness. Free Mindfulness. Retrieved from <http://www.freemindfulness.org/>
171. Freeman-Sanderson, A. L., Togher, L., Elkins, M. R., & Phipps, P. R. (2016). Return of Voice for Ventilated Tracheostomy Patients in ICU: A Randomized Controlled Trial of Early-Targeted Intervention. *Critical Care Medicine*, 44(6), 1075–1081. <https://doi.org/10.1097/CCM.0000000000001610>
172. Frownfelter, D. L. (1987). *Chest Physical Therapy and Pulmonary Rehabilitation: An Interdisciplinary Approach*. Year Book Medical. Retrieved from https://market.android.com/details?id=book-6_prAAAAMAAJ
173. Frownfelter, D. L., & Dean, E. W. (2012). *Cardiovascular and Pulmonary Physical Therapy: Evidence to Practice*. Elsevier/Mosby. Retrieved from <http://a.co/fpS7jgM>
174. Fucile, S., Gisel, E., & Lau, C. (2002). Oral stimulation accelerates the transition from tube to oral feeding in preterm infants. *The Journal of Pediatrics*, 141(2), 230–236. <https://doi.org/10.1067/mpd.2002.125731>
175. Fung, C. H., Lim, Y. W., Mattke, S., Damberg, C., & 2008. (2008). Systematic Review: The Evidence That Publishing Patient Care Performance Data Improves Quality of CareThe Impact of Publishing Performance Data on Quality of et al. *Annals of Internal Medicine*. Retrieved from <http://annals.org/aim/article/738899/systematic-review-evidence-publishing-patient-care-performance-data-improves-quality>
176. Garrett, K., Happ, M. B., Costello, J., & 2007. (2007). AAC in the ICU. *Augmentative Communication News*. Retrieved from http://www.augcominc.com/newsletters/index.cfm/newsletter_1.pdf
177. Garry, J., Casey, K., Cole, T. K., Regensburg, A., McElroy, C., Schneider, E., et al. Chi, A. (2016). A Pilot Study Of Eye-Tracking Devices In Intensive Care. *Surgery*, 159(3), 938–944. <https://doi.org/10.1016/j.surg.2015.08.012>
178. George, M. L., Maxey, J., Rowlands, D. T., & Upton, M. (2004). *The Lean Six Sigma Pocket Toolbook: A Quick Reference Guide to Nearly 100 Tools for Improving Quality and Speed*. McGraw Hill Professional. Retrieved from <https://www.amazon.com/Lean-Six-Sigma-Pocket-Toolbook/dp/0071441190>
179. George, N. S., Rangan, V., Geng, Z., Khan, F., Kichler, A., Gabbard, S., et al. Fass, R. (2017). Distribution of Esophageal Motor Disorders in Diabetic Patients With Dysphagia. *Journal of Clinical Gastroenterology*, 51(10), 890–895. <https://doi.org/10.1097/MCG.0000000000000894>
180. Geyer, K., Meller, K., Kulpan, C., & Mowery, B. D. (2013). Traumatic brain injury in children: acute care management. *Pediatric Nursing*, 39(6), 283–289. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/24640314>
181. Giacino, J. T., Zasler, N. D., Katz, D. I., Kelly, J. P., Rosenberg, J. H., & Filley, C. M. (1997). Development of Practice Guidelines for Assessment and Management of the Vegetative and Minimally Conscious States. *The Journal of Head Trauma Rehabilitation*, 12(4), 79. Retrieved from http://journals.lww.com/headtraumarehab/abstract/1997/08000/development_of_practice_guideline




[s for assessment.8.aspx](#)

182. Giantin, V., Ceccon, A., Enzi, G., Sergi, G., Perini, P., Bussolotto, M., et al. Sartori, L. (1995). Heart rate and metabolic response to burn injury in humans. *Journal of Parenteral and Enteral Nutrition*, 19(1), 55–62. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/7658602>
183. Gifford, J. M., Needham, D. M. (2009). Early mobilization of critically ill patients. *Contemporary Critical Care*, 6(9), 1-11. Retrieved from <http://insights.ovid.com/contemporary-critical-care/ccrca/2009/02/000/early-mobilization-critically-ill-patients/1/01183741>
184. Gilchrist, L., & Tanner, L. R. (2017). Safety of Symptom-Based Modification of Physical Therapy Interventions in Pediatric Oncology Patients With and Without Low Blood Counts. *Rehabilitation Oncology*, 35(1), 3. <https://doi.org/10.1097/01.REO.0000000000000042>
185. Girard, T. D., Jackson, J. C., Pandharipande, P. P., Pun, B. T., Thompson, J. L., Shintani, A. K., et al. Ely, E. W. (2010). Delirium as a predictor of long-term cognitive impairment in survivors of critical illness. *Critical Care Medicine*, 38(7), 1513–1520. <https://doi.org/10.1097/CCM.0b013e3181e47be1>
186. Gladwell, M. *The Tipping Point: How Little Things Can Make a Big Difference*. Back Bay Books. Retrieved from <http://a.co/h12BqK2>
187. Gonzalez, R., & Shanti, C. M. (2015). Overview of Current Pediatric Burn Care. *Seminars in Pediatric Surgery*, 24(1), 47–49. <https://doi.org/10.1053/j.sempedsurg.2014.11.008>
188. Goršič, M., Cikajlo, I., & Novak, D. (2017). Competitive and cooperative arm rehabilitation games played by a patient and unimpaired person: effects on motivation and exercise intensity. *Journal of Neuroengineering and Rehabilitation*, 14(1), 23. <https://doi.org/10.1186/s12984-017-0231-4>
189. Graham, I. D., Logan, J., Harrison, M. B., Straus, S. E., Tetroe, J., Caswell, W., & Robinson, N. (2006). Lost in knowledge translation: time for a map? *The Journal of Continuing Education in the Health Professions*, 26(1), 13–24. <https://doi.org/10.1002/chp.47>
190. Green, M., Marzano, V., Leditschke, I. A., Mitchell, I., & Bissett, B. (2016). Mobilization of intensive care patients: a multidisciplinary practical guide for clinicians. *Journal of Multidisciplinary Healthcare*, 9, 247–256. <https://doi.org/10.2147/JMDH.S99811>
191. Greene, Z., O'Donnell, C. P., & Walshe, M. (2016). Oral stimulation for promoting oral feeding in preterm infants. *Cochrane Database of Systematic Reviews*, 9, CD009720. <https://doi.org/10.1002/14651858.CD009720.pub2>
192. Greysen, S. R., Stijacic Cenzer, I., Auerbach, A. D., & Covinsky, K. E. (2015). Functional impairment and hospital readmission in Medicare seniors. *JAMA Internal Medicine*, 175(4), 559–565. <https://doi.org/10.1001/jamainternmed.2014.7756>




193. Griffith, J. L., & Gaby, L. (2005). Brief psychotherapy at the bedside: countering demoralization from medical illness. *Psychosomatics*, 46(2), 109–116. <https://doi.org/10.1176/appi.psy.46.2.109>
194. Griffiths, J., Fortune, G., Barber, V., & Young, J. D. (2007). The prevalence of post traumatic stress disorder in survivors of ICU treatment: a systematic review. *Intensive Care Medicine*, 33(9), 1506–1518. <https://doi.org/10.1007/s00134-007-0730-z>
195. Gross, R. D., Atwood, C. W., Ross, S. B., Olszewski, J. W., & Eichhorn, K. A. (2009). The coordination of breathing and swallowing in chronic obstructive pulmonary disease. *American Journal of Respiratory and Critical Care Medicine*, 179(7), 559–565. <https://doi.org/10.1164/rccm.200807-1139OC>
196. Gurses, A. P., Murphy, D. J., Martinez, E. A., Berenholtz, S. M., & Pronovost, P. J. (2009). A practical tool to identify and eliminate barriers to compliance with evidence-based guidelines. *Joint Commission Journal on Quality and Patient Safety / Joint Commission Resources*, 35(10), 526–32, 485. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/19886092>
197. Guyatt, G., Rennie, D., Meade, M. O., & Cook, D. J. (2008). *Users' Guides to the Medical Literature: A Manual for Evidence-Based Clinical Practice, Second Edition*. McGraw Hill Professional. Retrieved from <https://market.android.com/details?id=book-t1NaVHfIvIYC>
198. Hager, D. N., Dinglas, V. D., Subhas, S., Rowden, A. M., Neufeld, K. J., Bienvenu, O. J., et al. Needham, D. M. (2013). Reducing deep sedation and delirium in acute lung injury patients: a quality improvement project. *Critical Care Medicine*, 41(6), 1435–1442. <https://doi.org/10.1097/CCM.0b013e31827ca949>
199. Hall, B. (2012). Care for the Patient With Burns in the Trauma Rehabilitation Setting. *Critical Care Nursing Quarterly*, 35(3), 272. <https://doi.org/10.1097/CNQ.0b013e3182542cdb>
200. Handberg, C., & Voss, A. K. (2017). Implementing augmentative and alternative communication in critical care settings: Perspectives of healthcare professionals. *Journal of Clinical Nursing*. <https://doi.org/10.1111/jocn.13851>
201. Happ, M. B., Garrett, K. L., Tate, J. A., DiVirgilio, D., Houze, M. P., Demirci, J. R., et al. Sereika, S. M. (2014). Effect of a multi-level intervention on nurse–patient communication in the intensive care unit: Results of the SPEACS trial. *Heart & Lung: The Journal of Acute and Critical Care*, 43(2), 89–98. <https://doi.org/10.1016/j.hrtlng.2013.11.010>
202. Hardee, J. P., Porter, C., Sidossis, L. S., Børshesheim, E., Carson, J. A., Herndon, D. N., & Suman, O. E. (2014). Early rehabilitative exercise training in the recovery from pediatric burn. *Medicine and Science in Sports and Exercise*, 46(9), 1710–1716. <https://doi.org/10.1249/MSS.0000000000000296>
203. Harding , S. M. (2002). Oropharyngeal dysfunction in COPD patients. *Chest*, 121(2), 315-17. Retrieved from [http://journal.chestnet.org/article/S0012-3692\(16\)35426-5/abstract](http://journal.chestnet.org/article/S0012-3692(16)35426-5/abstract)
204. Harper, S. R. (2015). Implementation Plan for the ABCDEF Bundle. Dissertation. Retrieved from <http://search.proquest.com/openview/9039d5988e2a9a720b30b5a64afc96f8/1?pq->



This work, created by Carrie Price, MLS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

[origsite=gscholar&cbl=18750&diss=y](#)

205. Hartley, K. A., Miller, C. S., & Gephart, S. M. (2015). Facilitated tucking to reduce pain in neonates: evidence for best practice. *Advances in Neonatal Care: Official Journal of the National Association of Neonatal Nurses*, 15(3), 201–208. <https://doi.org/10.1097/ANC.0000000000000193>
206. Hashem, M. D., Nelliot, A., & Needham, D. M. (2016). Early Mobilization and Rehabilitation in the ICU: Moving Back to the Future. *Respiratory Care*, 61(7), 971–979. <https://doi.org/10.4187/respcare.04741>
207. Haskins, E. C., Cicerone, K. D., & Trexler, L. E. (2012). *Cognitive rehabilitation manual: Translating evidence-based recommendations into practice*. ACRM Publishing. Retrieved from <https://acrm.org/publications/cognitive-rehab-manual/>
208. Hassan, A., Rajamani, A., & Fitzsimons, F. (2017). The MOVIN' project (Mobilisation of Ventilated Intensive care patients at Nepean): A Quality Improvement Project Based On The Principles Of Knowledge Translation To Promote Nurse-Led Mobilisation Of Critically Ill Ventilated Patients. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 42, 36–43. <https://doi.org/10.1016/j.iccn.2017.04.011>
209. Hathaway, E. E., Luberto, C. M., Bogenschutz, L. H., Geiss, S., Wasson, R. S., & Cotton, S. (2015). Integrative Care Therapies and Physiological and Pain-related Outcomes in Hospitalized Infants. *Global Advances in Health and Medicine*, 4(4), 32–37. <https://doi.org/10.7453/gahmj.2015.029>
210. Haut, C., Berkowitz, I., Pidcock, F., Hoch J. (2016). PICU up!: impact of a quality improvement intervention to promote early mobilization in critically ill children. *Pediatric Critical Care*. Retrieved from [http://journals.lww.com/pccmjournal/Abstract/2016/12000/PICU Up Impact of a Quality Improvement.21.aspx](http://journals.lww.com/pccmjournal/Abstract/2016/12000/PICU_Up_Impact_of_a_Quality_Improvement.21.aspx)
211. Hawdon, J. M., Beauregard, N., Slattery, J., & Kennedy, G. (2000). Identification of neonates at risk of developing feeding problems in infancy. *Developmental Medicine and Child Neurology*, 42(4), 235–239. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/10795561>
212. Hazelton, J. P., Orfe, E. C., Colacino, A. M., Hunter, K., Capano-Wehrle, L. M., Lachant, M. T., et al. Seamon, M. J. (2015). The impact of a multidisciplinary safety checklist on adverse procedural events during bedside bronchoscopy-guided percutaneous tracheostomy. *The Journal of Trauma and Acute Care Surgery*, 79(1), 111–5; discussion 115–6. <https://doi.org/10.1097/TA.0000000000000700>
213. Heath, K., Timbrell, V., Calvert, P., & Stiller, K. (2011). Outcome measurement tools currently used to assess pediatric burn patients: an occupational therapy and physiotherapy perspective. *Journal of Burn Care & Research: Official Publication of the American Burn Association*, 32(6), 600–607. <https://doi.org/10.1097/BCR.0b013e31822dc450>
214. Heifetz, R. A., Grashow, A., & Linsky, M. (2009). *The Practice of Adaptive Leadership: Tools and Tactics for Changing Your Organization and the World*. Harvard Business Press. Retrieved from



<https://market.android.com/details?id=book-86OJwyvGzCoC>

215. Hempel, S., Shekelle, P. G., Liu, J. L., Sherwood Danz, M., Foy, R., Lim, Y.-W., et al. Rubenstein, L. V. (2015). Development of the Quality Improvement Minimum Quality Criteria Set (QI-MQCS): a tool for critical appraisal of quality improvement intervention publications. *BMJ Quality & Safety*, 24(12), 796–804. <https://doi.org/10.1136/bmjqqs-2014-003151>
216. Hemsley, B., Sigafoos, J., Balandin, S., Forbes, R., Taylor, C., Green, V. A., & Parmenter, T. (2001). Nursing the patient with severe communication impairment. *Journal of Advanced Nursing*, 35(6), 827–835. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/11555030>
217. Hermans, G., Wilmer, A., Meersseman, W., Milants, I., Wouters, P. J., Bobbaers, H., et al. Van den Berghe, G. (2007). Impact of intensive insulin therapy on neuromuscular complications and ventilator dependency in the medical intensive care unit. *American Journal of Respiratory and Critical Care Medicine*, 175(5), 480–489. <https://doi.org/10.1164/rccm.200605-665OC>
218. Herridge, M. S. (2009). Legacy of intensive care unit-acquired weakness. *Critical Care Medicine*, 37(10 Suppl), S457–61. <https://doi.org/10.1097/CCM.0b013e3181b6f35c>
219. Herridge, M. S. (2011). The challenge of designing a post-critical illness rehabilitation intervention. *Critical Care*, 15(5), 1002. <https://doi.org/10.1186/cc10362>
220. Herridge, M. S., Cheung, A. M., Tansey, C. M., Matte-Martyn, A., Diaz-Granados, N., Al-Saidi, F., et al. Canadian Critical Care Trials Group. (2003). One-year outcomes in survivors of the acute respiratory distress syndrome. *The New England Journal of Medicine*, 348(8), 683–693. <https://doi.org/10.1056/NEJMoa022450>
221. Herridge, M. S., Tansey, C. M., Matté, A., Tomlinson, G., Diaz-Granados, N., Cooper, A., et al. Canadian Critical Care Trials Group. (2011). Functional disability 5 years after acute respiratory distress syndrome. *The New England Journal of Medicine*, 364(14), 1293–1304. <https://doi.org/10.1056/NEJMoa1011802>
222. Hester, J. M., Guin, P. R., Danek, G. D., Thomas, J. R., Titsworth, W. L., Reed, R. K., et al. Fahy, B. G. (2017). The Economic and Clinical Impact of Sustained Use of a Progressive Mobility Program in a Neuro-ICU. *Critical Care Medicine*, 45(6), 1037–1044. <https://doi.org/10.1097/CCM.0000000000002305>
223. Hill, J., Inder, T., Neil, J., Dierker, D., Harwell, J., & Van Essen, D. (2010). Similar patterns of cortical expansion during human development and evolution. *Proceedings of the National Academy of Sciences of the United States of America*, 107(29), 13135–13140. <https://doi.org/10.1073/pnas.1001229107>
224. Hillegass, E. A. (2001). *Essentials of Cardiopulmonary Physical Therapy*. W.B. Saunders. Retrieved from <https://market.android.com/details?id=book-GQhsAAAAMAAJ>
225. Ho, L. P., Ho, S. S. M., Leung, D. Y. P., So, W. K. W., & Chan, C. W. H. (2016). A feasibility and efficacy randomised controlled trial of swaddling for controlling procedural pain in preterm infants. *Journal of*




This work, created by Carrie Price, MLS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

226. Hodgson, C. L., Stiller, K., Needham, D. M., Tipping, C. J., Harrold, M., Baldwin, C. E., et al. Webb, S. A. (2014). Expert consensus and recommendations on safety criteria for active mobilization of mechanically ventilated critically ill adults. *Critical Care / the Society of Critical Care Medicine*, 18(6), 658. <https://doi.org/10.1186/s13054-014-0658-y>
227. Hoffman, B. D., Gallardo, A. R., & Carlson, K. F. (2016). Unsafe from the Start: Serious Misuse of Car Safety Seats at Newborn Discharge. *The Journal of Pediatrics*, 171, 48–54. <https://doi.org/10.1016/j.jpeds.2015.11.047>
228. Hofmann, S. G., Asmundson, G. J. G., & Beck, A. T. (2013). The Science of Cognitive Therapy. *Behavior Therapy*, 44(2), 199–212. <https://doi.org/10.1016/j.beth.2009.01.007>
229. Hofmann, S. G., Wu, J. Q., & Boettcher, H. (2014). Effect of Cognitive-Behavioral Therapy For Anxiety Disorders On Quality Of Life: A Meta-Analysis. *Journal of Consulting and Clinical Psychology*, 82(3), 375–391. <https://doi.org/10.1037/a0035491>
230. Hollander, S. A., Hollander, A. J., Rizzuto, S., Reinhartz, O., Maeda, K., & Rosenthal, D. N. (2014). An Inpatient Rehabilitation Program Utilizing Standardized Care Pathways After Paracorporeal Ventricular Assist Device Placement In Children. *The Journal Of Heart And Lung Transplantation: The Official Publication of the International Society for Heart Transplantation*, 33(6), 587–592. <https://doi.org/10.1016/j.healun.2013.12.009>
231. Holmes, A. V., Atwood, E. C., Whalen, B., Beliveau, J., Jarvis, J. D., Matulis, J. C., & Ralston, S. L. (2016). Rooming-In to Treat Neonatal Abstinence Syndrome: Improved Family-Centered Care at Lower Cost. *Pediatrics*, 137(6). <https://doi.org/10.1542/peds.2015-2929>
232. Hopkins, R. O., Choong, K., Zebuhr, C. A., & Kudchadkar, S. R. (2015). Transforming PICU Culture to Facilitate Early Rehabilitation. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, (EFirst). <https://doi.org/10.1055/s-0035-1563547>
233. Hopkins, R. O., Miller, R. R., 3rd, Rodriguez, L., Spuhler, V., & Thomsen, G. E. (2012). Physical therapy on the wards after early physical activity and mobility in the intensive care unit. *Physical Therapy*, 92(12), 1518–1523. <https://doi.org/10.2522/ptj.20110446>
234. Hopkins, R. O., & Spuhler, V. J. (2009a). Strategies for promoting early activity in critically ill mechanically ventilated patients. *AACN Advanced Critical Care*, 20(3), 277–289. <https://doi.org/10.1097/NCI.0b013e3181acaef0>
235. Hopkins, R. O., Suchyta, M. R., Kamdar, B. B., Darowski, E., Jackson, J. C., & Needham, D. M. (2017). Instrumental Activities of Daily Living after Critical Illness: A Systematic Review. *Annals of the American Thoracic Society*, 14(8), 1332–1343. <https://doi.org/10.1513/AnnalsATS.201701-059SR>




236. Hosker, C., & Ward, D. (2017). Hypoactive delirium. *BMJ*, 357, j2047. <https://doi.org/10.1136/bmj.j2047>
237. Hough, C. L. (2006). Neuromuscular sequelae in survivors of acute lung injury. *Clinics in Chest Medicine*, 27(4), 691–703; abstract x. <https://doi.org/10.1016/j.ccm.2006.07.002>
238. Hough, C. L., & Needham, D. M. (2007). The role of future longitudinal studies in ICU survivors: understanding determinants and pathophysiology of weakness and neuromuscular dysfunction. *Current Opinion in Critical Care*, 13(5), 489–496. <https://doi.org/10.1097/MCC.0b013e3282efea3a>
239. Howell, D. (1999). Neuro-occupation: Linking sensory deprivation and self-care in the ICU patient. *Occupational therapy in Health Care*, 11(4), 75–85. Retrieved from http://www.tandfonline.com/doi/abs/10.1080/J003v11n04_07
240. Hughes, R. (2008). Patient safety and quality: An evidence-based handbook for nurses. archive.ahrq.gov. Retrieved from https://archive.ahrq.gov/professionals/clinicians-providers/resources/nursing/resources/nursesdbk/FrontMatter_NursesHandbook.pdf
241. Hull, E. M., Dumas, H. M., Crowley, R. A., & Kharasch, V. S. (2005). Tracheostomy speaking valves for children: tolerance and clinical benefits. *Pediatric Rehabilitation*, 8(3), 214–219. <https://doi.org/10.1080/13638490400021503>
242. Hunter, O. O., George, E. L., Ren, D., Morgan, D., Rosenzweig, M., & Klinefelter Tuite, P. (2017). Overcoming nursing barriers to intensive care unit early mobilisation: A quality improvement project. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 40, 44–50. <https://doi.org/10.1016/j.iccn.2016.10.005>
243. Hwang, Y.-S., Vergara, E., Lin, C.H., Coster, W. J., Bigsby, R., & Tsai, W.H. (2010). Effects of Prefeeding Oral Stimulation On Feeding Performance of Preterm Infants. *Indian Journal of Pediatrics*, 77(8), 869–873. <https://doi.org/10.1007/s12098-010-0001-9>
244. Hyyninen, M. J., Bjerke, N., Pallesen, S., Bakke, P. S., & Nordhus, I. H. (2010). A randomized controlled trial of cognitive behavioral therapy for anxiety and depression in COPD. *Respiratory Medicine*, 104(7), 986–994. <https://doi.org/10.1016/j.rmed.2010.02.020>
245. Iacono, L. A. (2000). Exploring The Guidelines For The Management of Severe Head Injury. *The Journal of Neuroscience Nursing: Journal of the American Association of Neuroscience Nurses*, 32(1), 54–60. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/10955275>
246. Ireland, J., Minesh Khashu, Cescutti-Butler, L., van Teijlingen, E., & Hewitt-Taylor, J. (2016). Experiences of fathers with babies admitted to neonatal care units: A review of the literature. *Journal of Neonatal Nursing: JNN*, 22(4), 171–176. <https://doi.org/10.1016/j.jnn.2016.01.006>
247. Irwin, S., & Tecklin, J. S. (2004). *Cardiopulmonary Physical Therapy: A Guide to Practice*. Mosby. Retrieved from <https://www.amazon.com/Cardiopulmonary-Physical-Therapy-Guide-Practice/dp/0323018408>



248. Jackson, J. C., Gordon, S. M., Hart, R. P., Hopkins, R. O., & Ely, E. W. (2004). The association between delirium and cognitive decline: a review of the empirical literature. *Neuropsychology Review*, 14(2), 87–98. <https://www.ncbi.nlm.nih.gov/pubmed/15264710>
249. Jacobs, P., Edbrooke, D., Hibbert, C., Fassbender, K., & Corcoran, M. (2001). Descriptive Patient Data As An Explanation For The Variation In Average Daily Costs In Intensive Care. *Anaesthesia*, 56(7), 643–647. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/11437764>
250. Jamtvedt, G., Young, J. M., Kristoffersen, D. T., O'Brien, M. A., & Oxman, A. D. (2006). Does Telling People What They Have Been Doing Change What They Do? A Systematic Review of The Effects of Audit And Feedback. *BMJ Quality & Safety*, 15(6), 433–436. <https://doi.org/10.1136/qshc.2006.018549>
251. Janvier, A., Lantos, J., Aschner, J., Barrington, K., Batton, B., Batton, D., et al. Spitzer, A. R. (2016). Stronger And More Vulnerable: A Balanced View of The Impacts Of The NICU Experience On Parents. *Pediatrics*, 138(3). <https://doi.org/10.1542/peds.2016-0655>
252. Jegatheesan, B., Beetz A. et al. (2015). The IAHAIO definitions for animal assisted intervention and guidelines for wellness of animals involved. *Academic Press New York, NY.* <http://iahai.org/new/fileuploads/9313IAHAIO%20WHITE%20PAPER%20TASK%20FORCE%20-%20FINAL%20REPORT.pdf>
253. Jette, A., Haley, S. M., Wendy Coster, O. T., & Ni, P. S. (2007). AM-PAC Short Forms TM for Inpatient and Outpatient Settings Instruction Manual. {Boston University School of Public Health}. Retrieved from https://www.sralab.org/sites/default/files/2017-07/AM-PAC-Short-Form-Manual_v4-6-19-2014.pdf
254. Jette, A. M., Haley, S. M., Ni, P., & Moed, R. (2008). Adaptive short forms for outpatient rehabilitation outcome assessment. *American Journal of Physical Medicine & Rehabilitation / Association of Academic Physiatrists*, 87(10), 842–852. <https://doi.org/10.1097/PHM.0b013e318186b7ca>
255. Jette, D. U., Stilphen, M., Ranganathan, V. K., Passek, S. D., Frost, F. S., & Jette, A. M. (2014a). AM-PAC “6-Clicks” Functional Assessment Scores Predict Acute Care Hospital Discharge Destination. *Physical Therapy*, 94(9), 1252–1261. <https://doi.org/10.2522/ptj.20130359>
256. Jette, D. U., Stilphen, M., Ranganathan, V. K., Passek, S. D., Frost, F. S., & Jette, A. M. (2014b). Validity of the AM-PAC “6-Clicks” Inpatient Daily Activity and Basic Mobility Short Forms. *Physical Therapy*, 94(3), 379–391. <https://doi.org/10.2522/ptj.20130199>
257. Jette, D. U., Stilphen, M., Ranganathan, V. K., Passek, S., Frost, F. S., & Jette, A. M. (2015). Interrater Reliability of AM-PAC “6-Clicks” Basic Mobility and Daily Activity Short Forms. *Physical Therapy*, 95(5), 758–766. <https://doi.org/10.2522/ptj.20140174>
258. John Hopkins University, the Johns Hopkins Hospital, and the Johns Hopkins Health System. AMP E-Learning Modules. Johns Hopkins Healthcare Solutions. Retrieved from <https://www.johnshopkinssolutions.com/available-amp-e-learning-modules/>



259. Johns Hopkins Medicine. Johns Hopkins Medicine Healthcare Solutions. Patient Engagement Training Program. Retrieved from <https://www.johnshopkinsolutions.com/solution/pet/>
260. Johns Hopkins University, the Johns Hopkins Hospital, and Johns Hopkins Health System. Johns Hopkins Healthcare Solutions. AMP-ICU. Retrieved from <https://www.johnshopkinsolutions.com/solution/amp/activity-mobility-promotion-amp-icu/>
261. Johns Hopkins University, the Johns Hopkins Hospital, and the Johns Hopkins Health System. (n.d.). Johns Hopkins Healthcare Solutions. AMP-PICU. Retrieved from <https://www.johnshopkinsolutions.com/solution/amp/activity-mobility-promotion-amp-picu/>
262. Johnson, K., Petti, J., Olson, A., & Custer, T. (2017). Identifying barriers to early mobilisation among mechanically ventilated patients in a trauma intensive care unit. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 42, 51–54. <https://doi.org/10.1016/j.iccn.2017.06.005>
263. Johnstone, M. (1987). *Restoration of motor function in the stroke patient: a physiotherapist's approach*. Churchill Livingstone. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1271852/>
264. Jolley, S. E., Dale, C. R., & Hough, C. L. (2015). Hospital-Level Factors Associated With Report Of Physical Activity In Patients On Mechanical Ventilation Across Washington State. *Annals Of The American Thoracic Society*, 12(2), 209–215. <https://doi.org/10.1513/annalsats.201410-480oc>
265. Jolley, S. E., Moss, M., Needham, D. M., Caldwell, E., Morris, P. E., Miller, R. R., et al. Acute Respiratory Distress Syndrome Network Investigators. (2016). Point Prevalence Study of Mobilization Practices for Acute Respiratory Failure Patients in the United States. *Critical Care Medicine*. <https://doi.org/10.1097/CCM.0000000000002058>
266. Jones, C., Skirrow, P., Griffiths, R. D., Humphris, G. H., Ingleby, S., Eddleston, J., et al. Gager, M. (2003). Rehabilitation After Critical Illness: A Randomized, Controlled Trial. *Critical Care Medicine*, 31(10), 2456–2461. <https://doi.org/10.1097/01.CCM.0000089938.56725.33>
267. Kabat-Zinn, J., & Hanh, T. N. (2009). *Full Catastrophe Living: Using the Wisdom of Your Body and Mind to Face Stress, Pain, and Illness*. Random House Publishing Group. Retrieved from <http://a.co/3LOipX7>
268. Kacmarek, R. M., Stoller, J. K., & Heuer, A. (2014). *Egan's Fundamentals of Respiratory Care - E-Book*. Elsevier Health Sciences. Retrieved from <https://market.android.com/details?id=book-HNHsAwAAQBAJ>
269. Kajs-Wyllie, M., Holman, V., & Trager, R. (1993). Enhancing recovery via neuro-rehab rounds. *The Journal of Neuroscience Nursing: Journal of the American Association of Neuroscience Nurses*, 25(3), 153–157. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/8340636>
270. Kamdar, B. B., Huang, M., Dinglas, V. D., Colantuoni, E., von Wachter, T. M., Hopkins, R. O., et al. National Heart, Lung, and Blood Institute Acute Respiratory Distress Syndrome Network. (2017). Joblessness and Lost Earnings after Acute Respiratory Distress Syndrome in a 1-Year National



Multicenter Study. *American Journal of Respiratory and Critical Care Medicine*, 196(8), 1012–1020.
<https://www.ncbi.nlm.nih.gov/pubmed/28448162>

271. Kamdar, B. B., King, L. M., Collop, N. A., Sakamuri, S., Colantuoni, E., Neufeld, K. J., et al. Needham, D. M. (2013). The Effect Of A Quality Improvement Intervention On Perceived Sleep Quality And Cognition In A Medical ICU. *Critical Care Medicine*, 41(3), 800–809.
<https://doi.org/10.1097/CCM.0b013e3182746442>
272. Kater - Western Journal of Nursing Research, K. M., & 1989. (1989). Response of head-injured patients to sensory stimulation. *Journals.sagepub.com*. Retrieved from
<http://journals.sagepub.com/doi/pdf/10.1177/019394598901100103>
273. Kawahara, K., Suzuki, T., Yasaka, T., Nagata, H.. (2017). Evaluation of The Site Specificity of Acute Disuse Muscle Atrophy Developed During A Relatively Short Period In Critically Ill Patients According To The Activities of Daily Living Level: A Prospective Observational Study. *Australian Critical Care*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1036731416000291>
274. Kawazoe, Y., Miyamoto, K., Morimoto, T., Yamamoto, T., Fuke, A., Hashimoto, A., et al. Dexmedetomidine for Sepsis in Intensive Care Unit Randomized Evaluation (DESIRE) Trial Investigators. (2017). Effect of Dexmedetomidine on Mortality and Ventilator-Free Days in Patients Requiring Mechanical Ventilation With Sepsis: A Randomized Clinical Trial. *JAMA: The Journal of the American Medical Association*, 317(13), 1321–1328. <https://doi.org/10.1001/jama.2017.2088>
275. Kimawi, I., Lamberjack, B., Nelliot, A., Toonstra, A. L., Zanni, J., Huang, M., et al. Needham, D. M. (2017). Safety and Feasibility of a Protocolized Approach to In-Bed Cycling Exercise in the Intensive Care Unit: Quality Improvement Project. *Physical Therapy*, 97(6), 593–602. <https://doi.org/10.1093/ptj/pzx034>
276. Klein Klouwenberg, P. M. C., Zaal, I. J., Spitoni, C., Ong, D. S. Y., van der Kooi, A. W., Bonten, M. J. M., Cremer, O. L. (2014). The attributable mortality of delirium in critically ill patients: prospective cohort study. *BMJ*, 349, g6652. <https://doi.org/10.1136/bmj.g6652>
277. Ko, Y., Cho, Y. H., Park, Y. H., Lee, H., Suh, G. Y., Yang, J. H., et al. Chung, C. R. (2015). Feasibility and Safety of Early Physical Therapy and Active Mobilization for Patients on Extracorporeal Membrane Oxygenation. *ASAIO Journal*, 61(5), 564–568. <https://doi.org/10.1097/MAT.0000000000000239>
278. Koch, S. M., Fogarty, S., Signorino, C., Parmley, L., & Mehlhorn, U. (1996). Effect Of Passive Range Of Motion On Intracranial Pressure In Neurosurgical Patients. *Journal of Critical Care*, 11(4), 176–179. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/8977993>
279. Körner, M.. (2010). Interprofessional teamwork in medical rehabilitation: a comparison of multidisciplinary and interdisciplinary team approach. *Clinical Rehabilitation*. Retrieved from
<http://journals.sagepub.com/doi/abs/10.1177/0269215510367538>
280. Korupolu, R., Zanni, J. M., Fan, E., Butler, M., & Needham, D. M. (2010). Early Mobilisation of Intensive Care Unit Patient: The Challenges Of Morbid Obesity And Multiorgan Failure. *BMJ Case Reports*, 2010.



<https://doi.org/10.1136/bcr.09.2009.2257>

281. Kram, B. L., Kram, S. J., & Brooks, K. R. (2015). Implications of Atypical Antipsychotic Prescribing In The Intensive Care Unit. *Journal Of Critical Care*, 30(4), 814–818. <https://doi.org/10.1016/j.jcrc.2015.03.030>
282. Kristensson-Hallström, I. (1999). Strategies For Feeling Secure Influence Parents' Participation In Care. *Journal of Clinical Nursing*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1046/j.1365-2702.1999.00282.x/full>
283. Kritchevsky, S. B., Braun, B. I., Bush, A. J., Bozikis, M. R., Kusek, L., Burke, J. P., et al. TRAPE Study Group. (2008). The Effect Of A Quality Improvement Collaborative To Improve Antimicrobial Prophylaxis In Surgical Patients: A Randomized Trial. *Annals of Internal Medicine*, 149(7), 472–80, W89. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/18838727>
284. Krumholz, H. M. (2013). Post-Hospital Syndrome—An Acquired, Transient Condition Of Generalized Risk. *New England Journal of Medicine*. Retrieved from <http://www.nejm.org/doi/full/10.1056/nejmp1212324>
285. Kudchadkar, S. R., Aljohani, O. A., & Punjabi, N. M. (2014). Sleep Of Critically Ill Children In The Pediatric Intensive Care Unit: A Systematic Review. *Sleep Medicine Reviews*, 18(2), 103–110. <https://doi.org/10.1016/j.smrv.2013.02.002>
286. Langer, E. J. (1989). *Mindfulness*. Addison-Wesley Pub. Retrieved from <https://market.android.com/details?id=book-HrN-AAAAMAAJ>
287. Langley, G. J., Moen, R. D., Nolan, K. M., Nolan, T. W., Norman, C. L., & Provost, L. P. (2009). *The Improvement Guide: A Practical Approach to Enhancing Organizational Performance*. John Wiley & Sons. Retrieved from <https://books.google.com/books?id=kE4aEnZgBO8C&lpg=PP1&dq=improvement%20guide%20a%20practical%20approach%20to%20enhancing%20organizational%20performance&pg=PP1#v=onepage&q=improvement%20guide%20a%20practical%20approach%20to%20enhancing%20organizational%20performance&f=false>
288. Lannin, N. A., Cusick, A., McLachlan, R., & Allaous, J. (2013). Observed recovery sequence in neurobehavioral function after severe traumatic brain injury. *The American Journal of Occupational Therapy: Official Publication of the American Occupational Therapy Association*, 67(5), 543–549. <https://doi.org/10.5014/ajot.2013.008094>
289. Larson, R. D., Larson, D. J., Baumgartner, T. B., & White, L. J. (2013). Repeatability of the timed 25-foot walk test for individuals with multiple sclerosis. *Clinical Rehabilitation*, 27(8), 719–723. <https://doi.org/10.1177/0269215512470269>
290. Lasiter, S., Oles, S. K., Mundell, J., London, S., & Khan, B. (2016). Critical Care Follow-up Clinics: A Scoping Review of Interventions and Outcomes. *Clinical Nurse Specialist CNS*, 30(4), 227–237.



This work, created by Carrie Price, MLS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

<https://doi.org/10.1097/NUR.0000000000000219>

291. Latenser, B. A., & Kowal-Vern, A. (2002). Paediatric burn rehabilitation. *Pediatric Rehabilitation*, 5(1), 3–10. <https://doi.org/10.1080/1363849021000007079>
292. Latour, J. M., van Goudoever, J. B., Schuurman, B. E., Albers, M. J. I. J., van Dam, N. A. M., Dullaart, E., et al. Hazelzet, J. A. (2011). A qualitative study exploring the experiences of parents of children admitted to seven Dutch pediatric intensive care units. *Intensive Care Medicine*, 37(2), 319–325. <https://doi.org/10.1007/s00134-010-2074-3>
293. Laudert, S., Liu, W. F., Blackington, S., Perkins, B., Martin, S., Macmillan-York, E., et al. NIC/Q 2005 Physical Environment Exploratory Group. (2007). Implementing potentially better practices to support the neurodevelopment of infants in the NICU. *Journal of Perinatology: Official Journal of the California Perinatal Association*, 27 Suppl 2, S75–93. <https://doi.org/10.1038/sj.jp.7211843>
294. Law, M., Darrah, J., Pollock, N., Kinget, G., & 1998. (1998). Family-centred functional therapy for children with cerebral palsy: an emerging practice model. *Therapy in Pediatrics*. Retrieved from http://www.tandfonline.com/doi/abs/10.1080/J006v18n01_06
295. Le Roux, M. C., Kemp R. (2009). Effect of a companion dog on depression and anxiety levels of elderly residents in a long-term care facility. *Psychogeriatrics*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1111/j.1479-8301.2009.00268.x/full>
296. Leder, S. B., Baker, K. E., & Goodman, T. R. (2010). Dysphagia Testing And Aspiration Status In Medically Stable Infants Requiring Mechanical Ventilation Via Tracheotomy. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 11(4), 484–7; quiz 488. <https://doi.org/10.1097/PCC.0b013e3181ceae50>
297. Lee, C. M., & Fan, E. (2012). ICU-Acquired Weakness: What Is Preventing Its Rehabilitation In Critically Ill Patients? *BMC Medicine*, 10, 115. <https://doi.org/10.1186/1741-7015-10-115>
298. Lee, H., Ko, Y. J., Jung, J., Choi, A. J., Suh, G. Y., & Chung, C. R. (2016). Monitoring of Potential Safety Events and Vital Signs during Active Mobilization of Patients Undergoing Continuous Renal Replacement Therapy in a Medical Intensive Care Unit. *Blood Purification*, 42(1), 83–90. <https://doi.org/10.1159/000446175>
299. Lefebvre, S. L., Golab, G. C., Christensen, E., Castrodale, L., Aureden, K., Bialachowski, A., et al. Weese, J. S. (2008). Guidelines for animal-assisted interventions in health care facilities. *American Journal of Infection Control*, 36(2), 78–85. <https://doi.org/10.1016/j.ajic.2007.09.005>
300. Lefebvre, S. L., Reid-Smith - Journal of the et al., R. J., & 2009. (2009). Incidence of acquisition of methicillin-resistant Staphylococcus aureus, Clostridium difficile, and other health-care-associated pathogens by dogs that participate in animal-assisted interventions. *Am Vet Med Assoc*. Retrieved from <http://avmajournals.avma.org/doi/abs/10.2460/javma.234.11.1404>



301. Lehner, D. C., & Sadler, L. S. (2015). Toddler Developmental Delays After Extensive Hospitalization: Primary Care Practitioner Guidelines. *Pediatric Nursing*, 41(5), 236–242. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/26665423>
302. Leijten, F. S., Harinck-de Weerd, J. E., Poortvliet, D. C., & de Weerd, A. W. (1995). The Role Of Polyneuropathy In Motor Convalescence After Prolonged Mechanical Ventilation. *JAMA: The Journal of the American Medical Association*, 274(15), 1221–1225. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/7563512>
303. Lequerica, A. H., & Kortte, K. (2010). Therapeutic engagement: a proposed model of engagement in medical rehabilitation. *American Journal of Physical Medicine & Rehabilitation / Association of Academic Physiatrists*, 89(5), 415–422. <https://doi.org/10.1097/PHM.0b013e3181d8ceb2>
304. Lima, N. P., da Silva, G. M. C., Park, M., & Pires-Neto, R. C. (2015). Mobility therapy and central or peripheral catheter-related adverse events in an ICU in Brazil. *Jornal Brasileiro de Pneumologia: Publicacao Oficial Da Sociedade Brasileira de Pneumologia E Tisiologia*, 41(3), 225–230. <https://doi.org/10.1590/S1806-37132015000004338>
305. Lin, S.-M., Liu, C.-Y., Wang, C.-H., Lin, H.-C., Huang, C.-D., Huang, P.-Y., et al. Kuo, H.-P. (2004). The impact of delirium on the survival of mechanically ventilated patients. *Critical Care Medicine*, 32(11), 2254–2259. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/15640638>
306. Linder, D. E., Siebens, H. C., Mueller, M. K., Gibbs, D. M., & Freeman, L. M. (2017). Animal-assisted interventions: A national survey of health and safety policies in hospitals, eldercare facilities, and therapy animal organizations. *American Journal of Infection Control*, 45(8), 883–887. <https://doi.org/10.1016/j.ajic.2017.04.287>
307. Lipshutz, A. K. M., & Gropper, M. A. (2013). Acquired neuromuscular weakness and early mobilization in the intensive care unit. *Anesthesiology*, 118(1), 202–215. <https://doi.org/10.1097/ALN.0b013e31826be693>
308. Liu, B., Moore, J. E., Almaawiy, U., Chan - Age and et al., W. H. (2017). Outcomes of Mobilisation of Vulnerable Elders in Ontario (MOVE ON): a multisite interrupted time series evaluation of an implementation intervention to et al.. *Academic.oup.com*. Retrieved from <https://academic.oup.com/ageing/article/doi/10.1093/ageing/afx128/3970847/Outcomes-of-Mobilisation-of-Vulnerable-Elders-in>
309. Lord, R. K., Mayhew, C. R., Korupolu, R., Mantheiy, E. C., Friedman, M. A., Palmer, J. B., & Needham, D. M. (2013). ICU early physical rehabilitation programs: financial modeling of cost savings. *Critical Care Medicine*, 41(3), 717–724. <https://doi.org/10.1097/CCM.0b013e3182711de2>
310. Lorello, D. J., Peck, M., Albrecht, M., Richey, K. J., & Pressman, M. A. (2014). Results of a prospective randomized controlled trial of early ambulation for patients with lower extremity autografts. *Journal of Burn Care & Research: Official Publication of the American Burn Association*, 35(5), 431–436. <https://doi.org/10.1097/BCR.0000000000000014>



311. Lubomksi, L. H., Wilson, R. F., Pföh, E. R., & 2013. (2013). Promoting a Culture of Safety as a Patient Safety StrategyA Systematic Review. *Annals of Internal Medicine*. Retrieved from <http://annals.org/aim/article/1656428/promoting-culture-safety-patient-safety-strategy-systematic-review>
312. Ludwig, S. M., & Waitzman, K. A. (2007). Changing Feeding Documentation to Reflect Infant-Driven Feeding Practice. *Newborn and Infant Nursing Reviews: NAINR*, 7(3), 155–160. <https://doi.org/10.1053/j.nainr.2007.06.007>
313. Lundqvist, M., Carlsson, P., Sjödahl, R., Theodorsson, E., & Levin, L.-Å. (2017). Patient benefit of dog-assisted interventions in health care: a systematic review. *BMC Complementary and Alternative Medicine*, 17(1), 358. <https://doi.org/10.1186/s12906-017-1844-7>
314. Lutz, K. F. (2012). Feeding Problems of Neonatal Intensive Care Unit and Pediatric Intensive Care Unit Graduates: Perceptions of Parents and Providers. *Newborn and Infant Nursing Reviews: NAINR*, 12(4), 207–213. <https://doi.org/10.1053/j.nainr.2012.09.008>
315. Lynch, Y. T., Clark, B. J., Macht, M., White, S. D., Taylor, H., Wimbish, T., & Moss, M. (2017). The accuracy of the bedside swallowing evaluation for detecting aspiration in survivors of acute respiratory failure. *Journal of Critical Care*, 39, 143–148. <https://doi.org/10.1016/j.jcrc.2017.02.013>
316. Lynn, R., McLoughlin, F., Baxter. (2015). Occupational therapy reducing the prevalence of PTSD in patients admitted to critical care. https://www.researchgate.net/publication/292681035_Occupational_therapy_reducing_the_prevalence_of_PTSD_in_patients_admitted_to_critical_care
317. Löwing, K., Bexelius, A., & Carlberg, E. B. (2010). Goal-directed functional therapy: a longitudinal study on gross motor function in children with cerebral palsy. *Disability and Rehabilitation*, 32(11), 908–916. <https://doi.org/10.3109/09638280903353422>
318. Maccoby, M., Norman, C. L., Norman, J. C., & Margolies, R. (2013). *Transforming Health Care Leadership: A Systems Guide to Improve Patient Care, Decrease Costs, and Improve Population Health*. John Wiley & Sons. Retrieved from <http://a.co/0TgB1pY>
319. Machado, A. S., Pires-Neto, R. C., Carvalho, M. (2017). Effects that passive cycling exercise have on muscle strength, duration of mechanical ventilation, and length of hospital stay in critically ill patients: a et al.. *SciELO Brasil*. Retrieved from http://www.scielo.br/scielo.php?pid=S1806-37132017000200134&script=sci_arttext&tlang=pt
320. Macht, M., Wimbish, T., Clark, B. J., Benson, A. B., Burnham, E. L., Williams, A., & Moss, M. (2011). Postextubation dysphagia is persistent and associated with poor outcomes in survivors of critical illness. *Critical Care*, 15(5), R231. <https://doi.org/10.1186/cc10472>
321. Maeda, K., Takaki, M., & Akagi, J. (2017). Decreased Skeletal Muscle Mass and Risk Factors of Sarcopenic Dysphagia: A Prospective Observational Cohort Study. *The Journals of Gerontology. Series*




322. Mah, J. W., Staff, I. I., Fisher, S. R., & Butler, K. L. (2017). Improving Decannulation and Swallowing Function: A Comprehensive, Multidisciplinary Approach to Post-Tracheostomy Care. *Respiratory Care*, 62(2), 137–143. <https://doi.org/10.4187/respcare.04878>
323. Manzano, J. L., Lubillo, S., Henríquez, D., Martín, J. C., Pérez, M. C., & Wilson, D. J. (1993). Verbal communication of ventilator-dependent patients. *Critical Care Medicine*, 21(4), 512–517. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/8472569>
324. Maramattom, B. V., & Wijdicks, E. F. M. (2006). Acute neuromuscular weakness in the intensive care unit. *Critical Care Medicine*, 34(11), 2835–2841. <https://doi.org/10.1097/01.CCM.0000239436.63452.81>
325. Martel, M.-J., Milette, I., Bell, L., Tribble, D. S.-C., & Payot, A. (2016). Establishment of the Relationship Between Fathers and Premature Infants in Neonatal Units. *Advances in Neonatal Care: Official Journal of the National Association of Neonatal Nurses*, 16(5), 390–398. <https://doi.org/10.1097/ANC.0000000000000292>
326. Martino, S., Carroll, K., Kostas, D., Perkins, J., & Rounsville, B. (2002). Dual Diagnosis Motivational Interviewing: a modification of Motivational Interviewing for substance-abusing patients with psychotic disorders. *Journal of Substance Abuse Treatment*, 23(4), 297–308. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/12495791>
327. Maujean, A., Pepping, C. A., & Kendall, E. (2015). A Systematic Review of Randomized Controlled Trials of Animal-Assisted Therapy on Psychosocial Outcomes. *Anthrozoös*, 28(1), 23–36. <https://doi.org/10.2752/089279315X14129350721812>
328. Maxwell, W. L. (2012). Traumatic brain injury in the neonate, child and adolescent human: An overview of pathology. *International Journal of Developmental Neuroscience: The Official Journal of the International Society for Developmental Neuroscience*, 30(3), 167–183. <https://doi.org/10.1016/j.ijdevneu.2011.12.008>
329. Mazzola, C. A., & Adelson, P. D. (2002). Critical care management of head trauma in children. *Critical Care Medicine*, 30(11 Suppl), S393–401. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/12528780>
330. McGrath, B. A., Lynch, J., Bonvento, B., Wallace, S., Poole, V., Farrell, A., et al. Roberson, D. W. (2017). Evaluating the quality improvement impact of the Global Tracheostomy Collaborative in four diverse NHS hospitals. *BMJ Quality Improvement Reports*, 6(1). <https://doi.org/10.1136/bmjquality.u220636.w7996>
331. McKinstry, A., Tranter, M., & Sweeney, J. (2010). Outcomes of Dysphagia Intervention In A Pulmonary Rehabilitation Program. *Dysphagia*, 25(2), 104–111. <https://doi.org/10.1007/s00455-009-9230-3>



332. McNicoll, L., Pisani, M. A., Zhang, Y., Ely, E. W., Siegel, M. D., & Inouye, S. K. (2003). Delirium in the Intensive Care Unit: Occurrence and Clinical Course in Older Patients. *Journal of the American Geriatrics Society*, 51(5), 591–598. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/12752832>
333. Medley, A. R., & Powell, T. (2010). Motivational Interviewing To Promote Self-Awareness And Engagement In Rehabilitation Following Acquired Brain Injury: A Conceptual Review. *Neuropsychological Rehabilitation*, 20(4), 481–508. <https://doi.org/10.1080/09602010903529610>
334. Medtronic. Duet Quick Reference Guide - Medtronic. Retrieved from <http://www.medtronic.com/content/dam/medtronic-com-m/mdi/nt/documents/mns-duetqrg.pdf>
335. Megha, M., Harpreet, S., & Nayeem, Z. (2013). Effect of Frequency of Multimodal Coma Stimulation On The Consciousness Levels Of Traumatic Brain Injury Comatose Patients. *Brain Injury: [BI]*, 27(5), 570–577. <https://doi.org/10.3109/02699052.2013.767937>
336. Melchers, P., Maluck, A., Suhr, L., Scholten, S., & Lehmkuhl, G. (1999). An Early Onset Rehabilitation Program for Children and Adolescents after Traumatic Brain Injury (TBI): Methods and First Results. *Restorative Neurology and Neuroscience*, 14(2-3), 153–160. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/12671259>
337. MerloLab. (2009). *The Effective Physician: Motivational Interviewing Demonstration*. YouTube. Retrieved from <https://www.youtube.com/watch?v=URiKA7CKfc>
338. Messer, A., Comer, L., & Forst, S. (2015). Implementation of a Progressive Mobilization Program in a Medical-Surgical Intensive Care Unit. *Critical Care Nurse*, 35(5), 28–42. <https://doi.org/10.4037/ccn2015469>
339. Milbrandt, E. B., Deppen, S., Harrison, P. L., Shintani, A. K., Speroff, T., Stiles, R. A., et al. Ely, E. W. (2004). Costs associated with delirium in mechanically ventilated patients. *Critical Care Medicine*, 32(4), 955–962. <https://doi.org/10.1097/01.CCM.0000119429.16055.92>
340. Milette, I., Martel, M. J., Ribeiro da Silva M. (2017). Guidelines for the Institutional Implementation of Developmental Neuroprotective Care in the Neonatal Intensive Care Unit. Part A: Background and Rationale. A Joint Position Statement. *Canadian Journal of Nursing Research*. Retrieved from <http://journals.sagepub.com/doi/abs/10.1177/0844562117706882>
341. Miller, H. D., & Anderson, G. C. (1993). Nonnutritive Sucking: Effects On Crying and Heart Rate In Intubated Infants Requiring Assisted Mechanical Ventilation. *Nursing Research*, 42(5), 305–307. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/8415048>
342. Miller, J. J., Fletcher, K., & Kabat-Zinn, J. (1995). Three-year follow-up and clinical implications of a mindfulness meditation-based stress reduction intervention in the treatment of anxiety disorders. *General Hospital Psychiatry*, 17(3), 192–200. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/7649463>



343. Mirski, M. A., Pandian, V., Bhatti, N., Haut, E., Feller-Kopman, D., Morad, A., et al. Roberts, V. J., Jr. (2012). Safety, Efficiency, And Cost-Effectiveness of A Multidisciplinary Percutaneous Tracheostomy Program. *Critical Care Medicine*, 40(6), 1827–1834. <https://doi.org/10.1097/CCM.0b013e31824e16af>
344. Missiuna, C., Pollock, N., Law, M., Walter, S., & Cavey, N. (2006). Examination of the Perceived Efficacy and Goal Setting System (PEGS) with children with disabilities, their parents, and teachers. *The American Journal of Occupational Therapy: Official Publication of the American Occupational Therapy Association*, 60(2), 204–214. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/16596924>
345. Mo, Y., Yam, F. K. (2017). Rational use of second-generation antipsychotics for the treatment of ICU delirium: a neuropharmacological approach. *Journal of Pharmacy Practice*. Retrieved from <http://journals.sagepub.com/doi/abs/10.1177/0897190015585763>
346. Mobasher, M. H., King, D., Judge, S., Arshad, F., Larsen, M., Safarfashandi, Z., et al. Darzi, A. (2016). Communication aid requirements of intensive care unit patients with transient speech loss. *Augmentative and Alternative Communication*, 32(4), 261–271. <https://doi.org/10.1080/07434618.2016.1235610>
347. Modrykamien, A. M. (2012). The ICU Follow-Up Clinic: A New Paradigm For Intensivists. *Respiratory Care*, 57(5), 764–772. <https://doi.org/10.4187/respcare.01461>
348. Morales, D. L. S., Almond, C. S. D., Jaquiss, R. D. B., Rosenthal, D. N., Naftel, D. C., Massicotte, M. P., et al. Fraser, C. D., Jr. (2011). Bridging Children Of All Sizes To Cardiac Transplantation: The Initial Multicenter North American Experience With The Berlin Heart EXCOR Ventricular Assist Device. *The Journal of Heart and Lung Transplantation: The Official Publication of the International Society for Heart Transplantation*, 30(1), 1–8. <https://doi.org/10.1016/j.healun.2010.08.033>
349. Morris, L. L., Bedon, A. M., McIntosh, E., & Whitmer, A. (2015). Restoring Speech to Tracheostomy Patients. *Critical Care Nurse*, 35(6), 13–27; quiz 28. <https://doi.org/10.4037/ccn2015401>
350. Morris, P. E. (2007). Moving Our Critically Ill Patients: Mobility Barriers and Benefits. *Critical Care Clinics*, 23(1), 1–20. <https://doi.org/10.1016/j.ccc.2006.11.003>
351. Morris, P. E., Berry, M. J., Files, D. C., Thompson, J. C., Hauser, J., Flores, L., Young, M. P. (2016). Standardized Rehabilitation and Hospital Length of Stay Among Patients With Acute Respiratory Failure: A Randomized Clinical Trial. *JAMA: The Journal of the American Medical Association*, 315(24), 2694–2702. <https://doi.org/10.1001/jama.2016.7201>
352. Morris, P. E., Goad, A., Thompson, C., Taylor, K., Harry, B., Passmore, L., et al. Haponik, E. (2008). Early intensive care unit mobility therapy in the treatment of acute respiratory failure. *Critical Care Medicine*, 36(8), 2238–2243. <https://doi.org/10.1097/CCM.0b013e318180b90e>
353. Moss, M., Nordon-Craft, A., Malone, D., Van Pelt, D., Frankel, S. K., Warner, M. L., et al. Schenkman, M. (2016). A Randomized Trial of an Intensive Physical Therapy Program for Patients with Acute Respiratory Failure. *American Journal of Respiratory and Critical Care Medicine*, 193(10), 1101–1110.



<https://doi.org/10.1164/rccm.201505-1039OC>

354. Mulrooney, D. A., Armstrong, G. T., Huang, S. (2016). Cardiac Outcomes in Adult Survivors of Childhood Cancer Exposed to Cardiotoxic TherapyA Cross-sectional Study Cardiac Outcomes in Survivors of Childhood et al.. *Annals of Internal Medicine*. Retrieved from <http://annals.org/aim/article/2480064/cardiac-outcomes-adult-survivors-childhood-cancer-exposed-cardiotoxic-therapy-cross>
355. Murthy, R., Bearman, G., Brown, S., Bryant, K., Chinn, R., Hewlett, A., et al. Weber, D. J. (2015). Animals in healthcare facilities: recommendations to minimize potential risks. *Infection Control and Hospital Epidemiology: The Official Journal of the Society of Hospital Epidemiologists of America*, 36(5), 495–516. <https://doi.org/10.1017/ice.2015.15>
356. Nattie, E., & Li, A. (2012). Central Chemoreceptors: Locations and Functions. *Comprehensive Physiology*, 2(1), 221–254. <https://doi.org/10.1002/cphy.c100083>
357. Needham,D. M. (2008). Translating Evidence Into Practice: A Model For Large Scale Knowledge Translation. *BMJ*. Retrieved from <http://www.bmj.com/bmj/section-pdf/186041?path=/bmj/337/7676/Analysis.full.pdf>
358. Needham, D. M. (2008). Mobilizing patients in the intensive care unit: improving neuromuscular weakness and physical function. *JAMA: The Journal of the American Medical Association*, 300(14), 1685–1690. <https://doi.org/10.1001/jama.300.14.1685>
359. Needham, D. M., Bronskill, S. E., Calinawan, J. R., Sibbald, W. J., Pronovost, P. J., & Laupacis, A. (2005). Projected Incidence of Mechanical Ventilation In Ontario To 2026: Preparing For The Aging Baby Boomers. *Critical Care Medicine*, 33(3), 574–579. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/15753749>
360. Needham, D. M., Colantuoni, E., Dinglas, V. D., Hough, C. L., Wozniak, A. W., Jackson, J. C., et al. Hopkins, R. O. (2016). Rosuvastatin Versus Placebo For Delirium In Intensive Care And Subsequent Cognitive Impairment In Patients With Sepsis-Associated Acute Respiratory Distress Syndrome: An Ancillary Study To A Randomised Controlled Trial. *The Lancet. Respiratory Medicine*, 4(3), 203–212. [https://doi.org/10.1016/S2213-2600\(16\)00005-9](https://doi.org/10.1016/S2213-2600(16)00005-9)
361. Needham, D. M., & Korupolu, R. (2010). Rehabilitation Quality Improvement In An Intensive Care Unit Setting: Implementation Of A Quality Improvement Model. *Topics in Stroke Rehabilitation*, 17(4), 271–281. <https://doi.org/10.1310/tsr1704-271>
362. Needham, D. M., Korupolu, R., Zanni, J. M., Pradhan, P., Colantuoni, E., Palmer, J. B., et al. Fan, E. (2010). Early Physical Medicine And Rehabilitation For Patients With Acute Respiratory Failure: A Quality Improvement Project. *Archives of Physical Medicine and Rehabilitation*, 91(4), 536–542. <https://doi.org/10.1016/j.apmr.2010.01.002>
363. Needham, D. M., Sinopoli, D. J., Dinglas, V. D., Berenholtz, S. M., Korupolu, R., Watson, S. R., et al. Pronovost, P. J. (2009). Improving Data Quality Control In Quality Improvement Projects. *International*



This work, created by Carrie Price, MLS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

Journal for Quality in Health Care: Journal of the International Society for Quality in Health Care / ISQua, 21(2), 145–150. <https://doi.org/10.1093/intqhc/mzp005>

364. Needham, D. M., Wang, W., Desai, S. V., Mendez-Tellez, P. A., Dennison, C. R., Sevransky, J., et al. Pronovost, P. J. (2007). Intensive care unit exposures for long-term outcomes research: development and description of exposures for 150 patients with acute lung injury. *Journal of Critical Care*, 22(4), 275–284. <https://doi.org/10.1016/j.jcrc.2007.02.001>
365. Newton, C., Whitehouse, W. (2008). Paediatric Coma Scales. *Developmental Medicine and Child Neurology*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1111/j.1469-8749.2008.02042.x/full>
366. NIDUS. Network for Investigation of Delirium: Unifying Scientists. Retrieved from <https://deliriumnetwork.org/>
367. Nikayin, S., Rabiee, A., Hashem, M. D., Huang, M., Bienvenu, O. J., Turnbull, A. E., & Needham, D. M. (2016). Anxiety Symptoms In Survivors of Critical Illness: A Systematic Review And Meta-Analysis. *General Hospital Psychiatry*, 43, 23–29. <https://doi.org/10.1016/j.genhosppsych.2016.08.005>
368. Noble, N. L., & Sweeney, N. L. (2017). Barriers to the Use of Assistive Devices in Patient Handling. *Workplace Health & Safety*, 2165079917697216. <https://doi.org/10.1177/2165079917697216>
369. Noppens, R., Brambrink, A. M. (2004). Traumatic Brain Injury in Children—Clinical Implications. *Experimental and Toxicologic Pathology*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0940299304000090>
370. Norman, V., Louw, B., & Kritzinger, A. (2007). Incidence And Description Of Dysphagia In Infants And Toddlers With Tracheostomies: A Retrospective Review. *International Journal of Pediatric Otorhinolaryngology*, 71(7), 1087–1092. <https://doi.org/10.1016/j.ijporl.2007.03.018>
371. Nuysink, J., Eijsermans, M. J. C., van Haastert, I. C., Koopman-Esseboom, C., Helders, P. J. M., de Vries, L. S., & van der Net, J. (2013). Clinical course of asymmetric motor performance and deformational plagiocephaly in very preterm infants. *The Journal of Pediatrics*, 163(3), 658–65.e1. <https://doi.org/10.1016/j.jpeds.2013.04.015>
372. Nwabara, O., Rogers, C., Inder, T., & Pineda, R. (2017). Early Therapy Services Following Neonatal Intensive Care Unit Discharge. *Physical & Occupational Therapy in Pediatrics*, 37(4), 414–424. <https://doi.org/10.1080/01942638.2016.1247937>
373. Nydahl, P., Ruhl, A. P., Bartoszek, G., Dubb, R., Filipovic, S., Flohr, H.-J., et al. Needham, D. M. (2014). Early mobilization of mechanically ventilated patients: a 1-day point-prevalence study in Germany. *Critical Care Medicine*, 42(5), 1178–1186. <https://doi.org/10.1097/CCM.0000000000000149>
374. Nydahl, P., Sricharoenchai, T., Chandra, S., Kundt, F. S., Huang, M., Fischill, M., & Needham, D. M. (2017). Safety of Patient Mobilization and Rehabilitation in the Intensive Care Unit. Systematic Review with Meta-Analysis. *Annals of the American Thoracic Society*, 14(5), 766–777.



<https://doi.org/10.1513/AnnalsATS.201611-843SR>

375. O'Brien, J. L., Moser, D. K., Riegel, B., Frazier, S. K., Garvin, B. J., & Kim, K. A. (2001). Comparison of anxiety assessments between clinicians and patients with acute myocardial infarction in cardiac critical care units. *American Journal of Critical Care: An Official Publication, American Association of Critical-Care Nurses*, 10(2), 97–103. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/11244678>
376. O'Brien, K., Bracht, M., Macdonell, K., McBride, T., Robson, K., O'Leary, L., et al. Lee, S. K. (2013). A pilot cohort analytic study of Family Integrated Care in a Canadian neonatal intensive care unit. *BMC Pregnancy and Childbirth*, 13 Suppl 1, S12. <https://doi.org/10.1186/1471-2393-13-S1-S12>
377. OACIS Group. Improving Long Term Outcomes. Retrieved from www.improvelto.com
378. OACIS Group. Johns Hopkins Medicine. Retrieved from https://www.hopkinsmedicine.org/pulmonary/research/outcomes_after_critical_illness_surgery/
379. Ogna, A., Prigent, H., Lejaille, M., Samb, P. (2017). Swallowing and swallowing-breathing interaction as predictors of intubation in Guillain-Barré syndrome. *Brain*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/brb3.611/full>
380. Ohgi, S., & Gu, S. (2013). Pediatric Burn Rehabilitation: Philosophy and strategies. *Burns & Trauma*, 1(2), 73–79. <https://doi.org/10.4103/2321-3868.118930>
381. Onlife Health MI PowToon. (2015). *Affirmations: MI Minitoon 02*. YouTube. Retrieved from <https://www.youtube.com/watch?v=QPoNWlStB5w>
382. Ouimet, S., Riker, R., Bergeron, N., Cossette, M., Kavanagh, B., & Skrobik, Y. (2007). Subsyndromal Delirium in the ICU: Evidence for A Disease Spectrum. *Intensive Care Medicine*, 33(6), 1007–1013. <https://doi.org/10.1007/s00134-007-0618-y>
383. Overgaard, C. B., & Dzavík, V. (2008). Inotropes And Vasopressors: Review Of Physiology And Clinical Use In Cardiovascular Disease. *Circulation*, 118(10), 1047–1056. <https://doi.org/10.1161/CIRCULATIONAHA.107.728840>
384. Oxman, A. D., Thomson, M. A., Davis, D. A., & Haynes, R. B. (1995). No magic bullets: a systematic review of 102 trials of interventions to improve professional practice. *Canadian Medical Association Journal*, 153(10), 1423–1431. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/7585368>
385. Pace, C. C., Spittle, A. J., Molesworth, C. M.-L., Lee, K. J., Northam, E. A., Cheong, J. L. Y., et al. Anderson, P. J. (2016). Evolution of Depression and Anxiety Symptoms in Parents of Very Preterm Infants During the Newborn Period. *JAMA Pediatrics*, 170(9), 863–870. <https://doi.org/10.1001/jamapediatrics.2016.0810>
386. Padilla, R., & Domina, A. (2016). Effectiveness of Sensory Stimulation to Improve Arousal and Alertness of People in a Coma or Persistent Vegetative State After Traumatic Brain Injury: A Systematic Review. *The American Journal of Occupational Therapy: Official Publication of the American Occupational*



This work, created by Carrie Price, MLS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

Therapy Association, 70(3), 7003180030p1–8. <https://doi.org/10.5014/ajot.2016.021022>

387. Page, V. J., Casarin, A., Ely, E. W., Zhao, X. B., McDowell, C., Murphy, L., & McAuley, D. F. (2017). Evaluation of early administration of simvastatin in the prevention and treatment of delirium in critically ill patients undergoing mechanical ventilation (MoDUS): a randomised, double-blind, placebo-controlled trial. *The Lancet. Respiratory Medicine*. [https://doi.org/10.1016/S2213-2600\(17\)30234-5](https://doi.org/10.1016/S2213-2600(17)30234-5)
388. Palisano, R. J., Orlin, M., & Schreiber, J. (2016). *Campbell's Physical Therapy for Children Expert Consult*. Elsevier - Health Sciences Division. Retrieved from <https://market.android.com/details?id=book-P13WjwEACAAJ>
389. Palmer, M., & Wyness, M. A. (1988). Positioning and Handling: Important Considerations In The Care Of The Severely Head-Injured Patient. *The Journal of Neuroscience Nursing: Journal of the American Association of Neuroscience Nurses*, 20(1), 42–49. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/2963874>
390. Palouse Mindfulness. (n.d.). Palouse Mindfulness. Retrieved from <https://palousemindfulness.com/>
391. Pandharipande, P., Cotton, B. A., Shintani, A., Thompson, J., Pun, B. T., Morris, J. A., Jr, et al. Ely, E. W. (2008). Prevalence And Risk Factors For Development of Delirium In Surgical and Trauma Intensive Care Unit Patients. *The Journal of Trauma*, 65(1), 34–41. <https://doi.org/10.1097/TA.0b013e31814b2c4d>
392. Pandharipande, P. P., Girard, T. D., & Ely, E. W. (2014). Long-Term Cognitive Impairment After Critical Illness. *The New England Journal of Medicine*, 370(2), 185–186. <https://doi.org/10.1056/NEJMc1313886>
393. Pandharipande, P. P., Pun, B. T., Herr, D. L., Maze, M., Girard, T. D., Miller, R. R., et al. Ely, E. W. (2007). Effect of sedation with dexmedetomidine vs lorazepam on acute brain dysfunction in mechanically ventilated patients: the MENDS randomized controlled trial. *JAMA: The Journal of the American Medical Association*, 298(22), 2644–2653. <https://doi.org/10.1001/jama.298.22.2644>
394. Pandharipande, P., Shintani, A., Peterson, J., Pun, B. T., Wilkinson, G. R., Dittus, R. S., et al. Ely, E. W. (2006). Lorazepam Is An Independent Risk Factor For Transitioning To Delirium In Intensive Care Unit Patients. *Anesthesiology*, 104(1), 21–26. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/16394685>
395. Pandian, V., Garg, V., Antar, R., & Best, S. (2016). Discharge Education and Caregiver Coping of Pediatric Patients with a Tracheostomy: Systematic Review. *ORL-Head and Neck Nursing: Official Journal of the Society of Otorhinolaryngology and Head-Neck Nurses*, 34(1), 17–8, 20–7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/27164767>
396. Pandian, V., Hutchinson, C. T., Schiavi, A. J., Feller-Kopman, D. J., Haut, E. R., Parsons, N. A., Yarmus, L. B. (2017). Predicting the need for nonstandard tracheostomy tubes in critically ill patients. *Journal of Critical Care*, 37, 173–178. <https://doi.org/10.1016/j.jcrc.2016.05.025>



397. Pandian, V., Miller, C. R., Mirski, M. A., Schiavi, A. J., Morad, A. H., Vaswani, R. S., Bhatti, N. I. (2012). Multidisciplinary team approach in the management of tracheostomy patients. *Otolaryngology--Head and Neck Surgery: Official Journal of American Academy of Otolaryngology-Head and Neck Surgery*, 147(4), 684–691. <https://doi.org/10.1177/0194599812449995>
398. Pandian, V., Miller, C. R., Schiavi, A. J., Yarmus, L., Contractor, A., Haut, E. R., Bhatti, N. I. (2014). Utilization of a standardized tracheostomy capping and decannulation protocol to improve patient safety. *The Laryngoscope*, 124(8), 1794–1800. <https://doi.org/10.1002/lary.24625>
399. Pandian, V., Smith, C. P., Cole, T. K., Bhatti, N. I., Mirski, M. A., Yarmus, L. B., & Feller-Kopman, D. J. (2014). Optimizing Communication in Mechanically Ventilated Patients. *Journal of Medical Speech-Language Pathology*, 21(4), 309–318. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/25429193>
400. Parry, S. M., Knight, L. D., Connolly, B., Baldwin, C., Puthucheary, Z., Morris, P., Granger, C. L. (2017). Factors influencing physical activity and rehabilitation in survivors of critical illness: a systematic review of quantitative and qualitative studies. *Intensive Care Medicine*, 43(4), 531–542. <https://doi.org/10.1007/s00134-017-4685-4>
401. Parry, S. M., Knight, L. D., Connolly, B., Baldwin, C., Puthucheary, Z., Morris, P., et al. Granger, C. L. (2017). Factors influencing physical activity and rehabilitation in survivors of critical illness: a systematic review of quantitative and qualitative studies. *Intensive Care Medicine*, 43(4), 531–542. <https://doi.org/10.1007/s00134-017-4685-4>
402. Parry, S. M., & Puthucheary, Z. A. (2015). The impact of extended bed rest on the musculoskeletal system in the critical care environment. *Extreme Physiology & Medicine*, 4, 16. <https://doi.org/10.1186/s13728-015-0036-7>
403. Passy Muir. The Passy-Muir Valve. Retrieved from <http://www.passymuir.com>
404. Patak, L., Wilson-Stronks, A., Costello, J., Kleinpell, R. M., Henneman, E. A., Person, C., & Happ, M. B. (2009). Improving patient-provider communication: a call to action. *The Journal of Nursing Administration*, 39(9), 372–376. <https://doi.org/10.1097/NNA.0b013e3181b414ca>
405. Patsaki, I., Gerovasili, V., Sidiras, G., Karatzanos, E., Mitsiou, G., Papadopoulos, E., et al. Nanas, S. (2017). Effect of neuromuscular stimulation and individualized rehabilitation on muscle strength in Intensive Care Unit survivors: A randomized trial. *Journal of Critical Care*, 40, 76–82. <https://doi.org/10.1016/j.jcrc.2017.03.014>
406. Perlman, A., & Schulze-Delrieu, K. (1997). *Deglutition and its disorders : anatomy, physiology, clinical diagnosis, and management*. San Diego: Singular Pub. Group. Retrieved from <https://www.worldcat.org/title/deglutition-and-its-disorders-anatomy-physiology-clinical-diagnosis-and-management/oclc/34546447>
407. Perme, C., & Chandrashekhar, R. (2009). Early Mobility And Walking Program For Patients In Intensive Care Units: Creating A Standard Of Care. *American Journal of Critical Care: An Official Publication*,



408. Perme, C., & Chandrashekhar, R. K. (2008). Managing the Patient on Mechanical Ventilation in ICU: Early Mobility and Walking Program. *Acute Care Perspectives*. Retrieved from <https://www.thefreelibrary.com/Managing+the+patient+on+mechanical+ventilation+in+ICU%3A+early+mobility...-a0200343140>
409. Perme, C., Nalty, T., Winkelman, C., Kenji Nawa, R., & Masud, F. (2013). Safety and Efficacy of Mobility Interventions in Patients with Femoral Catheters in the ICU: A Prospective Observational Study. *Cardiopulmonary Physical Therapy Journal*, 24(2), 12–17. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/23801900>
410. Pet Partners. Therapy Animal Program. Retrieved from <https://petpartners.org/volunteer/our-therapy-animal-program/volunteer-policies-procedures/>
411. Peterson, J. F., Pun, B. T., Dittus, R. S., Thomason, J. W. W., Jackson, J. C., Shintani, A. K., & Ely, E. W. (2006). Delirium and its motoric subtypes: a study of 614 critically ill patients. *Journal of the American Geriatrics Society*, 54(3), 479–484. <https://doi.org/10.1111/j.1532-5415.2005.00621.x>
412. Pföh, E. R., Wozniak, A. W., Colantuoni, E., Dinglas, V. D., Mendez-Tellez, P. A., Shanholtz, C., Needham, D. M. (2016). Physical declines occurring after hospital discharge in ARDS survivors: a 5-year longitudinal study. *Intensive Care Medicine*, 42(10), 1557–1566. <https://doi.org/10.1007/s00134-016-4530-1>
413. Philbin, M. K., & Ross, E. S. (2011). The SOFFI Reference Guide: text, algorithms, and appendices: a manualized method for quality bottle-feedings. *The Journal of Perinatal & Neonatal Nursing*, 25(4), 360–380. <https://doi.org/10.1097/JPN.0b013e31823529da>
414. Pinelli, J., & Symington, A. (2000). How Rewarding Can a Pacifier Be? A Systematic Review of Nonnutritive Sucking in Preterm Infants. *Neonatal Network: NN*, 19(8), 41–48. Retrieved from <http://www.ingentaconnect.com/content/springer/jnn/2000/00000019/00000008/art00004>
415. Pizano, L. R., Davies, J., Corallo, J. P., & Cantwell, P. G. (2008). Critical Care And Monitoring Of The Pediatric Burn Patient. *The Journal of Craniofacial Surgery*, 19(4), 929–932. <https://doi.org/10.1097/SCS.0b013e318175f3cd>
416. Pohlman, M. C., Schweickert, W. D., Pohlman, A. S., Nigos, C., Pawlik, A. J., Esbrook, C. L., Kress, J. P. (2010). Feasibility of physical and occupational therapy beginning from initiation of mechanical ventilation. *Critical Care Medicine*, 38(11), 2089–2094. <https://doi.org/10.1097/CCM.0b013e3181f270c3>
417. Polastri, M., Loforte, A., Dell'Amore, A., & Nava, S. (2016). Physiotherapy for Patients on Awake Extracorporeal Membrane Oxygenation: A Systematic Review. *Physiotherapy Research International: The Journal for Researchers and Clinicians in Physical Therapy*, 21(4), 203–209. <https://doi.org/10.1002/pri.1644>



418. Pollack, M. M., Holubkov, R., Funai, T., Clark, A., Berger, J. T., Meert, K., Eunice Kennedy Shriver National Institute of Child Health and Human Development Collaborative Pediatric Critical Care Research Network. (2014). Pediatric Intensive Care Outcomes: Development Of New Morbidities During Pediatric Critical Care. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 15(9), 821–827. <https://doi.org/10.1097/PCC.0000000000000250>
419. Pollack, M. M., Holubkov, R., Funai, T., Clark, A., Moler, F., Shanley, T., Jenkins, T. L. (2014). Relationship Between The Functional Status Scale and The Pediatric Overall Performance Category And Pediatric Cerebral Performance Category Scales. *JAMA Pediatrics*, 168(7), 671–676. <https://doi.org/10.1001/jamapediatrics.2013.5316>
420. Pollack, M. M., Holubkov, R., Glass, P., Dean, J. M., Meert, K. L., Zimmerman, J., Eunice Kennedy Shriver National Institute of Child Health and Human Development Collaborative Pediatric Critical Care Research Network. (2009). Functional Status Scale: new pediatric outcome measure. *Pediatrics*, 124(1), e18–e28. <https://doi.org/10.1542/peds.2008-1987>
421. Porter, M. E. (2010). What is value in health care? *NEJM*, 363, 2477-2481. Retrieved from <http://www.nejm.org/doi/full/10.1056/Nejmp1011024>
422. Porter, C., Hardee, J. P., Herndon, D. N., & Suman, O. E. (2015). The role of exercise in the rehabilitation of patients with severe burns. *Exercise and Sport Sciences Reviews*, 43(1), 34–40. <https://doi.org/10.1249/JES.0000000000000029>
423. Porter, M. E., Larsson, S., & Lee, T. H. (2016). Standardizing patient outcomes measurement. *The New England Journal of Medicine*, 374(6), 504–506. <https://doi.org/10.1056/NEJMp1511701>
424. Porter, M. E., & Teisberg, E. O. (2006). *Redefining Health Care: Creating Value-Based Competition On Results*. Harvard Business Press. Retrieved from <http://a.co/0fzCFeL>
425. Power, N., & Franck, L. (2008). Parent participation in the care of hospitalized children: a systematic review. *Journal of Advanced Nursing*, 62(6), 622–641. <https://doi.org/10.1111/j.1365-2648.2008.04643.x>
426. Probasco, J. C., Lavezza, A., Cassell, A., Shakes, T., Feurer, A., Russell, H., Hoyer, E. H. (2017). Choosing Wisely Together: Physical and Occupational Therapy Consultation for Acute Neurology Inpatients. *The Neurohospitalist*, 1941874417729981. <https://doi.org/10.1177/1941874417729981>
427. Pronovost, P. J. (2011). Navigating adaptive challenges in quality improvement. *BMJ Quality & Safety*, 20(7), 560–563. <https://doi.org/10.1136/bmjqqs-2011-000026>
428. Pronovost, P. J., Berenholtz, S. M., & Needham, D. M. (2008). Translating evidence into practice: a model for large scale knowledge translation. *BMJ*, 337, a1714. <https://doi.org/10.1136/bmj.a1714>
429. Pronovost, P. J., Goeschel, C. A., Marsteller, J. A., Sexton, J. B., Pham, J. C., & Berenholtz, S. M. (2009). Framework for patient safety research and improvement. *Circulation*, 119(2), 330–337.



<https://doi.org/10.1161/CIRCULATIONAHA.107.729848>

430. Quinn, R. E. (2011). *Building the Bridge As You Walk On It: A Guide for Leading Change*. John Wiley & Sons. Retrieved from <http://a.co/cyCEv1Y>
431. Rader, C., Nelson, M., Sobek, C., Smith, M., Garcia, R., Wright, S., Richards, N. M. (2011). Cardiac Index Based On Measurements Obtained In A Bedside Chair And In Bed. *American Journal of Critical Care: An Official Publication, American Association of Critical-Care Nurses*, 20(3), 210–5; quiz 216. <https://doi.org/10.4037/ajcc2011960>
432. Radtke, J. V., Tate, J. A., & Happ, M. B. (2012). Nurses' perceptions of communication training in the ICU. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 28(1), 16–25. <https://doi.org/10.1016/j.iccn.2011.11.005>
433. Reade, M. C., & Finfer, S. (2014). Sedation And Delirium In The Intensive Care Unit. *The New England Journal of Medicine*, 370(5), 444–454. <https://doi.org/10.1056/NEJMra1208705>
434. Reames, C. D., Price, D. M., King, E. A., & Dickinson, S. (2016). Mobilizing Patients Along the Continuum of Critical Care. *Dimensions of Critical Care Nursing: DCCN*, 35(1), 10–15. <https://doi.org/10.1097/DCC.0000000000000151>
435. Regensburg, A. M. (2014). Use of iPads by occupational therapists in a medical intensive care unit. *Physical Disabilities Special Interest Section Quarterly*.
436. Rehder, K. J., Turner, D. A., Hartwig, M. G., Lee Williford, W., Bonadonna, D., Walczak, R. J., Cheifetz, I. M. (2012). Active rehabilitation during ECMO as a bridge to lung transplantation. *Respiratory Care*, respcare.02155. <https://doi.org/10.4187/respcare.02155>
437. Reynolds, L. C., Duncan, M. M., Smith, G. C., Mathur, A., Neil, J., Inder, T., & Pineda, R. G. (2013). Parental presence and holding in the neonatal intensive care unit and associations with early neurobehavior. *Journal of Perinatology: Official Journal of the California Perinatal Association*, 33(8), 636–641. <https://doi.org/10.1038/jp.2013.4>
438. Riker, R. R., Shehabi, Y., Bokesch, P. M., Ceraso, D., Wisemandle, W., Koura, F., SEDCOM (Safety and Efficacy of Dexmedetomidine Compared With Midazolam) Study Group. (2009). Dexmedetomidine vs midazolam for sedation of critically ill patients: a randomized trial. *JAMA: The Journal of the American Medical Association*, 301(5), 489–499. <https://doi.org/10.1001/jama.2009.56>
439. Ringdal, M., Plos, K., Ortenwall, P., & Bergbom, I. (2010). Memories and health-related quality of life after intensive care: a follow-up study. *Critical Care Medicine*, 38(1), 38–44. <https://doi.org/10.1097/CCM.0b013e3181b42909>
440. Roberson, D., Healy, G. (2017). The Global Tracheostomy Collaborative: Multidisciplinary quality improvement in tracheostomy care. *Bulletin of the American College of Surgeons*. Retrieved from <http://bulletin.facs.org/2017/09/the-global-tracheostomy-collaborative-multidisciplinary-quality->



[improvement-in-tracheostomy-care/](#)

441. Robert, M., Ballaz, L., Hart, R., & Lemay, M. (2013). Exercise intensity levels in children with cerebral palsy while playing with an active video game console. *Physical Therapy*, 93(8), 1084–1091.
<https://doi.org/10.2522/ptj.20120204>
442. Rogers, K. (2001). Airway Pressure Release Ventilation: Theory and Practice. *AACN Clinical Issues: Advanced Practice in Acute and Critical Care*. Retrieved from <http://insights.ovid.com/aacn-clinical-issues-advanced-practice-acute/aacn/2001/05/000/airway-pressure-release-ventilation-theory/14/00044067>
443. Rogers, A. T., Bai, G., Lavin, R. A., & Anderson, G. F. (2017). Higher Hospital Spending on Occupational Therapy Is Associated With Lower Readmission Rates. *Medical Care Research and Review: MCRR*, 74(6), 668–686. <https://doi.org/10.1177/1077558716666981>
444. Rommel, N., De Meyer, A.-M., Feenstra, L., & Veereman-Wauters, G. (2003). The complexity of feeding problems in 700 infants and young children presenting to a tertiary care institution. *Journal of Pediatric Gastroenterology and Nutrition*, 37(1), 75–84. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/12827010>
445. Rosa, R. G., Tonietto, T. F., da Silva, D. B., Gutierrez, F. A., Ascoli, A. M., Madeira, L. C., ICU Visits Study Group Investigators. (2017). Effectiveness and Safety of an Extended ICU Visitation Model for Delirium Prevention: A Before and After Study. *Critical Care Medicine*, 45(10), 1660–1667.
<https://doi.org/10.1097/CCM.0000000000002588>
446. Rosenbaum, P., Gorter, J. W., And, H. (2012). The “F-words” In Childhood Disability: I Swear This Is How We Should Think! *Child: Care, Health, Development*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2214.2011.01338.x/full>
447. Rubenfeld, G. D. (2004). Implementing Effective Ventilator Practice At The Bedside. *Current Opinion In Critical Care*, 10(1), 33. Retrieved from http://journals.lww.com/co-criticalcare/Abstract/2004/02000/Implementing_effective_ventilator_practice_at_the.6.aspx
448. Rubin, H. R., Pronovost, P., & Diette, G. B. (2001). From a Process Of Care To A Measure: The Development And Testing Of A Quality Indicator. *International Journal for Quality in Health Care: Journal of the International Society for Quality in Health Care / ISQua*, 13(6), 489–496. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/11769752>
449. Rubin, H. R., Pronovost, P., & Diette, G. B. (2001). The Advantages And Disadvantages Of Process-Based Measures Of Health Care Quality. *International Journal For Quality In Health Care: Journal Of The International Society For Quality In Health Care / Isqua*, 13(6), 469–474.
<Https://Doi.Org/10.1093/Intqhc/13.6.469>
450. Rukstele, C. D., & Gagnon, M. M. (2013). Making Strides In Preventing ICU-Acquired Weakness: Involving Family In Early Progressive Mobility. *Critical Care Nursing Quarterly*, 36(1), 141–147.



<https://doi.org/10.1097/CNQ.0b013e31827539cc>

451. Russell, D. C., Kriel, H., Joubert, G. (2009). Prone positioning and motor development in the first 6 weeks of life. *South African Journal of Physical Therapy*. Retrieved from http://www.scielo.org.za/scielo.php?script=sci_abstract&pid=S2310-38332009000100004
452. Russo, M. J., Jeevanandam, V., Stepney, J., Merlo, A., Johnson, E. M., Malyala, R., & Raman, J. (2012). Intra-Aortic Balloon Pump Inserted Through The Subclavian Artery: A Minimally Invasive Approach To Mechanical Support In The Ambulatory End-Stage Heart Failure Patient. *The Journal of Thoracic and Cardiovascular Surgery*, 144(4), 951–955. <https://doi.org/10.1016/j.jtcvs.2012.03.007>
453. Sadurska E.. (2015). Current views on anthracycline cardiotoxicity in childhood cancer survivors. *Pediatric Cardiology*. Retrieved from <http://link.springer.com/article/10.1007/s00246-015-1176-7>
454. Saliski, M., & Kudchadkar, S. R. (2015). Optimizing Sedation Management to Promote Early Mobilization for Critically Ill Children. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 4(4), 188–193. <https://doi.org/10.1055/s-0035-1563543>
455. Samra, H. A., Dutcher, J., McGrath, J. M., Foster, M., Klein, L., Djira, G., Wallenburg, D. (2015). Effect of Skin-to-Skin Holding on Stress in Mothers of Late-Preterm Infants: A Randomized Controlled Trial. *Advances in Neonatal Care: Official Journal of the National Association of Neonatal Nurses*, 15(5), 354–364. <https://doi.org/10.1097/ANC.0000000000000223>
456. Samuel, V. M., Colville, G. A., Goodwin, S., Ryninks, K., & Dean, S. (2015). The Value of Screening Parents for Their Risk of Developing Psychological Symptoms After PICU: A Feasibility Study Evaluating a Pediatric Intensive Care Follow-Up Clinic. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 16(9), 808–813. <https://doi.org/10.1097/PCC.0000000000000488>
457. Sander, A. M., Bogner, J., Nick, T. G., Clark, A. N., Corrigan, J. D., & Rozzell, M. (2012). A Randomized Controlled Trial Of Brief Intervention For Problem Alcohol Use In Persons With Traumatic Brain Injury. *The Journal of Head Trauma Rehabilitation*, 27(5), 319–330. <https://doi.org/10.1097/HTR.0b013e318269838c>
458. Sanders, M. R., & Hall, S. L. (2017). Trauma-Informed Care In The Newborn Intensive Care Unit: Promoting Safety, Security And Connectedness. *Journal of Perinatology: Official Journal of the California Perinatal Association*. <https://doi.org/10.1038/jp.2017.124>
459. Schaller, S. J., Anstey, M., Blobner, M., Edrich, T., Grabitz, S. D., Gradwohl-Matis, I., Eikermann, M. (2016). Early, Goal-Directed Mobilisation In The Surgical Intensive Care Unit: A Randomised Controlled Trial. *The Lancet*, 388(10052), 1377–1388. [https://doi.org/10.1016/S0140-6736\(16\)31637-3](https://doi.org/10.1016/S0140-6736(16)31637-3)
460. Schaller, S. J., Anstey, M., Blobner, M., Edrich, T., Grabitz, S. D., Gradwohl-Matis, I., International Early SOMS-guided Mobilization Research Initiative. (2016). Early, goal-directed mobilisation in the surgical intensive care unit: a randomised controlled trial. *The Lancet*, 388(10052), 1377–1388.



[https://doi.org/10.1016/S0140-6736\(16\)31637-3](https://doi.org/10.1016/S0140-6736(16)31637-3)

461. Scher, M. S., Ludington-Hoe, S., Kaffashi, F., Johnson, M. W., Holditch-Davis, D., & Loparo, K. A. (2009). Neurophysiologic assessment of brain maturation after an 8-week trial of skin-to-skin contact on preterm infants. *Clinical Neurophysiology: Official Journal of the International Federation of Clinical Neurophysiology*, 120(10), 1812–1818. <https://doi.org/10.1016/j.clinph.2009.08.004>
462. Schindler, C. A., Mikhailov, T. A., Kuhn, E. M., Christopher, J., Conway, P., Ridling, D., Simpson, V. S. (2011). Protecting Fragile Skin: Nursing Interventions To Decrease Development Of Pressure Ulcers In Pediatric Intensive Care. *American Journal of Critical Care: An Official Publication, American Association of Critical-Care Nurses*, 20(1), 26–34; quiz 35. <https://doi.org/10.4037/ajcc2011754>
463. Schneider, K. L., Pagoto, S. L., Handschin, B., Panza, E., Bakke, S., Liu, Q., Ma, Y. (2011). Design And Methods For A Pilot Randomized Clinical Trial Involving Exercise And Behavioral Activation To Treat Comorbid Type 2 Diabetes And Major Depressive Disorder. *Mental Health and Physical Activity*, 4(1), 13–21. <https://doi.org/10.1016/j.mhpa.2011.04.001>
464. Schneier, A. J., Shields, B. J., Hostetler, S. G., Xiang, H., & Smith, G. A. (2006). Incidence Of Pediatric Traumatic Brain Injury And Associated Hospital Resource Utilization In The United States. *Pediatrics*, 118(2), 483–492. <https://doi.org/10.1542/peds.2005-2588>
465. Schreiber, M. P., Colantuoni, E., Bienvenu, O. J., Neufeld, K. J., Chen, K.-F., Shanholtz, C., Needham, D. M. (2014). Corticosteroids And Transition To Delirium In Patients With Acute Lung Injury. *Critical Care Medicine*, 42(6), 1480–1486. <https://doi.org/10.1097/CCM.0000000000000247>
466. Schwartz, S. M., & Schmidt, A. (2013). Medical and Nursing Care of The Child On Mechanical Circulatory Support. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 14(5 Suppl 1), S43–50. <https://doi.org/10.1097/PCC.0b013e318292dfdc>
467. Schweickert, W. D., & Hall, J. (2007). ICU-Acquired Weakness. *Chest*, 131(5), 1541–1549. <https://doi.org/10.1378/chest.06-2065>
468. Schweickert, W. D., Pohlman, M. C., Pohlman, A. S., Nigos, C., Pawlik, A. J., Esbrook, C. L., Kress, J. P. (2009). Early Physical And Occupational Therapy In Mechanically Ventilated, Critically Ill Patients: A Randomised Controlled Trial. *The Lancet*, 373(9678), 1874–1882. [https://doi.org/10.1016/S0140-6736\(09\)60658-9](https://doi.org/10.1016/S0140-6736(09)60658-9)
469. See, K. C., Peng, S. Y., Phua, J., Sum, C. L., & Concepcion, J. (2016). Nurse-Performed Screening For Postextubation Dysphagia: A Retrospective Cohort Study In Critically Ill Medical Patients. *Critical Care / the Society of Critical Care Medicine*, 20(1), 326. <https://doi.org/10.1186/s13054-016-1507-y>
470. Shaker - Neonatal Network, C. S., & 2013. (2013). Cue-Based Feeding In The NICU: Using The Infant's Communication As A Guide. *Neonatal Network*. Retrieved from <http://search.proquest.com/openview/2e06d98e92fa58153b60a2a744c192ad/1?pq->



[origsite=gscholar&cbl=646499](#)


471. Shaker, R., Li, Q., Ren, J., Townsend, W. F., Dodds, W. J., Martin, B. J., Rynders, A. (1992). Coordination Of Deglutition And Phases Of Respiration: Effect Of Aging, Tachypnea, Bolus Volume, And Chronic Obstructive Pulmonary Disease. *The American Journal Of Physiology*, 263(5 Pt 1), G750–5. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/1443150>
472. Sharrott, G. W., & Cooper-Fraps, C. (1986). Theories Of Motivation In Occupational Therapy: An Overview. *The American Journal of Occupational Therapy: Official Publication of the American Occupational Therapy Association*, 40(4), 249–257. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/3963135>
473. Shikani, A. H., Miller, A. C., & Elamin, E. M. (2015). Experimental Assessment and Future Applications of the Shikani Tracheostomy Speaking Valve. *American Journal of Speech-Language Pathology / American Speech-Language-Hearing Association*, 24(4), 733–738. https://doi.org/10.1044/2015_AJSLP-14-0115
474. Shojania, K. G., & Grimshaw, J. M. (2005). Evidence-Based Quality Improvement: The State Of The Science. *Health Affairs*, 24(1), 138–150. <Https://Doi.Org/10.1377/Hlthaff.24.1.138>
475. Shumock, K. M., Appel, J., & Toonstra, A. (2015). Axillary Intra-aortic Balloon Pump Placement as a Means for Safe Mobility in a Patient Awaiting Left Ventricular Assist Device Implantation: A Case Report. *Cardiopulmonary Physical Therapy Journal*, 26(3), 53. <https://doi.org/10.1097/CPT.0000000000000010>
476. Sigler, M., Nugent, K., Alalawi, R., Selvan, K., Tseng, J., Edriss, H., Krause, D. (2016). Making of a Successful Early Mobilization Program for a Medical Intensive Care Unit. *Southern Medical Journal*, 109(6), 342–345. Retrieved from <https://www.scopus.com/inward/record.uri?eid=2-s2.0-84973304718&doi=10.14423%2fSMJ.0000000000000472&partnerID=40&md5=8aa150aa5bc68f3eabb968251e076db>
477. Skinner, E. H., Berney, S., Warrillow, S., & Denehy, L. (2009). Development of a physical function outcome measure (PFIT) and a pilot exercise training protocol for use in intensive care. *Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine*, 11(2), 110–115. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/19485874>
478. Skoretz, S. A., Flowers, H. L., & Martino, R. (2010). The Incidence of Dysphagia Following Endotracheal Intubation: A Systematic Review. *Chest*, 137(3), 665–673. <https://doi.org/10.1378/chest.09-1823>
479. Slavney, P. R. (1999). Diagnosing Demoralization in Consultation Psychiatry. *Psychosomatics*, 40(4), 325–329. [https://doi.org/10.1016/S0033-3182\(99\)71227-2](https://doi.org/10.1016/S0033-3182(99)71227-2)
480. Smith, H. A. B., Boyd, J., Fuchs, D. C., Melvin, K., Berry, P., Shintani, A., Ely, E. W. (2011). Diagnosing delirium in critically ill children: Validity and reliability of the Pediatric Confusion Assessment Method for the Intensive Care Unit. *Critical Care Medicine*, 39(1), 150–157. <https://doi.org/10.1097/CCM.0b013e3181feb489>



481. Society of Critical Care Medicine. ICU Liberation. Retrieved from <http://www.iculiberation.org/>
482. Sosnowski, C., & Ustik, M. (1994). Early intervention: coma stimulation in the intensive care unit. *The Journal of Neuroscience Nursing: Journal of the American Association of Neuroscience Nurses*, 26(6), 336–341. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/7706836>
483. Spagnoletti, C. L., Bui, T., Fischer, G. S., Gonzaga, A. M. R., Rubio, D. M., & Arnold, R. M. (2009). Implementation and evaluation of a web-based communication skills learning tool for training internal medicine interns in patient-doctor communication. *Journal of Communication in Healthcare*, 2(2), 159–172. <https://doi.org/10.1179/cih.2009.2.2.159>
484. Sricharoenchai, T., Parker, A. M., Zanni, J. M., Nelliot, A., Dinglas, V. D., & Needham, D. M. (2014). Safety Of Physical Therapy Interventions In Critically Ill Patients: A Single-Center Prospective Evaluation Of 1110 Intensive Care Unit Admissions. *Journal of Critical Care*, 29(3), 395–400. <https://doi.org/10.1016/j.jcrc.2013.12.012>
485. Staab, J. H., Klayman, G. J., & Lin, L. (2014). Assessing Pediatric Patient's Risk Of Distress During Health-Care Encounters: The Psychometric Properties Of The Psychosocial Risk Assessment In Pediatrics. *Journal of Child Health Care: For Professionals Working with Children in the Hospital and Community*, 18(4), 378–387. <https://doi.org/10.1177/1367493513496671>
486. Stawicki, S. P., Goyal, M., & Sarani, B. (2009). Analytic Reviews: High-Frequency Oscillatory Ventilation (HFOV) and Airway Pressure Release Ventilation (APRV): A Practical Guide. *Journal of Intensive Care Medicine*, 24(4), 215–229. <https://doi.org/10.1177/0885066609335728>
487. Stein, T. P., & Wade, C. E. (2005). Metabolic consequences of muscle disuse atrophy. *The Journal of Nutrition*, 135(7), 1824S–1828S. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/15987873>
488. Steinberg, K. P., Hudson, L. D., Goodman, R. B., Hough, C. L., Lanken, P. N., Hyzy, R., National Heart, Lung, and Blood Institute Acute Respiratory Distress Syndrome (ARDS) Clinical Trials Network. (2006). Efficacy and safety of corticosteroids for persistent acute respiratory distress syndrome. *The New England Journal of Medicine*, 354(16), 1671–1684. <https://doi.org/10.1056/NEJMoa051693>
489. Stevens, R. D., Dowdy, D. W., Michaels, R. K., Mendez-Tellez, P. A., Pronovost, P. J., & Needham, D. M. (2007). Neuromuscular dysfunction acquired in critical illness: a systematic review. *Intensive Care Medicine*, 33(11), 1876–1891. <https://doi.org/10.1007/s00134-007-0772-2>
490. Straus, S., Tetroe, J., & Graham, I. D. (2011). *Knowledge Translation in Health Care: Moving from Evidence to Practice*. John Wiley & Sons. Retrieved from <https://market.android.com/details?id=book-hFL4bpL7mLEC>
491. Suiter - in Perspectives on Swallowing and Swallowing, D. M., & 2005. (2005). Speaking Valves and Swallowing. ASHA. Retrieved from <http://www.asha.org/uploadedFiles/elearning/divss/6860/6860Newsletter.pdf#page=17>



492. Suiter, D. M., McCullough, G. H., & Powell, P. W. (2003). Effects of cuff deflation and one-way tracheostomy speaking valve placement on swallow physiology. *Dysphagia*, 18(4), 284–292. <https://doi.org/10.1007/s00455-003-0022-x>
493. Suman, O. E., Spies, R. J., Celis, M. M., Mlcak, R. P., & Herndon, D. N. (2001). Effects of a 12-wk resistance exercise program on skeletal muscle strength in children with burn injuries. *Journal of Applied Physiology*, 91(3), 1168–1175. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/11509512>
494. Sutt, A. L., Cornwell, P., Mullany, D., Kinneally, T.. (2015). The use of tracheostomy speaking valves in mechanically ventilated patients results in improved communication and does not prolong ventilation time in . *Journal of Critical Care*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0883944114005073>
495. Sutt, A.-L., Caruana, L. R., Dunster, K. R., Cornwell, P. L., Anstey, C. M., & Fraser, J. F. (2016). Speaking Valves In Tracheostomised ICU Patients Weaning Off Mechanical Ventilation--Do They Facilitate Lung Recruitment? *Critical Care*, 20, 91. <https://doi.org/10.1186/s13054-016-1249-x>
496. Sutt, A.-L., & Fraser, J. F. (2017). Patients Want To Be Heard-Loud And Clear! *Critical Care / the Society of Critical Care Medicine*, 21(1), 6. <https://doi.org/10.1186/s13054-016-1588-7>
497. Svenningsen, H. (2015). A Shared Language Regarding Sedation And Delirium In Critically Ill Patients. *BACN: Nursing in Critical Care*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1111/nicc.12187/full>
498. Swain, D. P., ACSM, & Brawner, C. A. (2012). *ACSM's Resource Manual for Guidelines for Exercise Testing and Prescription*. Lippincott Williams & Wilkins. Retrieved from <https://market.android.com/details?id=book-HZKFm0VrmhYC>
499. Tappen, R. M., Roach, K. E., Buchner, D., Barry, C., & Edelstein, J. (1997). Reliability of physical performance measures in nursing home residents with Alzheimer's disease. *The Journals of Gerontology. Series A, Biological Sciences and Medical Sciences*, 52(1), M52–5. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/9008669>
500. Tate, J. A., Devito Dabbs, A., Hoffman, L. A., Milbrandt, E., & Happ, M. B. (2012). Anxiety and agitation in mechanically ventilated patients. *Qualitative Health Research*, 22(2), 157–173. <https://doi.org/10.1177/1049732311421616>
501. Tatrow, K., & Montgomery, G. H. (2006). Cognitive Behavioral Therapy Techniques For Distress And Pain In Breast Cancer Patients: A Meta-Analysis. *Journal of Behavioral Medicine*, 29(1), 17–27. <https://doi.org/10.1007/s10865-005-9036-1>
502. Taylor, S., Manning, S., & Quarles, J. (2013). A Multidisciplinary Approach To Early Mobilization Of Patients With Burns. *Critical Care Nursing Quarterly*, 36(1), 56–62. <https://doi.org/10.1097/CNO.0b013e31827531c8>



503. Ten Hoorn, S., Elbers, P. W., Girbes, A. R., & Tuinman, P. R. (2016). Communicating With Conscious And Mechanically Ventilated Critically Ill Patients: A Systematic Review. *Critical Care / the Society of Critical Care Medicine*, 20(1), 333. <https://doi.org/10.1186/s13054-016-1483-2>
504. Tepas, J. J., Leaphart, C. L., Pieper, P., Beaulieu, C. L., Spierre, L. R., Tuten, J. D., & Celso, B. G. (2009). The Effect Of Delay In Rehabilitation On Outcome Of Severe Traumatic Brain Injury. *Journal of Pediatric Surgery*, 44(2), 368–372. <https://doi.org/10.1016/j.jpedsurg.2008.10.089>
505. The Children's Oncology Group. Bone Marrow Transplant. Retrieved from <https://www.childrensoncologynetwork.org/index.php/treatmentoptions/bonemarrowtransplant>
506. The Joint Commission. Facts About Patient Centered Communication. Retrieved from https://www.jointcommission.org/facts_about_patient-centered_communications/
507. Thiagarajan, R. R., Teele, S. A., Teele, K. P., & Beke, D. M. (2012). Physical Therapy And Rehabilitation Issues For Patients Supported With Extracorporeal Membrane Oxygenation. *Journal of Pediatric Rehabilitation Medicine*, 5(1), 47–52. <https://doi.org/10.3233/PRM-2012-0195>
508. Thomsen, G. E., Snow, G. L., Rodriguez, L., & Hopkins, R. O. (2008). Patients With Respiratory Failure Increase Ambulation After Transfer To An Intensive Care Unit Where Early Activity Is A Priority. *Critical Care Medicine*, 36(4), 1119–1124. <https://doi.org/10.1097/CCM.0b013e318168f986>
509. Thoyre, S. M., Shaker, C. S., & Pridham, K. F. (2005). The Early Feeding Skills Assessment For Preterm Infants. *Neonatal Network: NN*, 24(3), 7–16. <https://doi.org/10.1891/0730-0832.24.3.7>
510. Thrasher, J., Baker, J., Ventre, K. M., Martin, S. E., Dawson, J., Cox, R., Baker, C. D. (2017). Hospital to Home: A Quality Improvement Initiative to Implement High-fidelity Simulation Training for Caregivers of Children Requiring Long-term Mechanical Ventilation. *Journal of Pediatric Nursing*. <https://doi.org/10.1016/j.pedn.2017.08.028>
511. Tobin, M. J. (2001). Advances In Mechanical Ventilation. *The New England Journal of Medicine*, 344(26), 1986–1996. <https://doi.org/10.1056/NEJM200106283442606>
512. Tong, A., Sainsbury, P., & Craig, J. (2007). Consolidated Criteria For Reporting Qualitative Research (COREQ): A 32-Item Checklist For Interviews And Focus Groups. *International Journal for Quality in Health Care: Journal of the International Society for Quality in Health Care / ISQua*, 19(6), 349–357. <https://doi.org/10.1093/intqhc/mzm042>
513. Toonstra, A. L., Zanni, J. M., Sperati, C. J., Nelliot, A., Mantheiy, E., Skinner, E. H., & Needham, D. M. (2016). Feasibility and Safety of Physical Therapy during Continuous Renal Replacement Therapy in the Intensive Care Unit. *Annals of the American Thoracic Society*, 13(5), 699–704. <https://doi.org/10.1513/AnnalsATS.201506-359OC>
514. Tsui, A. S., Wang, H., & Xin, K. R. (2006). Organizational Culture in China: An Analysis of Culture Dimensions and Culture Types. *Management and Organization Review*, 2(03), 345–376.



<https://doi.org/10.1111/j.1740-8784.2006.00050.x>

515. Turnbull, A. E., Sepulveda, K. A., Dinglas, V. D., Chessare, C. M., Bingham, C. O., 3rd, & Needham, D. M. (2017). Core Domains for Clinical Research in Acute Respiratory Failure Survivors: An International Modified Delphi Consensus Study. *Critical Care Medicine*, 45(6), 1001–1010.
<https://doi.org/10.1097/CCM.0000000000002435>
516. Turner, D. A., Cheifetz, I. M., Rehder, K. J., Williford, W. L., Bonadonna, D., Banuelos, S. J., Zaas, D. (2011). Active rehabilitation and physical therapy during extracorporeal membrane oxygenation while awaiting lung transplantation: a practical approach. *Critical Care Medicine*, 39(12), 2593–2598.
<https://doi.org/10.1097/CCM.0b013e3182282bbe>
517. Ullenhag, A., Persson, K., Nyqvist, K. H. (2009). Motor performance in very preterm infants before and after implementation of the newborn individualized developmental care and assessment programme. *Acta Paediatrica*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1111/j.1651-2227.2009.01258.x/full>
518. University of California Los Angeles. UCLA Health Mindful Awareness Center. Retrieved from <http://marc.ucla.edu/default.cfm>
519. University of California San Diego. UC San Diego Health Center for Mindfulness. Retrieved from <https://health.ucsd.edu/specialties/mindfulness/Pages/default.aspx>
520. University of Massachusetts. Center for Mindfulness in Medicine, Health Care, and Society. Retrieved from <https://www.umassmed.edu/cfm/mindfulness-based-programs/mbsr-courses/>
521. Urbach, D. R., & Baxter, N. N. (2005). Reducing variation in surgical care. *BMJ*, 330(7505), 1401–1402.
<https://doi.org/10.1136/bmj.330.7505.1401>
522. Van den Berghe, G., Schoonheydt, K., Becx, P., Bruyninckx, F., & Wouters, P. J. (2005). Insulin therapy protects the central and peripheral nervous system of intensive care patients. *Neurology*, 64(8), 1348–1353. <https://doi.org/10.1212/01.WNL.0000158442.08857.FC>
523. Van den Berghe, G., Wilmer, A., Hermans, G., Meersseman, W., Wouters, P. J., Milants, I., Bouillon, R. (2006). Intensive insulin therapy in the medical ICU. *The New England Journal of Medicine*, 354(5), 449–461. <https://doi.org/10.1056/NEJMoa052521>
524. van den Berghe, G., Wouters, P., Weekers, F., Verwaest, C., Bruyninckx, F., Schetz, M., Bouillon, R. (2001). Intensive insulin therapy in critically ill patients. *The New England Journal of Medicine*, 345(19), 1359–1367. <https://doi.org/10.1056/NEJMoa011300>
525. Van Meurs, K., Zwischenberger, J. B., Lally, K., & Peek, G. (2005). *ECMO: Extracorporeal Cardiopulmonary Support in Critical Care*. Extracorporeal Life Support Organization. Retrieved from <https://market.android.com/details?id=book-yIIKAAAACAAJ>



526. Van Rompaey, B., Elseviers, M. M., Van Drom, W., Fromont, V., & Jorens, P. G. (2012). The effect of earplugs during the night on the onset of delirium and sleep perception: a randomized controlled trial in intensive care patients. *Critical Care / the Society of Critical Care Medicine*, 16(3), R73. <https://doi.org/10.1186/cc11330>
527. van Vlimmeren, L. A., van der Graaf, Y., Boere-Boonekamp, M. M., L'Hoir, M. P., Helders, P. J. M., & Engelbert, R. H. H. (2007). Risk factors for deformational plagiocephaly at birth and at 7 weeks of age: a prospective cohort study. *Pediatrics*, 119(2), e408–18. <https://doi.org/10.1542/peds.2006-2012>
528. Vanderbilt University. Management of Delirium in the ICU. Retrieved from <http://www.icudelirium.org/delirium/management.html>
529. Vanderbilt University Medical Center. ICU Delirium and Cognitive Impairment Study Group. Retrieved from <http://icudelirium.org/>
530. Vaswani, R. S., Mirski, M. A., Haut, N. (2010). Safety of percutaneous dilational tracheostomy in coagulopathic patients. *Ear, Nose, and Throat Journal*. Retrieved from <http://search.proquest.com/openview/f58507abff012070c73cbc9e57638253/1?pq-origsite=gscholar&cbl=47886>
531. American Veterinary Medical Association. (2009). Guidelines for animal assisted activity, animal-assisted therapy and resident animal programs. https://ebusiness.avma.org/files/productdownloads/guidelines_AAA.pdf
532. Volk, B., & Grassi, F. (2009). Treatment of the post-ICU patient in an outpatient setting. *American Family Physician*, 79(6), 459–464. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/19323358>
533. Vroland-Nordstrand, K., Eliasson, A.-C., Krumlinde-Sundholm, L., & Johansson, U. (2017). Parents' experiences of conducting a goal-directed intervention based on children's self-identified goals, a qualitative study. *Scandinavian Journal of Occupational Therapy*, 1–9. <https://doi.org/10.1080/11038128.2017.1335778>
534. Wakabayashi, H., Takahashi, R., Watanabe, N., Oritsu, H., & Shimizu, Y. (2017). Prevalence of skeletal muscle mass loss and its association with swallowing function after cardiovascular surgery. *Nutrition*, 38, 70–73. <https://doi.org/10.1016/j.nut.2017.01.010>
535. Walsh, B. K., Czervinske, M. P., & DiBlasi, R. M. (2013). *Perinatal and Pediatric Respiratory Care - E-Book*. Elsevier Health Sciences. Retrieved from <https://market.android.com/details?id=book-WtPAQAAQBAJ>
536. Wang, Y. T., Haines, T. P., Ritchie, P., Walker, C., Ansell, T. A., Ryan, D. T., Skinner, E. H. (2014). Early mobilization on continuous renal replacement therapy is safe and may improve filter life. *Critical Care / the Society of Critical Care Medicine*, 18(4), R161. <https://doi.org/10.1186/cc14001>
537. Weeks, A. (2016). Integration of theory into assessment and treatment: The Person-Environment-Occupation Model in the intensive care unit. *Physical Disabilities Special Interest Section Quarterly*,



1(3), 22–24.

538. Weinreich, M., Herman, J., Dickason, S., & Mayo, H. (2017). Occupational Therapy in the Intensive Care Unit: A Systematic Review. *Occupational Therapy in Health Care*, 31(3), 205–213.
<https://doi.org/10.1080/07380577.2017.1340690>
539. Welch, K. M. A. (1997). *Primer on Cerebrovascular Diseases*. Gulf Professional Publishing. Retrieved from <https://market.android.com/details?id=book-iT4KAJE601QC>
540. Wellington, A., & Perlman, J. M. (2015). Infant-driven feeding in premature infants: a quality improvement project. *Archives of Disease in Childhood. Fetal and Neonatal Edition*, 100(6), F495–500.
<https://doi.org/10.1136/archdischild-2015-308296>
541. Wensing, M., Bosch, M., & Grol, R. (2010). Developing and selecting interventions for translating knowledge to action. *Canadian Medical Association Journal*, 182(2), E85–8.
<https://doi.org/10.1503/cmaj.081233>
542. Werle, R. W., Steidl, E. M. D. S., & Mancopes, R. (2016). Oropharyngeal dysphagia and related factors in post-cardiac surgery: a systematic review. *CoDAS*, 28(5), 646–652. <https://doi.org/10.1590/2317-1782/20162015199>
543. Wieczorek, B., Burke, C., Al-Harbi, A., & Kudchadkar, S. R. (2015). Early mobilization in the pediatric intensive care unit: a systematic review. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 2015, 129–170. <https://doi.org/10.1055/s-0035-1563386>
544. Wilde, E. A., Whiteneck, G. G., Bogner, J., Bushnik, T., Cifu, D. X., Dikmen, S., von Steinbuechel, N. (2010). Recommendations for the use of common outcome measures in traumatic brain injury research. *Archives of Physical Medicine and Rehabilitation*, 91(11), 1650–1660.e17.
<https://doi.org/10.1016/j.apmr.2010.06.033>
545. Wilkins, L. W. &. (2003). *Critical Care Challenges: Disorders, Treatments, and Procedures*. Lippincott Williams & Wilkins. Retrieved from https://market.android.com/details?id=book-gD_pSxFOjCEC
546. Wilkinson, K. A., Freeth, H., Martin, I. C. (2015). Are We “on the right trach?” The National Confidential Enquiry into Patient Outcome and Death Examines Tracheostomy Care. *The Journal of Laryngology and Otology*. Retrieved from <https://www.cambridge.org/core/journals/journal-of-laryngology-and-otology/article/are-we-on-the-right-trach-the-national-confidential-enquiry-into-patient-outcome-and-death-examines-tracheostomy-care/95CC4F5A77C93BFFA744A8DCCFAA95F8>
547. Wilkinson, K., Freeth, H., Kelly - British Journal of Hospital, K., & 2015. (2015). “On the Right Trach?” A review of the care received by patients who undergo tracheostomy. *British Journal of Hospital Medicine*. Retrieved from <http://www.magonlinelibrary.com/doi/abs/10.12968/hmed.2015.76.3.163>



548. Willerson, J. T., Cohn, J. N., Wellens, H. J. J., & David R. Holmes Jr. (Eds.). (2007). *Cardiovascular Medicine* (3, illustrated). Springer Science & Business Media. Retrieved from <http://a.co/1A5S0NV>
549. Wilson, F. P., & Berns, J. S. (2014). Tumor lysis syndrome: new challenges and recent advances. *Advances in Chronic Kidney Disease*, 21(1), 18–26. <https://doi.org/10.1053/j.ackd.2013.07.001>
550. Winkelman, C. (2007). Inactivity and inflammation in the critically ill patient. *Critical Care Clinics*, 23(1), 21–34. <https://doi.org/10.1016/j.ccc.2006.11.002>
551. Winkelman, C., & Peereboom, K. (2010). Staff-perceived barriers and facilitators. *Critical Care Nurse*, 30(2), S13–6. <https://doi.org/10.4037/ccn2010393>
552. Álvarez, E. A., Garrido, M. A., Tobar, E. A., Prieto, S. A., Vergara, S. O., Briceño, C. D., & González, F. J. (2016). Occupational therapy for delirium management in elderly patients without mechanical ventilation in an intensive care unit: A pilot randomized clinical trial. *Journal of Critical Care*, 37, 85–90. <https://doi.org/10.1016/j.jcrc.2016.09.002>
553. Children's Hospital of Philadelphia. (n.d.). Retrieved from <http://www.chop.edu/clinical-pathway/sedation-analgesia-picu-mechanically-ventilated-patient-clinical-pathway>
554. Wolf, S. E., Rose, J. K., Desai, M. H., Mileski, J. P., Barrow, R. E., & Herndon, D. N. (1997). Mortality determinants in massive pediatric burns. An analysis of 103 children with > or = 80% TBSA burns (> or = 70% full-thickness). *Annals of Surgery*, 225(5), 554–65; discussion 565. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/9193183>
555. Woods, J. C., Mion, L. C., Connor, J. T., Viray, F., Jahan, L., Huber, C., Arroliga, A. C. (2004). Severe agitation among ventilated medical intensive care unit patients: frequency, characteristics and outcomes. *Intensive Care Medicine*, 30(6), 1066–1072. <https://doi.org/10.1007/s00134-004-2193-9>
556. Wright, S. E., Thomas, K., Watson, G., Baker, C., Bryant, A., Chadwick, T. J., Baudouin, S. (2017). Intensive versus standard physical rehabilitation therapy in the critically ill (EPICC): a multicentre, parallel-group, randomised controlled trial. *Thorax*. <https://doi.org/10.1136/thoraxjnl-2016-209858>
557. Wyeast Medica. Wy'East Medical. Retrieved from <http://wyeastmedical.com/products/pink-slip/>
558. Wyskiel, R. M., Weeks, K., & Marsteller, J. A. (2015). Inviting families to participate in care: a family involvement menu. *Joint Commission Journal on Quality and Patient Safety / Joint Commission Resources*, 41(1), 43–46. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/25976723>
559. Yosefy, C., Hay, E., Ben-Barak, A., Derazon, H., & et al. (2003). BiPAP ventilation as assistance for patients presenting with respiratory distress in the department of emergency medicine. *American Journal of*, 2(4), 343–347. Retrieved from <http://link.springer.com/article/10.1007/BF03256662>
560. Younesian, S., Yadegari, F., & Soleimani, F. (2015). Impact of Oral Sensory Motor Stimulation on Feeding Performance, Length of Hospital Stay, and Weight Gain of Preterm Infants in NICU. *Iranian Red*



561. Zaal, I. J., & Slooter, A. J. C. (2012). Delirium in Critically Ill Patients. *Drugs*, 72(11), 1457–1471. <https://doi.org/10.2165/11635520-00000000-00000>
562. Zafar, F., Castleberry, C., Khan, M. S., Mehta, V., Bryant, R., 3rd, Lorts, A., Morales, D. L. S. (2015). Pediatric heart transplant waiting list mortality in the era of ventricular assist devices. *The Journal of Heart and Lung Transplantation: The Official Publication of the International Society for Heart Transplantation*, 34(1), 82–88. <https://doi.org/10.1016/j.healun.2014.09.018>
563. Zanni, J. M., Korupolu, R., Fan, E., Pradhan, P., Janjua, K., Palmer, J. B., Needham, D. M. (2010). Rehabilitation therapy and outcomes in acute respiratory failure: an observational pilot project. *Journal of Critical Care*, 25(2), 254–262. <https://doi.org/10.1016/j.jcrc.2009.10.010>
564. Zanni, J. M., & Needham, D. M. (2010). Promoting early mobility and rehabilitation in the intensive care unit. *PT in Motion*.

