

8th Annual Johns Hopkins Critical Care Rehabilitation

Conference Bibliography

1. 98th Congress of the United States. (1983). Social Security Amendments Act of 1983 P.L. 98–21, Approved April 20, 1983 (97 Stat. 65). <https://www.govinfo.gov/content/pkg/STATUTE-97/pdf/STATUTE-97-Pg65.pdf>
2. Aagaard, H., Uhrenfeldt, L., Spliid, M., & Fegran, L. (2015). Parents' experiences of transition when their infants are discharged from the neonatal intensive care unit: a systematic review protocol. JBI Database of Systematic Reviews and Implementation Reports, 13(10), 123–132. <https://doi.org/10.11124/ibisir-2015-2287>
3. Abbate, C., Trimarchi, P. D., Basile, I., Mazzucchi, A., & Devalle, G. (2014). Sensory stimulation for patients with disorders of consciousness: from stimulation to rehabilitation. Frontiers in Human Neuroscience, 8, 616. <https://doi.org/10.3389/fnhum.2014.00616>
4. Abdulsatar, F., Walker, R. G., Timmons, B. W., & Choong, K. (2013). "Wii-Hab" in critically ill children: a pilot trial. Journal of Pediatric Rehabilitation Medicine, 6(4), 193–204. <https://doi.org/10.3233/PRM-130260>
5. Abrams, D., Javidfar, J., Farrand, E., Mongero, L. B., Agerstrand, C. L., Ryan, P., ... Brodie, D. (2014). Early mobilization of patients receiving extracorporeal membrane oxygenation: a retrospective cohort study. Critical Care: the Society of Critical Care Medicine, 18(1), R38. <https://doi.org/10.1186/cc13746>
6. Abu-Sultaneh, S., Hole, A. J., Tori, A. J., Benneyworth, B. D., Lutfi, R., & Mastropietro, C. W. (2017). An interprofessional quality improvement initiative to standardize pediatric extubation readiness assessment. Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies, 18(10), e463–e471. <https://doi.org/10.1097/PCC.0000000000001285>
7. Adamczyk, M. (2018). Reducing Intensive Care Unit Staff Musculoskeletal Injuries With Implementation of a Safe Patient Handling and Mobility Program. Critical Care Nursing Quarterly, 41(3), 264–271. <https://doi.org/10.1097/CNQ.0000000000000205>
8. Adams, C. E., Jayaram, M., Bodart, A. Y. M., Sampson, S., Zhao, S., & Montgomery, A. A. (2016). Tweeting links to Cochrane Schizophrenia Group reviews: a randomised controlled trial. BMJ Open, 6(3), e010509. <https://doi.org/10.1136/bmjopen-2015-010509>
9. Ahlbeck, K., Fredriksson, K., Rooyackers, O., Måbäck, G., Remahl, S., Ansved, T., ... Radell, P. (2009). Signs of critical illness polyneuropathy and myopathy can be seen early in the ICU course. Acta Anaesthesiologica Scandinavica, 53(6), 717–723. <https://doi.org/10.1111/j.1399-6576.2009.01952.x>
10. Ahmadpour-kacho, M., Zahed Pasha, Y., Hahdinejad, Z., & Khafri, S. (2017). The Effect of Non-nutritive Sucking on Transcutaneous Oxygen Saturation in Neonates under the Nasal Continuous



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

- Positive Airway Pressure (CPAP). International Journal of Pediatrics, 5(3), 4511–4519.
<https://doi.org/10.22038/ijp.2016.7498>
11. Ahmed, S., Daniel Martin, A., & Smith, B. K. (2019). Inspiratory Muscle Training in Patients with Prolonged Mechanical Ventilation: Narrative Review. Cardiopulmonary Physical Therapy Journal, 30(1), 44–50. <https://doi.org/10.1097/CPT.0000000000000092>
 12. Ali, R., Cornelius, P. J., Herasevich, V., Gajic, O., & Kashyap, R. (2017). Effect of daily use of electronic checklist on physical rehabilitation consultations in critically ill patients. Journal of Critical Care, 38, 357–361. <https://doi.org/10.1016/j.jcrc.2016.12.007>
 13. Als, L. C., Nadel, S., Cooper, M., Vickers, B., & Garralda, M. E. (2015). A supported psychoeducational intervention to improve family mental health following discharge from paediatric intensive care: feasibility and pilot randomised controlled trial. BMJ Open, 5(12), e009581. <https://doi.org/10.1136/bmjopen-2015-009581>
 14. Als, L. C., Picouto, M. D., Hau, S.-M., Nadel, S., Cooper, M., Pierce, C. M., ... Garralda, M. E. (2015). Mental and physical well-being following admission to pediatric intensive care. Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies, 16(5), e141–e149.
<https://doi.org/10.1097/PCC.0000000000000424>
 15. Altman, M. T., Knauert, M. P., Murphy, T. E., Ahasic, A. M., Chauhan, Z., & Pisani, M. A. (2018). Association of intensive care unit delirium with sleep disturbance and functional disability after critical illness: an observational cohort study. Annals of Intensive Care, 8(1), 63.
<https://doi.org/10.1186/s13613-018-0408-4>
 16. Álvarez, E. A., Garrido, M. A., Tobar, E. A., Prieto, S. A., Vergara, S. O., Briceño, C. D., & González, F. J. (2017). Occupational therapy for delirium management in elderly patients without mechanical ventilation in an intensive care unit: A pilot randomized clinical trial. *Journal of Critical Care*, 37, 85–90. <https://www.ncbi.nlm.nih.gov/pubmed/27660922>
 17. Ambrosino, N., & Vitacca, M. (2018). The patient needing prolonged mechanical ventilation: a narrative review. Multidisciplinary Respiratory Medicine, 13, 6. <https://doi.org/10.1186/s40248-018-0118-7>
 18. American Psychiatric Association. (2013). Diagnostic and Statistical Manual of Mental Disorders (DSM-5®). <https://dsm.psychiatryonline.org/>
 19. Andelic, N., Bautz-Holter, E., Ronning, P., Olafsen, K., Sigurdardottir, S., Schanke, A.-K., ... Roe, C. (2012). Does an early onset and continuous chain of rehabilitation improve the long-term functional outcome of patients with severe traumatic brain injury? Journal of Neurotrauma, 29(1), 66–74. <https://doi.org/10.1089/neu.2011.1811>
 20. Anderson, B. J., & Mikkelsen, M. E. (2017). Bringing the ABCDEF Bundle to life and saving lives through the process. Critical care medicine, 45(2), 363–365.
<https://doi.org/10.1097/CCM.0000000000002124>
 21. Anderson, J. B., Beekman, R. H., 3rd, Eghtesady, P., Kalkwarf, H. J., Uzark, K., Kehl, J. E., & Marino, B. S. (2010). Predictors of poor weight gain in infants with a single ventricle. The Journal of Pediatrics, 157(3), 407–413, 413.e1. <https://doi.org/10.1016/j.jpeds.2010.04.012>



22. Anekwe, D. E., Koo, K. K.-Y., de Marchie, M., Goldberg, P., Jayaraman, D., & Spahija, J. (2017). Interprofessional survey of perceived barriers and facilitators to early mobilization of critically ill patients in Montreal, Canada. *Journal of Intensive Care Medicine*, 885066617696846. <https://doi.org/10.1177/0885066617696846>
23. Aravagiri, A., Bhatti W I Okereke, & Verceles, A. C. (2018). Identifying, analyzing, and combating family intensive care unit syndrome in long-term acute care hospital. In G. Netzer (Ed.), *Families in the Intensive Care Unit* (pp. 161–177). https://link.springer.com/chapter/10.1007/978-3-319-94337-4_13
24. Arnold, M., Radawiec, S., Campo, M., & Wright, L. R. (2011). Changes in functional independence measure ratings associated with a safe patient handling and movement program. *Rehabilitation Nursing: The Official Journal of the Association of Rehabilitation Nurses*, 36(4), 138–144. <https://doi.org/10.1002/j.2048-7940.2011.tb00081.x>
25. Arvedson, J. C., & Lefton-Greif, M. A. (2017). Instrumental Assessment of Pediatric Dysphagia. *Seminars in Speech and Language*, 38(2), 135–146. <https://doi.org/10.1055/s-0037-1599111>
26. Arvedson, J., Clark, H., Lazarus, C., Schooling, T., & Frymark, T. (2010). Evidence-based systematic review: effects of oral motor interventions on feeding and swallowing in preterm infants. *American Journal of Speech-Language Pathology*, 19(4), 321–340. [https://doi.org/10.1044/1058-0360\(2010/09-0067\)](https://doi.org/10.1044/1058-0360(2010/09-0067))
27. Autism Speaks. (n.d.). Applied Behavior Analysis (ABA). Retrieved September 16, 2019, from Autism Speaks website: <https://www.autismspeaks.org/applied-behavior-analysis-aba-0>
28. Azoulay, E., Pochard, F., Kentish-Barnes, N., Chevret, S., Aboab, J., Adrie, C., ... FAMIREA Study Group. (2005). Risk of post-traumatic stress symptoms in family members of intensive care unit patients. *American Journal of Respiratory and Critical Care Medicine*, 171(9), 987–994. <https://doi.org/10.1164/rccm.200409-1295OC>
29. Bachman, S. L., Salzman, G. A., Burke, R. V., Arbogast, H., Ruiz, P., & Upperman, J. S. (2016). Observed child restraint misuse in a large, urban community: Results from three years of inspection events. *Journal of Safety Research*, 56, 17–22. <https://doi.org/10.1016/j.jsr.2015.11.005>
30. Bailey, P. P., Miller, R. R., 3rd, & Clemmer, T. P. (2009). Culture of early mobility in mechanically ventilated patients. *Critical Care Medicine*, 37(10 Suppl), S429–S435. <https://doi.org/10.1097/CCM.0b013e3181b6e227>
31. Bailey, P., Thomsen, G. E., Spuhler, V. J., Blair, R., Jewkes, J., Bezdjian, L., ... Hopkins, R. O. (2007). Early activity is feasible and safe in respiratory failure patients. *Critical Care Medicine*, 35(1), 139–145. <https://doi.org/10.1097/01.CCM.0000251130.69568.87>
32. Bakhru, R. N., Wiebe, D. J., McWilliams, D. J., Spuhler, V. J., & Schweickert, W. D. (2015). An Environmental Scan for Early Mobilization Practices in U.S. ICUs. *Critical Care Medicine*, 43(11), 2360–2369. <https://doi.org/10.1097/CCM.0000000000001262>
33. Bala, P., Kaur, R., Mukhopadhyay, K., & Kaur, S. (2016). Oromotor Stimulation for Transition from Gavage to Full Oral Feeding in Preterm Neonates: A Randomized controlled trial. *Indian Pediatrics*, 53(1), 36–38. <https://www.ncbi.nlm.nih.gov/pubmed/26840669>
34. Balas, M. C., Burke, W. J., Gannon, D., Cohen, M. Z., Colburn, L., Bevil, C., ... Vasilevskis, E. E. (2013). Implementing the awakening and breathing coordination, delirium monitoring/management, and early exercise/mobility bundle into everyday care: opportunities, challenges, and lessons learned



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

- for implementing the ICU Pain, Agitation, and Delirium Guidelines. *Critical Care Medicine*, 41(9 Suppl 1), S116–S127. <https://doi.org/10.1097/CCM.0b013e3182a17064>
35. Balas, M. C., Devlin, J. W., Verceles, A. C., Morris, P., & Ely, E. W. (2016). Adapting the ABCDEF Bundle to Meet the Needs of Patients Requiring Prolonged Mechanical Ventilation in the Long-Term Acute Care Hospital Setting: Historical Perspectives and Practical Implications. *Seminars in Respiratory and Critical Care Medicine*, 37(1), 119–135. <https://doi.org/10.1055/s-0035-1570361>
36. Balas, M. C., Pun, B. T., Pasero, C., Engel, H. J., Perme, C., Esbrook, C. L., ... Stollings, J. L. (2019). Common Challenges to Effective ABCDEF Bundle Implementation: The ICU Liberation Campaign Experience. *Critical Care Nurse*, 39(1), 46–60. <https://doi.org/10.4037/ccn2019927>
37. Barbas, K. H., & Kelleher, D. K. (2004). Breastfeeding success among infants with congenital heart disease. *Pediatric Nursing*, 30(4), 285–289. <https://www.ncbi.nlm.nih.gov/pubmed/15511044>
38. Barber, E. A., Everard, T., Holland, A. E., Tipping, C., Bradley, S. J., & Hodgson, C. L. (2015). Barriers and facilitators to early mobilisation in Intensive Care: a qualitative study. *Australian Critical Care: Official Journal of the Confederation of Australian Critical Care Nurses*, 28(4), 177–182; quiz 183. <https://doi.org/10.1016/j.aucc.2014.11.001>
39. Barker, A. L., Morello, R. T., Wolfe, R., Brand, C. A., Haines, T. P., Hill, K. D., ... Kamar, J. (2016). 6-PACK programme to decrease fall injuries in acute hospitals: cluster randomised controlled trial. *BMJ*, 352, h6781. <https://doi.org/10.1136/bmj.h6781>
40. Barnes, S. S., Kaul, V., & Kudchadkar, S. R. (2018). Social Media Engagement and the Critical Care Medicine Community. *Journal of Intensive Care Medicine*, 885066618769599. <https://doi.org/10.1177/0885066618769599>
41. Barnes, S., Yaster, M., & Kudchadkar, S. R. (2016). Pediatric Sedation Management. *Pediatrics in Review / American Academy of Pediatrics*, 37(5), 203–212. <https://doi.org/10.1542/pir.2014-0116>
42. Barnes-Daly, M. A., Pun, B. T., Harmon, L. A., Byrum, D. G., Kumar, V. K., Devlin, J. W., ... Balas, M. C. (2018). Improving Health Care for Critically Ill Patients Using an Evidence-Based Collaborative Approach to ABCDEF Bundle Dissemination and Implementation. *Worldviews on Evidence-Based Nursing / Sigma Theta Tau International, Honor Society of Nursing*, 15(3), 206–216. <https://doi.org/10.1111/wvn.12290>
43. Barr, J., Fraser, G. L., Puntillo, K., Ely, E. W., Gélinas, C., Dasta, J. F., ... American College of Critical Care Medicine. (2013a). Clinical practice guidelines for the management of pain, agitation, and delirium in adult patients in the intensive care unit. *Critical Care Medicine*, 41(1), 263–306. <https://doi.org/10.1097/CCM.0b013e3182783b72>
44. Barr, J., Fraser, G. L., Puntillo, K., Ely, E. W., Gélinas, C., Dasta, J. F., ... American College of Critical Care Medicine. (2013b). Clinical practice guidelines for the management of pain, agitation, and delirium in adult patients in the Intensive Care Unit: executive summary. *American Journal of Health-System Pharmacy: AJHP: Official Journal of the American Society of Health-System Pharmacists*, 70(1), 53–58. <https://doi.org/10.1093/ajhp/70.1.53>
45. Barrie, K., Cornick, A., Debreuil, S., Lee, E., Hiebert, B. M., Manji, R. A., ... Arora, R. C. (2019). Patients With a Prolonged Intensive Care Unit Length of Stay Have Decreased Health-Related Quality of Life After Cardiac Surgery. *Seminars in Thoracic and Cardiovascular Surgery*, 31(1), 21–31. <https://doi.org/10.1053/j.semcts.2018.07.005>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

46. Bassett, R. D., Vollman, K. M., Brandwene, L., & Murray, T. (2012). Integrating a multidisciplinary mobility programme into intensive care practice (IMMPTP): a multicentre collaborative. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 28(2), 88–97. <https://doi.org/10.1016/j.iccn.2011.12.001>
47. Bazyk, S., & Arbesman, M. (2013). Occupational therapy practice guidelines for mental health promotion, prevention, and intervention for children and youth. AOTA Press.
48. Bean, J. F., Vora, A., & Frontera, W. R. (2004). Benefits of exercise for community-dwelling older adults. *Archives of Physical Medicine and Rehabilitation*, 85(7 Suppl 3), S31–S42; quiz S43–S44. <https://doi.org/10.1016/j.apmr.2004.03.010>
49. Beesley, S. J., Hopkins, R. O., Francis, L., Chapman, D., Johnson, J., Johnson, N., & Brown, S. M. (2016). Let them in: family presence during intensive care unit procedures. *Annals of the American Thoracic Society*, 13(7), 1155–1159. <https://doi.org/10.1513/AnnalsATS.201511-7540I>
50. Bennett, L. M., Gadlin, H., & National Cancer Institute. (2010). Collaboration and Team Science Field Guide. <https://www.cancer.gov/about-nci/organization/crs/research-initiatives/team-science-field-guide/collaboration-team-science-guide.pdf>
51. Berg, H. E., Eiken, O., Miklavcic, L., & Mekjavić, I. B. (2007). Hip, thigh and calf muscle atrophy and bone loss after 5-week bedrest inactivity. *European Journal of Applied Physiology*, 99(3), 283–289. <https://doi.org/10.1007/s00421-006-0346-y>
52. Berg, H. E., Larsson, L., & Tesch, P. A. (1997). Lower limb skeletal muscle function after 6 wk of bed rest. *Journal of Applied Physiology*, 82(1), 182–188. <https://doi.org/10.1152/jappl.1997.82.1.182>
53. Berney, S. C., Harrold, M., Webb, S. A., Seppelt, I., Patman, S., Thomas, P. J., & Denehy, L. (2013). Intensive care unit mobility practices in Australia and New Zealand: a point prevalence study. *Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine*, 15(4), 260–265. <https://www.ncbi.nlm.nih.gov/pubmed/24289506>
54. Berney, S. C., Rose, J. W., Denehy, L., Granger, C. L., Ntoumenopoulos, G., Crothers, E., ... Skinner, E. H. (2019). Commencing out-of-bed rehabilitation in critical care—what influences clinical decision-making? *Archives of Physical Medicine and Rehabilitation*, 100(2), 261–269.e2. <https://doi.org/10.1016/j.apmr.2018.07.438>
55. Bettany, C. (2015). Occupational Therapy intervention using “patient diaries” to evaluate early symptoms of post-traumatic stress disorder in patients following admission to intensive care. Unknown, 78, 89–90. <http://dx.doi.org/>
56. Bettencourt, A., & Mullen, J. E. (2017). Delirium in Children: Identification, Prevention, and Management. *Critical Care Nurse*, 37(3), e9–e18. <https://doi.org/10.4037/ccn2017692>
57. Betters, K. A., Hebbar, K. B., Farthing, D., Griego, B., Easley, T., Turman, H., ... deAlmeida, M. L. (2017). Development and implementation of an early mobility program for mechanically ventilated pediatric patients. *Journal of Critical Care*, 41, 303–308. <https://doi.org/10.1016/j.jcrc.2017.08.004>
58. Biddiss, E., Chan-Viquez, D., Cheung, S. T., & King, G. (2019). Engaging children with cerebral palsy in interactive computer play-based motor therapies: theoretical perspectives. *Disability and Rehabilitation*, 1. <https://doi.org/10.1080/09638288.2019.1613681>
59. Bienvenu, O. J., Colantuoni, E., Mendez-Tellez, P. A., Dinglas, V. D., Shanholz, C., Husain, N., ... Needham, D. M. (2012). Depressive symptoms and impaired physical function after acute lung



- injury: a 2-year longitudinal study. *American Journal of Respiratory and Critical Care Medicine*, 185(5), 517–524. <https://doi.org/10.1164/rccm.201103-0503OC>
60. Bienvenu, O. J., Gellar, J., Althouse, B. M., Colantuoni, E., Sricharoenchai, T., Mendez-Tellez, P. A., ... Needham, D. M. (2013). Post-traumatic stress disorder symptoms after acute lung injury: a 2-year prospective longitudinal study. *Psychological Medicine*, 43(12), 2657–2671.
<https://doi.org/10.1017/S0033291713000214>
61. Birk, J. L., Sumner, J. A., Haerizadeh, M., Heyman-Kantor, R., Falzon, L., Gonzalez, C., ... Kronish, I. M. (2019). Early interventions to prevent posttraumatic stress disorder symptoms in survivors of life-threatening medical events: A systematic review. *Journal of Anxiety Disorders*, 64, 24–39.
<https://doi.org/10.1016/j.janxdis.2019.03.003>
62. Bissett, B. M., PhD, Wang, J., MSc, Neeman, T., PhD, Leditschke, I. A., MBBS, Boots, R., PhD, & Paratz, J., PhD. (2019). Which ICU patients benefit most from inspiratory muscle training? Retrospective analysis of a randomized trial. *Physiotherapy Theory and Practice*, 1–6.
<https://doi.org/10.1080/09593985.2019.1571144>
63. Bockli, K., Andrews, B., Pellerite, M., & Meadow, W. (2014a). Trends and challenges in United States neonatal intensive care units follow-up clinics. *Journal of Perinatology: Official Journal of the California Perinatal Association*, 34(1), 71–74. <https://doi.org/10.1038/jp.2013.136>
64. Bockli, K., Andrews, B., Pellerite, M., & Meadow, W. (2014b). Trends and challenges in United States neonatal intensive care units follow-up clinics. *Journal of Perinatology: Official Journal of the California Perinatal Association*, 34(1), 71–74. <https://doi.org/10.1038/jp.2013.136>
65. Bohannon, R. W. (2011). Literature reporting normative data for muscle strength measured by hand-held dynamometry: A systematic review. *Isokinetics and Exercise Science*, 19(3), 143–147.
<https://doi.org/10.3233/IES-2011-0415>
66. Boles, J. (2017). Trauma-Informed Care: An Intentional Approach. *Pediatric Nursing*, 43(5), 250.
<http://bit.ly/2oLQIOB>
67. Bolton, C. F., & Young, G. B. (2007). Managing the nervous system effects of sepsis. *Chest*, 131(5), 1273–1274. <https://doi.org/10.1378/chest.07-0367>
68. Boukydis, C. F. Z., Bigsby, R., & Lester, B. M. (2004). Clinical use of the Neonatal Intensive Care Unit Network Neurobehavioral Scale. *Pediatrics*, 113(3 Pt 2), 679–689.
<https://www.ncbi.nlm.nih.gov/pubmed/14993527>
69. Boyle, M., Murgo, M., Adamson, H., Gill, J., Elliott, D., & Crawford, M. (2004). The effect of chronic pain on health related quality of life amongst intensive care survivors. *Australian Critical Care: Official Journal of the Confederation of Australian Critical Care Nurses*, 17(3), 104–106, 108–113.
<https://www.ncbi.nlm.nih.gov/pubmed/15493858>
70. Bradley, E. H., Schlesinger, M., Webster, T. R., Baker, D., & Inouye, S. K. (2004). Translating research into clinical practice: making change happen. *Journal of the American Geriatrics Society*, 52(11), 1875–1882. <https://doi.org/10.1111/j.1532-5415.2004.52510.x>
71. Bridges, W., & Bridges, S. (2017). *Managing Transitions*, 25th anniversary edition: Making the Most of Change. <http://public.eblib.com/choice/publicfullrecord.aspx?p=4776624>
72. Brindle, C. T. (2013). Turning and repositioning the critically ill patient with hemodynamic instability]. *Journal of wound, ostomy, and continence nursing: official publication of The Wound,*



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

- Ostomy and Continence Nurses Society / WOCN, 40(5), 458.
<https://doi.org/10.1097/WON.0b013e3182a430c8>
73. Brindle, C. T., Malhotra, R., O'Rourke, S., Currie, L., Chadwik, D., Falls, P.,... & Creehan, S. (2013). Turning and repositioning the critically ill patient with hemodynamic instability: A literature review and consensus recommendations. *Journal of Wound Ostomy & Continence Nursing*, 40(3), 254-267. <https://www.ncbi.nlm.nih.gov/pubmed/23652698>
74. Brodsky, M. B., Huang, M., Shanholtz, C., Mendez-Tellez, P. A., Palmer, J. B., Colantuoni, E., & Needham, D. M. (2017). Recovery from Dysphagia Symptoms after Oral Endotracheal Intubation in Acute Respiratory Distress Syndrome Survivors. A 5-Year Longitudinal Study. *Annals of the American Thoracic Society*, 14(3), 376–383. <https://doi.org/10.1513/AnnalsATS.201606-455OC>
75. Brodsky, M. B., Levy, M. J., Jedlanek, E., Pandian, V., Blackford, B., Price, C., ... Akst, L. M. (2018). Laryngeal Injury and Upper Airway Symptoms After Oral Endotracheal Intubation With Mechanical Ventilation During Critical Care: A Systematic Review. *Critical Care Medicine*, 46(12), 2010–2017. <https://doi.org/10.1097/CCM.0000000000003368>
76. Brooks, M., McLaughlin, E., & Shields, N. (2019). Expiratory muscle strength training improves swallowing and respiratory outcomes in people with dysphagia: A systematic review. *International Journal of Speech-Language Pathology*, 21(1), 89–100. <https://doi.org/10.1080/17549507.2017.1387285>
77. Brotman, D. J., Hoyer, E. H., Leung, C., Lepley, D., & Deutschendorf, A. (2016). Associations between hospital-wide readmission rates and mortality measures at the hospital level: Are hospital-wide readmissions a measure of quality? *Journal of Hospital Medicine: An Official Publication of the Society of Hospital Medicine*, 11(9), 650–651. <https://doi.org/10.1002/jhm.2604>
78. Brown, C. J., & Flood, K. L. (2013). Mobility limitation in the older patient: a clinical review. *JAMA: The Journal of the American Medical Association*, 310(11), 1168–1177. <https://doi.org/10.1001/jama.2013.276566>
79. Brown, C. J., Foley, K. T., Lowman, J. D., Jr, MacLennan, P. A., Razjouyan, J., Najafi, B., ... Allman, R. M. (2016). Comparison of posthospitalization function and community mobility in hospital mobility program and usual care patients: a randomized clinical trial. *JAMA Internal Medicine*, 176(7), 921–927. <https://doi.org/10.1001/jamainternmed.2016.1870>
80. Brown, C. J., Friedkin, R. J., & Inouye, S. K. (2004). Prevalence and outcomes of low mobility in hospitalized older patients. *Journal of the American Geriatrics Society*, 52(8), 1263–1270. <https://doi.org/10.1111/j.1532-5415.2004.52354.x>
81. Brown, C. J., Redden, D. T., Flood, K. L., & Allman, R. M. (2009). The underrecognized epidemic of low mobility during hospitalization of older adults. *Journal of the American Geriatrics Society*, 57(9), 1660–1665. <https://doi.org/10.1111/j.1532-5415.2009.02393.x>
82. Brown, C. J., Williams, B. R., Woodby, L. L., Davis, L. L., & Allman, R. M. (2007). Barriers to mobility during hospitalization from the perspectives of older patients and their nurses and physicians. *Journal of Hospital Medicine: An Official Publication of the Society of Hospital Medicine*, 2(5), 305–313. <https://doi.org/10.1002/jhm.209>
83. Brown, S. M., Bose, S., Banner-Goodspeed, V., Beesley, S. J., Dinglas, V. D., Hopkins, R. O., ... Addressing Post Intensive Care Syndrome 01 (APICS-01) study team. (2019). Approaches to



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

- Addressing Post-Intensive Care Syndrome among Intensive Care Unit Survivors. A Narrative Review. Annals of the American Thoracic Society, 16(8), 947–956.
<https://doi.org/10.1513/AnnalsATS.201812-913FR>
84. Brown, S. M., Wilson, E. L., Presson, A. P., Dinglas, V. D., Greene, T., Hopkins, R. O., ... with the National Institutes of Health NHLBI ARDS Network. (2017). Understanding patient outcomes after acute respiratory distress syndrome: identifying subtypes of physical, cognitive and mental health outcomes. *Thorax*, 72(12), 1094–1103. <https://doi.org/10.1136/thoraxjnl-2017-210337>
85. Bruce, M. M., Kassam-Adams, N., Rogers, M., Anderson, K. M., Sluys, K. P., & Richmond, T. S. (2018). Trauma Providers' Knowledge, Views, and Practice of Trauma-Informed Care. *Journal of Trauma Nursing: The Official Journal of the Society of Trauma Nurses*, 25(2), 131–138.
<https://doi.org/10.1097/JTN.0000000000000356>
86. Bruce, R., & Forry, C. (2018). Integrating a Mobility Champion in the Intensive Care Unit. *Dimensions of Critical Care Nursing: DCCN*, 37(4), 201–209.
<https://doi.org/10.1097/DCC.0000000000000306>
87. Brummel, N. E., Girard, T. D., Ely, E. W., Pandharipande, P. P., Morandi, A., Hughes, C. G., ... Jackson, J. C. (2014). Feasibility and safety of early combined cognitive and physical therapy for critically ill medical and surgical patients: the Activity and Cognitive Therapy in ICU (ACT-ICU) trial. *Intensive Care Medicine*, 40(3), 370–379. <https://doi.org/10.1007/s00134-013-3136-0>
88. Brummel, N. E., Jackson, J. C., Girard, T. D., Pandharipande, P. P., Schiro, E., Work, B., ... Ely, E. W. (2012). A combined early cognitive and physical rehabilitation program for people who are critically ill: the activity and cognitive therapy in the intensive care unit (ACT-ICU) trial. *Physical Therapy*, 92(12), 1580–1592. <https://doi.org/10.2522/ptj.20110414>
89. Brundin-Mather, R., Soo, A., Zuege, D. J., Niven, D. J., Fiest, K., Doig, C. J., ... Stelfox, H. T. (2018). Secondary EMR data for quality improvement and research: A comparison of manual and electronic data collection from an integrated critical care electronic medical record system. *Journal of Critical Care*, 47, 295–301. <https://doi.org/10.1016/j.jcrc.2018.07.021>
90. Bunker, L., Hshieh, T. T., Wong, B., Schmitt, E. M., Travison, T., Yee, J., ... Inouye, S. K. (2017). The SAGES telephone neuropsychological battery: correlation with in-person measures. *International Journal of Geriatric Psychiatry*, 32(9), 991–999. <https://doi.org/10.1002/gps.4558>
91. Burke, R. E., Whitfield, E. A., Hittle, D., Min, S.-J., Levy, C., Prochazka, A. V., ... Ginde, A. A. (2016). Hospital Readmission From Post-Acute Care Facilities: Risk Factors, Timing, and Outcomes. *Journal of the American Medical Directors Association*, 17(3), 249–255.
<https://doi.org/10.1016/j.jamda.2015.11.005>
92. Burnfield, J. M., McCrory, B., Shu, Y., Buster, T. W., Taylor, A. P., & Goldman, A. J. (2013). Comparative kinematic and electromyographic assessment of clinician- and device-assisted sit-to-stand transfers in patients with stroke. *Physical Therapy*, 93(10), 1331–1341.
<https://doi.org/10.2522/ptj.20120500>
93. Çakmak, A., İnce, D. İ., Sağlam, M., Savcı, S., Yağılı, N. V., Kütükçü, E. Ç., ... Arıkan, H. (2019). Physiotherapy and Rehabilitation Implementation in Intensive Care Units: A Survey Study. *Turkish Thoracic Journal*, 20(2), 114–119. <https://doi.org/10.5152/TurkThoracJ.2018.18107>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

94. Calamai, I., Giuntini, R., Tomeo, F., & Spina, R. (2018). Sudden appearance of neck and face emphysema during above cuff vocalisation. *Intensive Care Medicine*, 44(11), 1951–1952. <https://doi.org/10.1007/s00134-018-5233-6>
95. Callister, T. B. (2011). The Acute Long Term Hospital Association Outcomes Benchmark Study. ALTHA.
96. Callister, T. B. (2012). Successful Discharge Options for Your Medically Complex Patients: The Post-Acute Balancing Act. American Hospital Association (AHA) Leadership Summit.
97. Callister, T. B. (2017). The Hospital Course of a Successfully Treated Patient with Respiratory Failure: Beginning to End! *Critical Care Nursing Quarterly*, 40(1), 29–35. <https://doi.org/10.1097/CNO.0000000000000138>
98. Callister, T. B., KPMG, & The Advisory Board. (2002). The Early Admit Study: 1996–2001.
99. Cameron, J. I., Chu, L. M., Matte, A., Tomlinson, G., Chan, L., Thomas, C., ... Canadian Critical Care Trials Group. (2016). One-Year Outcomes in Caregivers of Critically Ill Patients. *The New England Journal of Medicine*, 374(19), 1831–1841. <https://doi.org/10.1056/NEJMoa1511160>
100. Cameron, J. I., Wittenberg, E., & Prosser, L. A. (2016). Caregivers and families of critically ill patients. *The New England Journal of Medicine*, 375(10), 1001. <https://doi.org/10.1056/NEJMc1608225>
101. Cameron, S., Ball, I., Cepinskas, G., Choong, K., Doherty, T. J., Ellis, C. G., ... Fraser, D. D. (2015). Early mobilization in the critical care unit: A review of adult and pediatric literature. *Journal of Critical Care*, 30(4), 664–672. <https://doi.org/10.1016/j.jcrc.2015.03.032>
102. Campo, M., Shiyko, M. P., Margulis, H., & Darragh, A. R. (2013). Effect of a safe patient handling program on rehabilitation outcomes. *Archives of Physical Medicine and Rehabilitation*, 94(1), 17–22. <https://doi.org/10.1016/j.apmr.2012.08.213>
103. Capilouto, G. J., Cunningham, T. J., Giannone, P. J., & Grider, D. (2019). A comparison of the nutritive sucking performance of full term and preterm neonates at hospital discharge: A prospective study. *Early Human Development*, 134, 26–30. <https://doi.org/10.1016/j.earlhumdev.2019.05.007>
104. Carman, K. L., Dardess, P., Maurer, M., Sofaer, S., Adams, K., Bechtel, C., & Sweeney, J. (2013). Patient and family engagement: a framework for understanding the elements and developing interventions and policies. *Health Affairs*, 32(2), 223–231. <https://doi.org/10.1377/hlthaff.2012.1133>
105. Carnevale, F. A., Farrell, C., Cremer, R., Séguert, S., Canouï, P., Leclerc, F., ... Hubert, P. (2016). Communication in pediatric critical care: A proposal for an evidence-informed framework. *Journal of Child Health Care: For Professionals Working with Children in the Hospital and Community*, 20(1), 27–36. <https://doi.org/10.1177/1367493514540817>
106. Carrothers, K. M., Barr, J., Spurlock, B., Ridgely, M. S., Damberg, C. L., & Ely, E. W. (2013). Contextual issues influencing implementation and outcomes associated with an integrated approach to managing pain, agitation, and delirium in adult ICUs. *Critical Care Medicine*, 41(9 Suppl 1), S128–S135. <https://doi.org/10.1097/CCM.0b013e3182a2c2b1>



107. Celeste, M. (2002). A Survey of Motor Development for Infants and Young Children with Visual Impairments. *Journal of Visual Impairment & Blindness*, 96(3), 169–174.
<https://doi.org/10.1177/0145482X0209600305>
108. Center on an Aging Society. (n.d.). Retrieved September 25, 2019, from Health Policy Institute website: <https://hpi.georgetown.edu/archive/agingsociety/>
109. Centers for Medicare and Medicaid Services. (2010). Medicare Hospital Readmissions: Issues, Policy Options and PPACA. Congressional Research Service Report for Congress.
110. Ceriana, P., Carlucci, A., Schreiber, A., Fracchia, C., Cazzani, C., Dichiarante, M., ... Nava, S. (2015). Changes of swallowing function after tracheostomy: a videofluoroscopy study. *Minerva Anestesiologica*, 81(4), 389–397. <https://www.ncbi.nlm.nih.gov/pubmed/25220547>
111. Chaboyer, W., & Grace, J. (2003). Following the path of ICU survivors: a quality-improvement activity. *Nursing in Critical Care*, 8(4), 149–155. <https://www.ncbi.nlm.nih.gov/pubmed/12940690>
112. Chambers, M. A., Moylan, J. S., & Reid, M. B. (2009). Physical inactivity and muscle weakness in the critically ill. *Critical Care Medicine*, 37(10 Suppl), S337–S346.
<https://doi.org/10.1097/CCM.0b013e3181b6e974>
113. Chao, P.-W., Shih, C.-J., Lee, Y.-J., Tseng, C.-M., Kuo, S.-C., Shih, Y.-N., ... Chen, Y.-T. (2014). Association of postdischarge rehabilitation with mortality in intensive care unit survivors of sepsis. *American Journal of Respiratory and Critical Care Medicine*, 190(9), 1003–1011.
<https://doi.org/10.1164/rccm.201406-1170OC>
114. Cheifetz, I. M. (2003). Invasive and noninvasive pediatric mechanical ventilation. *Respiratory Care*, 48(4), 442–453; discussion 453–458. <https://www.ncbi.nlm.nih.gov/pubmed/12667269>
115. Chelluri, L., Im, K. A., Belle, S. H., Schulz, R., Rotondi, A. J., Donahoe, M. P., ... Pinsky, M. R. (2004). Long-term mortality and quality of life after prolonged mechanical ventilation. *Critical Care Medicine*, 32(1), 61–69. <https://doi.org/10.1097/01.CCM.0000098029.65347.F9>
116. Child Life Certifying Committee Code of Professional Practice. (n.d.). Association of Child Life Professionals website: <https://www.childlife.org/>
117. Chlan, L. L., Weinert, C. R., Heiderscheit, A., Tracy, M. F., Skaar, D. J., Guttormson, J. L., & Savik, K. (2013). Effects of patient-directed music intervention on anxiety and sedative exposure in critically ill patients receiving mechanical ventilatory support: a randomized clinical trial. *JAMA: The Journal of the American Medical Association*, 309(22), 2335–2344.
<https://doi.org/10.1001/jama.2013.5670>
118. Choi, J., Tate, J. A., Donahoe, M. P., Ren, D., Hoffman, L. A., & Chasens, E. R. (2016). Sleep in family caregivers of ICU survivors for two months post-ICU discharge. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 37, 11–18.
<https://doi.org/10.1016/j.iccn.2016.07.003>
119. Choong, C. K., Haddad, F. J., Huddleston, C. B., Bell, J., Guthrie, T. J., Mendeloff, E. N., ... Sweet, S. C. (2006). Role of open lung biopsy in lung transplant recipients in a single children's hospital: a 13-year experience. *The Journal of Thoracic and Cardiovascular Surgery*, 131(1), 204–208.
<https://doi.org/10.1016/j.jtcvs.2005.07.059>



120. Choong, K. (2015). Acute Rehabilitation in Critically Ill Children. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 4(4), 171–173. <https://doi.org/10.1055/s-0035-1563384>
121. Choong, K., Al-Harbi, S., Siu, K., Wong, K., Cheng, J., Baird, B., ... Canadian Critical Care Trials Group. (2015). Functional recovery following critical illness in children: the “wee-cover” pilot study. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 16(4), 310–318. <https://doi.org/10.1097/PCC.0000000000000362>
122. Choong, K., Awladthani, S., Khawaji, A., Clark, H., Borhan, A., Cheng, J., ... Canadian Critical Care Trials Group. (2017). Early Exercise in Critically Ill Youth and Children, a Preliminary Evaluation: The wEECYCLE Pilot Trial. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 18(11), e546–e554. <https://doi.org/10.1097/PCC.0000000000001329>
123. Choong, K., Canci, F., Clark, H., Hopkins, R. O., Kudchadkar, S. R., Lati, J., ... Zebuhr, C. (2018). Practice Recommendations for Early Mobilization in Critically Ill Children. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 7(1), 14–26. <https://doi.org/10.1055/s-0037-1601424>
124. Choong, K., Foster, G., Fraser, D. D., Hutchison, J. S., Joffe, A. R., Jouvet, P. A., ... Canadian Critical Care Trials Group. (2014). Acute rehabilitation practices in critically ill children: a multicenter study. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 15(6), e270–e279. <https://doi.org/10.1097/PCC.000000000000160>
125. Choong, K., Fraser, D., Al-Harbi, S., Borham, A., Cameron, J., Cameron, S., ... Thabane, L. (2018). Functional Recovery in Critically Ill Children, the “WeeCover” Multicenter Study. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 19(2), 145–154. <https://doi.org/10.1097/PCC.0000000000001421>
126. Choong, K., Koo, K. K. Y., Clark, H., Chu, R., Thabane, L., Burns, K. E. A., ... Meade, M. O. (2013). Early mobilization in critically ill children: a survey of Canadian practice. *Critical Care Medicine*, 41(7), 1745–1753. <https://doi.org/10.1097/CCM.0b013e318287f592>
127. Ciccone PT PhD FAPTA, C. D. (2015). Pharmacology in Rehabilitation (Contemporary Perspectives in Rehabilitation) (5 edition). <http://www.worldcat.org/oclc/907255727>
128. Cichero, J. A. Y., Lam, P., Steele, C. M., Hanson, B., Chen, J., Dantas, R. O., ... Stanschus, S. (2017). Development of International Terminology and Definitions for Texture-Modified Foods and Thickened Fluids Used in Dysphagia Management: The IDDSI Framework. *Dysphagia*, 32(2), 293–314. <https://doi.org/10.1007/s00455-016-9758-y>
129. Clemente, C., Barnes, J., Shinebourne, E., & Stein, A. (2001). Are infant behavioural feeding difficulties associated with congenital heart disease? *Child: Care, Health and Development*, 27(1), 47–59. <https://www.ncbi.nlm.nih.gov/pubmed/11136341>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

130. Cohen, J. N., Gopal, A., Roberts, K. J., Anderson, E., & Siegel, A. M. (2019). Ventilator-Dependent Patients Successfully Weaned With Cognitive-Behavioral Therapy: A Case Series. *Psychosomatics*. <https://doi.org/10.1016/j.psym.2019.02.003>
131. Cole, M. G., McCusker, J., Bellavance, F., Primeau, F. J., Bailey, R. F., Bonnycastle, M. J., & Laplante, J. (2002). Systematic detection and multidisciplinary care of delirium in older medical inpatients: a randomized trial. *CMAJ: Canadian Medical Association Journal = Journal de l'Association Medicale Canadienne*, 167(7), 753–759. <https://www.ncbi.nlm.nih.gov/pubmed/12389836>
132. Collins, T. L., Yong, K. W., Marchetti, M. T., Miller, K. L., Booths, B., & Falvey, J. R. (2019). The Value of Home Health Physical Therapy. *Home Healthcare Now*, 37(3), 145–151. <https://doi.org/10.1097/NHH.0000000000000760>
133. Colville, G. A., Cream, P. R., & Kerry, S. M. (2010). Do parents benefit from the offer of a follow-up appointment after their child's admission to intensive care? An exploratory randomised controlled trial. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 26(3), 146–153. <https://doi.org/10.1016/j.iccn.2010.02.005>
134. Colville, G., Darkins, J., Hesketh, J., Bennett, V., Alcock, J., & Noyes, J. (2009). The impact on parents of a child's admission to intensive care: integration of qualitative findings from a cross-sectional study. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 25(2), 72–79. <https://doi.org/10.1016/j.iccn.2008.10.002>
135. Colwell, B. R. L., Williams, C. N., Kelly, S. P., & Ibsen, L. M. (2018). Mobilization Therapy in the Pediatric Intensive Care Unit: A Multidisciplinary Quality Improvement Initiative. *American Journal of Critical Care: An Official Publication, American Association of Critical-Care Nurses*, 27(3), 194–203. <https://doi.org/10.4037/ajcc2018193>
136. Committee on Children With Disabilities. (2001). Role of the pediatrician in family-centered early intervention services. *Pediatrics*, 107(5), 1155–1157. <https://doi.org/10.1542/peds.107.5.1155>
137. Corcoran, J. R., Herbsman, J. M., Bushnik, T., Van Lew, S., Stolfi, A., Parkin, K., ... Flanagan, S. R. (2017). Early Rehabilitation in the Medical and Surgical Intensive Care Units for Patients With and Without Mechanical Ventilation: An Interprofessional Performance Improvement Project. *PM & R: The Journal of Injury, Function, and Rehabilitation*, 9(2), 113–119. <https://doi.org/10.1016/j.pmrj.2016.06.015>
138. Corner, E. J., Soni, N., Handy, J. M., & Brett, S. J. (2014). Construct validity of the Chelsea critical care physical assessment tool: an observational study of recovery from critical illness. *Critical Care / the Society of Critical Care Medicine*, 18(2), R55. <https://doi.org/10.1186/cc13801>
139. Cossu, G. (2014). Therapeutic options to enhance coma arousal after traumatic brain injury: state of the art of current treatments to improve coma recovery. *British Journal of Neurosurgery*, 28(2), 187–198. <https://doi.org/10.3109/02688697.2013.841845>
140. Costa, D. K., White, M. R., Ginier, E., Manojlovich, M., Govindan, S., Iwashyna, T. J., & Sales, A. E. (2017). Identifying Barriers to Delivering the Awakening and Breathing Coordination, Delirium, and Early Exercise/Mobility Bundle to Minimize Adverse Outcomes for Mechanically Ventilated Patients: A Systematic Review. *Chest*, 152(2), 304–311. <https://doi.org/10.1016/j.chest.2017.03.054>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

141. Costello, J. M., Patak, L., & Pritchard, J. (2010). Communication vulnerable patients in the pediatric ICU: Enhancing care through augmentative and alternative communication. *Journal of Pediatric Rehabilitation Medicine*, 3(4), 289–301. <https://doi.org/10.3233/PRM-2010-0140>
142. Coughlin, Mary E., RN, MS, NNP. (2016). Trauma-Informed Care in the NICU: Evidenced-Based Practice Guidelines for Neonatal Clinicians (1e). <http://www.worldcat.org/oclc/962154254>
143. Covinsky, K. E., Palmer, R. M., Counsell, S. R., Pine, Z. M., Walter, L. C., & Chren, M. M. (2000). Functional status before hospitalization in acutely ill older adults: validity and clinical importance of retrospective reports. *Journal of the American Geriatrics Society*, 48(2), 164–169. <https://doi.org/10.1111/j.1532-5415.2000.tb03907.x>
144. Covinsky, K. E., Palmer, R. M., Fortinsky, R. H., Counsell, S. R., Stewart, A. L., Kresevic, D., ... Landefeld, C. S. (2003). Loss of independence in activities of daily living in older adults hospitalized with medical illnesses: increased vulnerability with age. *Journal of the American Geriatrics Society*, 51(4), 451–458. <https://doi.org/10.1046/j.1532-5415.2003.51152.x>
145. Covinsky, K. E., Pierluissi, E., & Johnston, C. B. (2011). Hospitalization-associated disability: "She was probably able to ambulate, but I'm not sure." *JAMA: The Journal of the American Medical Association*, 306(16), 1782–1793. <https://doi.org/10.1001/jama.2011.1556>
146. Cox, C. E., Docherty, S. L., Brandon, D. H., Whaley, C., Attix, D. K., Clay, A. S., ... Tulsky, J. A. (2009). Surviving critical illness: acute respiratory distress syndrome as experienced by patients and their caregivers. *Critical Care Medicine*, 37(10), 2702–2708. <https://doi.org/10.1097/CCM.0b013e3181b6f64a>
147. Cox, C. E., Hough, C. L., Carson, S. S., White, D. B., Kahn, J. M., Olsen, M. K., ... Porter, L. S. (2018). Effects of a Telephone- and Web-based Coping Skills Training Program Compared with an Education Program for Survivors of Critical Illness and Their Family Members. *American Journal of Respiratory and Critical Care Medicine*, 197(1), 66–78. <https://doi.org/10.1164/rccm.201704-0720OC>
148. Cox, C. E., Hough, C. L., Jones, D. M., Ungar, A., Reagan, W., Key, M. D., ... Porter, L. S. (2019). Effects of mindfulness training programmes delivered by a self-directed mobile app and by telephone compared with an education programme for survivors of critical illness: a pilot randomised clinical trial. *Thorax*, 74(1), 33–42. <https://doi.org/10.1136/thoraxjnl-2017-211264>
149. Cuello-Garcia, C. A., Mai, S. H. C., Simpson, R., Al-Harbi, S., & Choong, K. (2018). Early mobilization in critically ill children: a systematic review. *The Journal of Pediatrics*, 203, 25–33.e6. <https://doi.org/10.1016/j.jpeds.2018.07.037>
150. Cumming, T. B., Thrift, A. G., Collier, J. M., Churilov, L., Dewey, H. M., Donnan, G. A., & Bernhardt, J. (2011). Very early mobilization after stroke fast-tracks return to walking: further results from the phase II AVERT randomized controlled trial. *Stroke; a Journal of Cerebral Circulation*, 42(1), 153–158. <https://doi.org/10.1161/STROKEAHA.110.594598>
151. Curley, M. A. Q., Harris, S. K., Fraser, K. A., Johnson, R. A., & Arnold, J. H. (2006). State Behavioral Scale: a sedation assessment instrument for infants and young children supported on mechanical ventilation. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 7(2), 107–114. <https://doi.org/10.1097/01.PCC.0000200955.40962.38>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

152. Curley, M. A. Q., Wypij, D., Watson, R. S., Grant, M. J. C., Asaro, L. A., Cheifetz, I. M., ... RESTORE Study Investigators and the Pediatric Acute Lung Injury and Sepsis Investigators Network. (2015). Protocolized sedation vs usual care in pediatric patients mechanically ventilated for acute respiratory failure: a randomized clinical trial. *JAMA: The Journal of the American Medical Association*, 313(4), 379–389. <https://doi.org/10.1001/jama.2014.18399>
153. Cutuli, J. J., Alderfer, M. A., & Marsac, M. L. (2019). Introduction to the special issue: Trauma-informed care for children and families. *Psychological Services*, 16(1), 1–6. <https://doi.org/10.1037/ser0000330>
154. D'Amico, M. L., Jaffe, L. E., & Gardner, J. A. (2018). Evidence for Interventions to Improve and Maintain Occupational Performance and Participation for People With Serious Mental Illness: A Systematic Review. *The American Journal of Occupational Therapy: Official Publication of the American Occupational Therapy Association*, 72(5), 7205190020p1–p7205190020p11. <https://doi.org/10.5014/ajot.2018.033332>
155. Dale, C. R., Kannas, D. A., Fan, V. S., Daniel, S. L., Deem, S., Yanez, N. D., 3rd, ... Treggiari, M. M. (2014). Improved analgesia, sedation, and delirium protocol associated with decreased duration of delirium and mechanical ventilation. *Annals of the American Thoracic Society*, 11(3), 367–374. <https://doi.org/10.1513/AnnalsATS.201306-210OC>
156. Daley, K. N., PT, MBA, Krushel, D., PT, DPT, & Chevan, J., PT, PhD, MPH. (2018). The physical therapist informatician as an enabler of capacity in a data-driven environment: an administrative case report. *Physiotherapy Theory and Practice*, 1–11. <https://doi.org/10.1080/09593985.2018.1548045>
157. Damluji, A., Zanni, J. M., Mantheiy, E., Colantuoni, E., Kho, M. E., & Needham, D. M. (2013). Safety and feasibility of femoral catheters during physical rehabilitation in the intensive care unit. *Journal of Critical Care*, 28(4), 535.e9–e15. <https://doi.org/10.1016/j.jcrc.2013.01.006>
158. Dammeyer, J. A., Baldwin, N., Packard, D., Harrington, S., Christofferson, B., Christopher, J., ... Iwashyna, J. (2013). Mobilizing outcomes: implementation of a nurse-led multidisciplinary mobility program. *Critical Care Nursing Quarterly*, 36(1), 109–119. <https://doi.org/10.1097/CNQ.0b013e31827535db>
159. Darragh, A. R., Campo, M. A., Frost, L., Miller, M., Pentico, M., & Margulis, H. (2013). Safe-patient-handling equipment in therapy practice: implications for rehabilitation. *The American Journal of Occupational Therapy: Official Publication of the American Occupational Therapy Association*, 67(1), 45–53. <https://doi.org/10.5014/ajot.2013.005389>
160. Darragh, A. R., Campo, M., & Olson, D. (2009). Therapy practice within a minimal lift environment: perceptions of therapy staff. *Work*, 33(3), 241–253. <https://doi.org/10.3233/WOR-2009-0872>
161. Davidson, J. E., Aslakson, R. A., Long, A. C., Puntillo, K. A., Kross, E. K., Hart, J., ... Curtis, J. R. (2017). Guidelines for Family-Centered Care in the Neonatal, Pediatric, and Adult ICU. *Critical Care Medicine*, 45(1), 103–128. <https://doi.org/10.1097/CCM.0000000000002169>
162. Davidson, J. E., Jones, C., & Bienvenu, O. J. (2012). Family response to critical illness: postintensive care syndrome-family. *Critical Care Medicine*, 40(2), 618–624. <https://doi.org/10.1097/CCM.0b013e318236ebf9>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

163. Davis, N. L., Liu, A., & Rhein, L. (2013). Feeding immaturity in preterm neonates: risk factors for oropharyngeal aspiration and timing of maturation. *Journal of Pediatric Gastroenterology and Nutrition*, 57(6), 735–740. <https://doi.org/10.1097/MPG.0b013e3182a9392d>
164. Davydow, D. S., Desai, S. V., Needham, D. M., & Bienvenu, O. J. (2008). Psychiatric morbidity in survivors of the acute respiratory distress syndrome: a systematic review. *Psychosomatic Medicine*, 70(4), 512–519. <https://doi.org/10.1097/PSY.0b013e31816aa0dd>
165. Davydow, D. S., Gifford, J. M., Desai, S. V., Bienvenu, O. J., & Needham, D. M. (2009). Depression in general intensive care unit survivors: a systematic review. *Intensive Care Medicine*, 35(5), 796–809. <https://doi.org/10.1007/s00134-009-1396-5>
166. Davydow, D. S., Gifford, J. M., Desai, S. V., Needham, D. M., & Bienvenu, O. J. (2008). Posttraumatic stress disorder in general intensive care unit survivors: a systematic review. *General Hospital Psychiatry*, 30(5), 421–434. <https://doi.org/10.1016/j.genhosppsych.2008.05.006>
167. Day, A., Haj-Bakri, S., Lubchansky, S., & Mehta, S. (2013). Sleep, anxiety and fatigue in family members of patients admitted to the intensive care unit: a questionnaire study. *Critical Care / the Society of Critical Care Medicine*, 17(3), R91. <https://doi.org/10.1186/cc12736>
168. de Jonghe, A., Korevaar, J. C., van Munster, B. C., & de Rooij, S. E. (2010). Effectiveness of melatonin treatment on circadian rhythm disturbances in dementia. Are there implications for delirium? A systematic review. *International Journal of Geriatric Psychiatry*, 25(12), 1201–1208. <https://doi.org/10.1002/gps.2454>
169. de Jonghe, B., Lacherade, J.-C., Sharshar, T., & Outin, H. (2009). Intensive care unit-acquired weakness: risk factors and prevention. *Critical Care Medicine*, 37(10 Suppl), S309–S315. <https://doi.org/10.1097/CCM.0b013e3181b6e64c>
170. De Jonghe, B., Sharshar, T., Lefaucheur, J.-P., Authier, F.-J., Durand-Zaleski, I., Boussarsar, M., ... Groupe de Réflexion et d'Etude des Neuromyopathies en Réanimation. (2002). Paresis acquired in the intensive care unit: a prospective multicenter study. *JAMA: The Journal of the American Medical Association*, 288(22), 2859–2867. <https://doi.org/10.1001/jama.288.22.2859>
171. de Letter, M. A., Schmitz, P. I., Visser, L. H., Verheul, F. A., Schellens, R. L., Op de Coul, D. A., & van der Meché, F. G. (2001). Risk factors for the development of polyneuropathy and myopathy in critically ill patients. *Critical Care Medicine*, 29(12), 2281–2286. <https://doi.org/10.1097/000003246-200112000-00008>
172. Deluzio, S., Vora, I., Kumble, S., Zink, E. K., Stevens, R. D., & Bahouth, M. N. (2018). Feasibility of Early, Motor-Assisted Cycle Ergometry in Critically Ill Neurological Patients With Upper Limb Weakness and Variable Cognitive Status: A Case Series. *American Journal of Physical Medicine & Rehabilitation / Association of Academic Physiatrists*, 97(5), e37–e41. <https://doi.org/10.1097/PHM.0000000000000857>
173. Desai, H. G. (2011). Does model for end-stage liver disease (MELD) require modification? *The Journal of the Association of Physicians of India*, 59, 372–373. <https://www.ncbi.nlm.nih.gov/pubmed/21751591>
174. Desai, S. V., Law, T. J., & Needham, D. M. (2011). Long-term complications of critical care. *Critical Care Medicine*, 39(2), 371–379. <https://doi.org/10.1097/CCM.0b013e3181fd66e5>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

175. Desai, S., Law, T., Bienvenu, J., & Needham, D. (2011). [Response to psychiatric long-term complications of intensive care unit survivors]. *Critical care medicine*, 39(12), 2790.
<https://doi.org/10.1097/CCM.0b013e318236e2db>
176. Devlin, J. W., Skrobik, Y., Gélinas, C., Needham, D. M., Slooter, A. J. C., Pandharipande, P. P., ... Alhazzani, W. (2018a). Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. *Critical Care Medicine*, 46(9), e825–e873. <https://doi.org/10.1097/CCM.0000000000003299>
177. Devlin, J. W., Skrobik, Y., Gélinas, C., Needham, D. M., Slooter, A. J. C., Pandharipande, P. P., ... Alhazzani, W. (2018b). Executive Summary: Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. *Critical Care Medicine*, 46(9), 1532–1548.
<https://doi.org/10.1097/CCM.0000000000003259>
178. Devlin, J. W., Skrobik, Y., Rochwerg, B., Nunnally, M. E., Needham, D. M., Gelinas, C., ... Alhazzani, W. (2018). Methodologic Innovation in Creating Clinical Practice Guidelines: Insights From the 2018 Society of Critical Care Medicine Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption Guideline Effort. *Critical Care Medicine*, 46(9), 1457–1463.
<https://doi.org/10.1097/CCM.0000000000003298>
179. Devore, E. E., Fong, T. G., Marcantonio, E. R., Schmitt, E. M., Travison, T. G., Jones, R. N., & Inouye, S. K. (2017). Prediction of Long-term Cognitive Decline Following Postoperative Delirium in Older Adults. *The Journals of Gerontology. Series A, Biological Sciences and Medical Sciences*, 72(12), 1697–1702. <https://doi.org/10.1093/gerona/glx030>
180. DHHS (NIOSH) Publication Number 97-141. (2018). Musculoskeletal disorders and workplace factors. A critical review of epidemiologic evidence for work-related musculoskeletal disorders of the neck, upper extremity, and low back. <https://doi.org/10.26616/NIOSHPUB97141>
181. Diaz Ballve, L. P., Dargains, N., Urrutia Inchaustegui, J. G., Bratos, A., Milagros Percaz, M. de L., Bueno Ardariz, C., ... Settembrino, E. (2017). Weakness acquired in the intensive care unit. Incidence, risk factors and their association with inspiratory weakness. Observational cohort study. *Revista Brasileira de Terapia Intensiva*, 29(4), 466–475. <https://doi.org/10.5935/0103-507X.20170063>
182. Dickinson, S., Taylor, S., & Anton, P. (2018). Integrating a Standardized Mobility Program and Safe Patient Handling. *Critical Care Nursing Quarterly*, 41(3), 240–252.
<https://doi.org/10.1097/CNQ.0000000000000202>
183. Dietz, A. S., Pronovost, P. J., Mendez-Tellez, P. A., Wyskiel, R., Marsteller, J. A., Thompson, D. A., & Rosen, M. A. (2014). A systematic review of teamwork in the intensive care unit: what do we know about teamwork, team tasks, and improvement strategies? *Journal of Critical Care*, 29(6), 908–914.
<https://doi.org/10.1016/j.jcrc.2014.05.025>
184. Dinglas, V. D., Colantuoni, E., Ciesla, N., Mendez-Tellez, P. A., Shanholtz, C., & Needham, D. M. (2013). Occupational therapy for patients with acute lung injury: factors associated with time to first intervention in the intensive care unit. *The American Journal of Occupational Therapy: Official Publication of the American Occupational Therapy Association*, 67(3), 355–362.
<https://doi.org/10.5014/ajot.2013.007807>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

185. Dodrill, P., & Gosa, M. M. (2015). Pediatric Dysphagia: Physiology, Assessment, and Management. *Annals of Nutrition & Metabolism*, 66 Suppl 5, 24–31. <https://doi.org/10.1159/000381372>
186. Donovan, A. L., Aldrich, J. M., Gross, A. K., Barchas, D. M., Thornton, K. C., Schell-Chaple, H. M., ... University of California, San Francisco Critical Care Innovations Group. (2018). Interprofessional Care and Teamwork in the ICU. *Critical Care Medicine*, 46(6), 980–990. <https://doi.org/10.1097/CCM.0000000000003067>
187. Dos Santos, E. R., Lopes, C. T., Maria, V. L. R., & de Barros, A. L. B. L. (2017). Risk factors for decreased cardiac output after coronary artery bypass grafting: a prospective cohort study. *European Journal of Cardiovascular Nursing: Journal of the Working Group on Cardiovascular Nursing of the European Society of Cardiology*, 16(4), 352–359. <https://doi.org/10.1177/1474515116681373>
188. Dow, B. L., Kenardy, J. A., Le Brocq, R. M., & Long, D. A. (2013). The diagnosis of posttraumatic stress disorder in school-aged children and adolescents following pediatric intensive care unit admission. *Journal of Child and Adolescent Psychopharmacology*, 23(9), 614–619. <https://doi.org/10.1089/cap.2013.0044>
189. Dow, B. L., Kenardy, J. A., Long, D. A., & Le Brocq, R. M. (2019). Cognitive/affective factors are associated with children's acute posttraumatic stress following pediatric intensive care. *Psychological Trauma: Theory, Research, Practice and Policy*, 11(1), 55–63. <https://doi.org/10.1037/tra0000349>
190. Dowdy, D. W., Eid, M. P., Dennison, C. R., Mendez-Tellez, P. A., Herridge, M. S., Guallar, E., ... Needham, D. M. (2006). Quality of life after acute respiratory distress syndrome: a meta-analysis. *Intensive Care Medicine*, 32(8), 1115–1124. <https://doi.org/10.1007/s00134-006-0217-3>
191. Dowdy, D. W., Eid, M. P., Sedrakyan, A., Mendez-Tellez, P. A., Pronovost, P. J., Herridge, M. S., & Needham, D. M. (2005). Quality of life in adult survivors of critical illness: a systematic review of the literature. *Intensive Care Medicine*, 31(5), 611–620. <https://doi.org/10.1007/s00134-005-2592-6>
192. Duclos, C., Beauregard, M.-P., Bottari, C., Ouellet, M.-C., & Gosselin, N. (2015). The impact of poor sleep on cognition and activities of daily living after traumatic brain injury: a review. *Australian Occupational Therapy Journal*, 62(1), 2–12. <https://doi.org/10.1111/1440-1630.12164>
193. Duffy, E. I., Garry, J., Talbot, L., Pasternak, D., Flinn, A., Minardi, C., ... Jawa, R. S. (2018). A pilot study assessing the spiritual, emotional, physical/environmental, and physiological needs of mechanically ventilated surgical intensive care unit patients via eye tracking devices, head nodding, and communication boards. *Trauma Surgery & Acute Care Open*, 3(1), e000180. <https://doi.org/10.1136/tsaco-2018-000180>
194. Duning, T., van den Heuvel, I., Dickmann, A., Volkert, T., Wempe, C., Reinholtz, J., ... Ellger, B. (2010). Hypoglycemia aggravates critical illness-induced neurocognitive dysfunction. *Diabetes Care*, 33(3), 639–644. <https://doi.org/10.2337/dc09-1740>
195. Dunn, H., Quinn, L., Corbridge, S., Kapella, M., Eldeirawi, K., Steffen, A., & Collins, E. (2019). A latent class analysis of prolonged mechanical ventilation patients at a long-term acute care hospital: Subtype differences in clinical outcomes. *Heart & Lung: The Journal of Critical Care*, 48(3), 215–221. <https://doi.org/10.1016/j.hrtlng.2019.01.001>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

196. Dusing, S. C., Thorpe, D. E., Mercer, V. S., Rosenberg, A. E., Poe, M. D., & Escolar, M. L. (2007). Temporal and spatial gait characteristics of children with Hurler syndrome after umbilical cord blood transplantation. *Physical Therapy*, 87(8), 978–985. <https://doi.org/10.2522/ptj.20060196>
197. Eakin, M. N., Ugbah, L., Arnautovic, T., Parker, A. M., & Needham, D. M. (2015). Implementing and sustaining an early rehabilitation program in a medical intensive care unit: A qualitative analysis. *Journal of Critical Care*, 30(4), 698–704. <https://doi.org/10.1016/j.jcrc.2015.03.019>
198. Eeles, A. L., Anderson, P. J., Brown, N. C., Lee, K. J., Boyd, R. N., Spittle, A. J., & Doyle, L. W. (2013). Sensory profiles of children born < 30 weeks' gestation at 2 years of age and their environmental and biological predictors. *Early Human Development*, 89(9), 727–732. <https://doi.org/10.1016/j.earlhumdev.2013.05.005>
199. Egbers, P. H., Bultsma, R., Middelkamp, H., & Boerma, E. C. (2014). Enabling speech in ICU patients during mechanical ventilation. *Intensive Care Medicine*, 40(7), 1057–1058. <https://doi.org/10.1007/s00134-014-3315-7>
200. Eggmann, S., Verra, M. L., Luder, G., Takala, J., & Jakob, S. M. (2018). Effects of early, combined endurance and resistance training in mechanically ventilated, critically ill patients: A randomised controlled trial. *PloS One*, 13(11), e0207428. <https://doi.org/10.1371/journal.pone.0207428>
201. Eikermann, M., Schaller, S. J., Kasotakis, G., Anstey, M., & Houle, T. (2017). [Response to Early goal-directed mobilisation after surgery - authors' reply]. *The Lancet*, 389(10070), 695–696. [https://doi.org/10.1016/S0140-6736\(17\)30334-3](https://doi.org/10.1016/S0140-6736(17)30334-3)
202. Eliades, C. (2018). Mitigating Infant Medical Trauma in the NICU: Skin-to-Skin Contact as a Trauma-Informed, Age-Appropriate Best Practice. *Neonatal Network: NN*, 37(6), 343–350. <https://doi.org/10.1891/0730-0832.37.6.343>
203. Eliasson, A.-C., Nordstrand, L., Ek, L., Lennartsson, F., Sjöstrand, L., Tedroff, K., & Krumlinde-Sundholm, L. (2018). The effectiveness of Baby-CIMT in infants younger than 12 months with clinical signs of unilateral-cerebral palsy; an explorative study with randomized design. *Research in Developmental Disabilities*, 72, 191–201. <https://doi.org/10.1016/j.ridd.2017.11.006>
204. Elliott, D., Davidson, J. E., Harvey, M. A., Bemis-Dougherty, A., Hopkins, R. O., Iwashyna, T. J., ... Needham, D. M. (2014). Exploring the scope of post-intensive care syndrome therapy and care: engagement of non-critical care providers and survivors in a second stakeholders meeting. *Critical Care Medicine*, 42(12), 2518–2526. <https://doi.org/10.1097/CCM.0000000000000525>
205. Elser, H. E. (2012). Positioning after feedings: what is the evidence to reduce feeding intolerances? *Advances in Neonatal Care: Official Journal of the National Association of Neonatal Nurses*, 12(3), 172–175. <https://doi.org/10.1097/ANC.0b013e318256b7c1>
206. Elsevier. (n.d.). Perinatal and Pediatric Respiratory Care - 3rd Edition. Retrieved October 1, 2019, from <https://www.elsevier.com/books/perinatal-and-pediatric-respiratory-care/walsh/978-1-4160-2448-4>
207. Ely, E. W. (2017). The ABCDEF Bundle: Science and Philosophy of How ICU Liberation Serves Patients and Families. *Critical Care Medicine*, 45(2), 321–330. <https://doi.org/10.1097/CCM.0000000000002175>



208. Ely, E. W., Gautam, S., Margolin, R., Francis, J., May, L., Speroff, T., ... Inouye, S. K. (2001). The impact of delirium in the intensive care unit on hospital length of stay. *Intensive Care Medicine*, 27(12), 1892–1900. <https://doi.org/10.1007/s00134-001-1132-2>
209. Ely, E. W., Inouye, S. K., Bernard, G. R., Gordon, S., Francis, J., May, L., ... Dittus, R. (2001). Delirium in mechanically ventilated patients: validity and reliability of the confusion assessment method for the intensive care unit (CAM-ICU). *JAMA: The Journal of the American Medical Association*, 286(21), 2703–2710. <https://doi.org/10.1001/jama.286.21.2703>
210. Ely, E. W., Margolin, R., Francis, J., May, L., Truman, B., Dittus, R., ... Inouye, S. K. (2001). Evaluation of delirium in critically ill patients: validation of the Confusion Assessment Method for the Intensive Care Unit (CAM-ICU). *Critical Care Medicine*, 29(7), 1370–1379. <https://doi.org/10.1097/00003246-200107000-00012>
211. Ely, E. W., Shintani, A., Truman, B., Speroff, T., Gordon, S. M., Harrell, F. E., Jr, ... Dittus, R. S. (2004). Delirium as a predictor of mortality in mechanically ventilated patients in the intensive care unit. *JAMA: The Journal of the American Medical Association*, 291(14), 1753–1762. <https://doi.org/10.1001/jama.291.14.1753>
212. Ely, E. W., Siegel, M. D., & Inouye, S. K. (2001). Delirium in the intensive care unit: an under-recognized syndrome of organ dysfunction. *Seminars in Respiratory and Critical Care Medicine*, 22(2), 115–126. <https://doi.org/10.1055/s-2001-13826>
213. Engel, H. J., Needham, D. M., Morris, P. E., & Gropper, M. A. (2013). ICU early mobilization: from recommendation to implementation at three medical centers. *Critical Care Medicine*, 41(9 Suppl 1), S69–S80. <https://doi.org/10.1097/CCM.0b013e3182a240d5>
214. Engels, P. T., Beckett, A. N., Rubenfeld, G. D., Kreder, H., Finkelstein, J. A., da Costa, L., ... Tien, H. C. (2013). Physical rehabilitation of the critically ill trauma patient in the ICU. *Critical Care Medicine*, 41(7), 1790–1801. <https://doi.org/10.1097/CCM.0b013e31828a2abf>
215. EuroQol Group. (1990). EuroQol—a new facility for the measurement of health-related quality of life. *Health Policy*, 16(3), 199–208. <https://www.ncbi.nlm.nih.gov/pubmed/10109801>
216. Evangelist, M., & Gartenberg, A. (2015). Toolkit for developing an occupational therapy program in the ICU. *OT Practice*, AOTA Press, 20–22.
217. Ewens, B. A., Hendricks, J. M., & Sundin, D. (2015). The use, prevalence and potential benefits of a diary as a therapeutic intervention/tool to aid recovery following critical illness in intensive care: a literature review. *Journal of Clinical Nursing*, 24(9-10), 1406–1425. <https://doi.org/10.1111/jocn.12736>
218. Eysenbach, G. (2011). Can tweets predict citations? Metrics of social impact based on Twitter and correlation with traditional metrics of scientific impact. *Journal of Medical Internet Research*, 13(4), e123. <https://doi.org/10.2196/jmir.2012>
219. Falvey, J. R., Mangione, K. K., & Stevens-Lapsley, J. E. (2015). Rethinking Hospital-Associated Deconditioning: Proposed Paradigm Shift. *Physical Therapy*, 95(9), 1307–1315. <https://doi.org/10.2522/ptj.20140511>
220. Fan, E. (2012). Critical illness neuromyopathy and the role of physical therapy and rehabilitation in critically ill patients. *Respiratory Care*, 57(6), 933–944; discussion 944–946. <https://doi.org/10.4187/respcare.01634>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

221. Fan, E., Dowdy, D. W., Colantuoni, E., Mendez-Tellez, P. A., Sevransky, J. E., Shanholtz, C., ... Needham, D. M. (2014). Physical complications in acute lung injury survivors: a two-year longitudinal prospective study. *Critical Care Medicine*, 42(4), 849–859.
<https://doi.org/10.1097/CCM.0000000000000040>
222. Fan, E., Needham, D. M., Brunton, J., Kern, R. Z., & Stewart, T. E. (2004). West Nile virus infection in the intensive care unit: a case series and literature review. *Canadian Respiratory Journal: Journal of the Canadian Thoracic Society*, 11(5), 354–358. <https://doi.org/10.1155/2004/906150>
223. Fan, E., Shahid, S., Kondreddi, V. P., Bienvenu, O. J., Mendez-Tellez, P. A., Pronovost, P. J., & Needham, D. M. (2008). Informed consent in the critically ill: a two-step approach incorporating delirium screening. *Critical Care Medicine*, 36(1), 94–99.
<https://doi.org/10.1097/01.CCM.0000295308.29870.4F>
224. Fan, E., Zanni, J. M., Dennison, C. R., Lepre, S. J., & Needham, D. M. (2009). Critical illness neuromyopathy and muscle weakness in patients in the intensive care unit. *AACN Advanced Critical Care*, 20(3), 243–253. <https://doi.org/10.1097/NCI.0b013e3181ac2551>
225. Farley, K. J., Eastwood, G. M., & Bellomo, R. (2016). A feasibility study of functional status and follow-up clinic preferences of patients at high risk of post intensive care syndrome. *Anaesthesia and Intensive Care*, 44(3), 413–419. <https://doi.org/10.1177/0310057X1604400310>
226. Fauerbach, J. A., Gehrke, A. K., Mason, S. T., Gould, N. F., Milner, S. M., & Caffrey, J. (2019). Cognitive Behavioral Treatment for Acute Posttrauma Distress: A Randomized, Controlled Proof-of-Concept Study Among Hospitalized Adults With Burns. *Archives of Physical Medicine and Rehabilitation*. <https://doi.org/10.1016/j.apmr.2018.11.027>
227. Faustino, E. V. S., Gedeit, R., Schwarz, A. J., Asaro, L. A., Wypij, D., Curley, M. A. Q., & Randomized Evaluation of Sedation Titration for Respiratory Failure (RESTORE) Study Investigators. (2017). Accuracy of an Extubation Readiness Test in Predicting Successful Extubation in Children With Acute Respiratory Failure From Lower Respiratory Tract Disease. *Critical Care Medicine*, 45(1), 94–102. <https://doi.org/10.1097/CCM.0000000000002024>
228. Feng, Y., Zheng, X., & Fang, Z. (2015). Treatment Progress of Paroxysmal Sympathetic Hyperactivity after Acquired Brain Injury. *Pediatric Neurosurgery*, 50(6), 301–309.
<https://doi.org/10.1159/000439282>
229. Ferrando, A. A., Lane, H. W., Stuart, C. A., Davis-Street, J., & Wolfe, R. R. (1996). Prolonged bed rest decreases skeletal muscle and whole body protein synthesis. *The American Journal of Physiology*, 270(4 Pt 1), E627–E633. <https://doi.org/10.1152/ajpendo.1996.270.4.E627>
230. Ferrante, L. E., Murphy, T. E., Leo-Summers, L. S., Gahbauer, E. A., Pisani, M. A., & Gill, T. M. (2019). The Combined Effects of Frailty and Cognitive Impairment on Post-ICU Disability among Older ICU Survivors. *American Journal of Respiratory and Critical Care Medicine*, 200(1), 107–110.
<https://doi.org/10.1164/rccm.201806-1144LE>
231. Ferrante, L. E., Pisani, M. A., Murphy, T. E., Gahbauer, E. A., Leo-Summers, L. S., & Gill, T. M. (2015). Functional trajectories among older persons before and after critical illness. *JAMA Internal Medicine*, 175(4), 523–529. <https://doi.org/10.1001/jamainternmed.2014.7889>
232. Ferrante, L. E., Pisani, M. A., Murphy, T. E., Gahbauer, E. A., Leo-Summers, L. S., & Gill, T. M. (2016). Factors Associated with Functional Recovery among Older Intensive Care Unit Survivors. *American*



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

- Journal of Respiratory and Critical Care Medicine, 194(3), 299–307.
<https://doi.org/10.1164/rccm.201506-1256OC>
233. Fields, C., Trotsky, A., Fernandez, N., & Smith, B. A. (2015). Mobility and Ambulation for Patients with Pulmonary Artery Catheters: A Retrospective Descriptive Study. *Journal of Acute Care Physical Therapy*, 6(2), 64–70. <https://doi.org/10.1097/JAT.0000000000000012>
234. Fina, D. K., Lopas, L. J., Stagnone, J. H., & Santucci, P. R. (1997). Parent participation in the postanesthesia care unit: fourteen years of progress at one hospital. *Journal of Perianesthesia Nursing: Official Journal of the American Society of PeriAnesthesia Nurses / American Society of PeriAnesthesia Nurses*, 12(3), 152–162. <https://www.ncbi.nlm.nih.gov/pubmed/9214939>
235. Fink, H., Helming, M., Unterbuchner, C., Lenz, A., Neff, F., Martyn, J. A. J., & Blobner, M. (2008). Systemic inflammatory response syndrome increases immobility-induced neuromuscular weakness. *Critical Care Medicine*, 36(3), 910–916. <https://doi.org/10.1097/CCM.0B013E3181659669>
236. Fins, J. J. (2005). A Palliative Ethic of Care: Clinical Wisdom at Life's End (1e). Sudbury, MA: Jones and Bartlett. <http://www.worldcat.org/oclc/956354250>
237. Fiser, D. H. (1992). Assessing the outcome of pediatric intensive care. *The Journal of Pediatrics*, 121(1), 68–74. [https://doi.org/10.1016/s0022-3476\(05\)82544-2](https://doi.org/10.1016/s0022-3476(05)82544-2)
238. Flagle, M. C., Ascenzi, J., & Kudchadkar, S. R. (2016). Identifying Barriers to Delirium Screening and Prevention in the Pediatric ICU: Evaluation of PICU Staff Knowledge. *Journal of Pediatric Nursing*, 31(1), 81–84. <https://doi.org/10.1016/j.pedn.2015.07.009>
239. Fletcher, S. N., Kennedy, D. D., Ghosh, I. R., Misra, V. P., Kiff, K., Coakley, J. H., & Hinds, C. J. (2003). Persistent neuromuscular and neurophysiologic abnormalities in long-term survivors of prolonged critical illness. *Critical Care Medicine*, 31(4), 1012–1016. <https://doi.org/10.1097/01.CCM.0000053651.38421.D9>
240. Flint, L. (2016). Eye-tracking devices in intensive care. *Surgery*, 159(3), 945–946. <https://doi.org/10.1016/j.surg.2015.09.005>
241. Flores, M. J., Eng, K., Gerrity, E., & Sinha, N. (2019). Initiation of oral intake in patients using high-flow nasal cannula: a retrospective analysis. *Perspectives of the ASHA Special Interest Groups*. https://doi.org/10.1044/2019_PERS-SIG13-2018-0019
242. Foster, J. P., Psaila, K., & Patterson, T. (2016). Non-nutritive sucking for increasing physiologic stability and nutrition in preterm infants. *Cochrane Database of Systematic Reviews*, 10, CD001071. <https://doi.org/10.1002/14651858.CD001071.pub3>
243. Frank, G., Walsh, K. E., Wootton, S., Bost, J., Dong, W., Keller, L., ... Brilli, R. J. (2017). Impact of a Pressure Injury Prevention Bundle in the Solutions for Patient Safety Network. *Pediatric Quality & Safety*, 2(2), e013. <https://doi.org/10.1097/pq9.0000000000000013>
244. Freeman-Sanderson, A. L., Togher, L., Elkins, M., & Kenny, B. (2018). Quality of life improves for tracheostomy patients with return of voice: A mixed methods evaluation of the patient experience across the care continuum. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 46, 10–16. <https://doi.org/10.1016/j.iccn.2018.02.004>
245. Freeman-Sanderson, A., Morris, K., & Elkins, M. (2019). Characteristics of patient communication and prevalence of communication difficulty in the intensive care unit: An observational study.



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

- Australian Critical Care: Official Journal of the Confederation of Australian Critical Care Nurses, 32(5), 373–377. <https://doi.org/10.1016/j.aucc.2018.09.002>
246. Fried, L. P., Tangen, C. M., Walston, J., Newman, A. B., Hirsch, C., Gottdiener, J., ... Cardiovascular Health Study Collaborative Research Group. (2001). Frailty in older adults: evidence for a phenotype. *The Journals of Gerontology. Series A, Biological Sciences and Medical Sciences*, 56(3), M146–M156. <https://doi.org/10.1093/gerona/56.3.m146>
247. Fried, T. R., Tinetti, M. E., Iannone, L., O’Leary, J. R., Towle, V., & Van Ness, P. H. (2011). Health outcome prioritization as a tool for decision making among older persons with multiple chronic conditions. *Archives of Internal Medicine*, 171(20), 1854–1856. <https://doi.org/10.1001/archinternmed.2011.424>
248. Fucile, S., Gisel, E., & Lau, C. (2002). Oral stimulation accelerates the transition from tube to oral feeding in preterm infants. *The Journal of Pediatrics*, 141(2), 230–236. <https://doi.org/10.1067/mpd.2002.125731>
249. Garret, K., Happ, MB, Costello, J, Fried-Oken, M. (2007). AAC in the ICU. <http://www.patientprovidercommunication.org/pdf/64.pdf>
250. Garrouste-Orgeas, M., Coquet, I., Périer, A., Timsit, J.-F., Pochard, F., Lancrein, F., ... Misset, B. (2012). Impact of an intensive care unit diary on psychological distress in patients and relatives. *Critical Care Medicine*, 40(7), 2033–2040. <https://doi.org/10.1097/CCM.0b013e31824e1b43>
251. Garrouste-Orgeas, M., Flahault, C., Vinatier, I., Rigaud, J.-P., Thieulot-Rolin, N., Mercier, E., ... Timsit, J.-F. (2019). Effect of an ICU Diary on Posttraumatic Stress Disorder Symptoms Among Patients Receiving Mechanical Ventilation: A Randomized Clinical Trial. *JAMA: The Journal of the American Medical Association*, 322(3), 229–239. <https://doi.org/10.1001/jama.2019.9058>
252. Garry, J., Casey, K., Cole, T. K., Regensburg, A., McElroy, C., Schneider, E., ... Chi, A. (2016). A pilot study of eye-tracking devices in intensive care. *Surgery*, 159(3), 938–944. <https://doi.org/10.1016/j.surg.2015.08.012>
253. Gaspari, C. H., Lafayette, S., Jaccoud, A. C., Kurtz, P., Lavradas, L. A., Jr, & Cavalcanti, D. D. (2018). Safety and feasibility of out-of-bed mobilization for patients with external ventricular drains in a neurosurgical intensive care unit. *Journal of Acute Care Physical Therapy*, 9(4), 171. <https://doi.org/10.1097/JAT.0000000000000085>
254. Giacino, J. T., Zasler, N. D., Katz, D. I., Kelly, J. P., Rosenberg, J. H., & Filley, C. M. (1997). Development of practice guidelines for assessment and management of the vegetative and minimally conscious states. *The Journal of Head Trauma Rehabilitation*, 12(4), 79. https://journals.lww.com/headtraumarehab/abstract/1997/08000/development_of_practice_guidelines_for_assessment.8.aspx
255. Gill, T. M. (2014). Disentangling the disabling process: insights from the precipitating events project. *The Gerontologist*, 54(4), 533–549. <https://doi.org/10.1093/geront/gnu067>
256. Gill, T. M., Allore, H., Holford, T. R., & Guo, Z. (2004). The development of insidious disability in activities of daily living among community-living older persons. *The American Journal of Medicine*, 117(7), 484–491. <https://doi.org/10.1016/j.amjmed.2004.05.018>



257. Gillies, D., Wells, D., & Bhandari, A. P. (2012). Positioning for acute respiratory distress in hospitalised infants and children. *Cochrane Database of Systematic Reviews*, (7), CD003645. <https://doi.org/10.1002/14651858.CD003645.pub3>
258. Girard, T. D., Exline, M. C., Carson, S. S., Hough, C. L., Rock, P., Gong, M. N., ... & Khan, B. (2018). Haloperidol and ziprasidone for treatment of delirium in critical illness. *New England Journal of Medicine*, 379(26), 2506-2516. <https://www.nejm.org/doi/full/10.1056/NEJMoa1808217>
259. Girard, T. D., Exline, M. C., Carson, S. S., Hough, C. L., Rock, P., Gong, M. N., ... MIND-USA Investigators. (2018). Haloperidol and Ziprasidone for Treatment of Delirium in Critical Illness. *The New England Journal of Medicine*, 379(26), 2506–2516. <https://doi.org/10.1056/NEJMoa1808217>
260. Girard, T. D., Jackson, J. C., Pandharipande, P. P., Pun, B. T., Thompson, J. L., Shintani, A. K., ... Ely, E. W. (2010). Delirium as a predictor of long-term cognitive impairment in survivors of critical illness. *Critical Care Medicine*, 38(7), 1513–1520. <https://doi.org/10.1097/CCM.0b013e3181e47be1>
261. Girard, T. D., Thompson, J. L., Pandharipande, P. P., Brummel, N. E., Jackson, J. C., Patel, M. B., ... Ely, E. W. (2018). Clinical phenotypes of delirium during critical illness and severity of subsequent long-term cognitive impairment: a prospective cohort study. *The Lancet. Respiratory Medicine*, 6(3), 213–222. [https://doi.org/10.1016/S2213-2600\(18\)30062-6](https://doi.org/10.1016/S2213-2600(18)30062-6)
262. Glass, R. P., & Wolf, L. S. (1994a). A global perspective on feeding assessment in the neonatal intensive care unit. *The American Journal of Occupational Therapy: Official Publication of the American Occupational Therapy Association*, 48(6), 514–526. <https://doi.org/10.5014/ajot.48.6.514>
263. Glass, R. P., & Wolf, L. S. (1994b). Incoordination of sucking, swallowing, and breathing as an etiology for breastfeeding difficulty. *Journal of Human Lactation: Official Journal of International Lactation Consultant Association*, 10(3), 185–189. <https://doi.org/10.1177/089033449401000316>
264. Glick, D., Barth, S., & Macleod, K. F. (2010). Autophagy: cellular and molecular mechanisms. *The Journal of Pathology*, 221(1), 3–12. <https://doi.org/10.1002/path.2697>
265. Goldwater, D. S., Dharmarajan, K., McEwan, B. S., & Krumholz, H. M. (2018). Is Posthospital Syndrome a Result of Hospitalization-Induced Allostatic Overload? *Journal of Hospital Medicine: An Official Publication of the Society of Hospital Medicine*, 13(5). <https://doi.org/10.12788/jhm.2986>
266. Gonçalves, J.-P., Severo, M., Rocha, C., Jardim, J., Mota, T., & Ribeiro, A. (2015). Performance of PRISM III and PELOD-2 scores in a pediatric intensive care unit. *European Journal of Pediatrics*, 174(10), 1305–1310. <https://doi.org/10.1007/s00431-015-2533-5>
267. Goodson, C. M., Friedman, L. A., Manthei, E., Heckle, K., Lavezza, A., Toonstra, A., ... Needham, D. M. (2018). Perceived barriers to mobility in a medical ICU: The Patient Mobilization Attitudes & Beliefs Survey for the ICU. *Journal of Intensive Care Medicine*, 885066618807120. <https://doi.org/10.1177/0885066618807120>
268. Gosset, A. T., Sklar, M. C., Delman, A. M., & Detsky, M. E. (2018). Patients' primary activities prior to critical illness: how well do clinicians know them and how likely are patients to return to them? *Critical Care / the Society of Critical Care Medicine*, 22(1), 340. <https://doi.org/10.1186/s13054-018-2283-7>
269. Govindan, S., Iwashyna, T. J., Watson, S. R., Hyzy, R. C., & Miller, M. A. (2014). Issues of survivorship are rarely addressed during intensive care unit stays. Baseline results from a statewide quality



- improvement collaborative. *Annals of the American Thoracic Society*, 11(4), 587–591.
<https://doi.org/10.1513/AnnalsATS.201401-007BC>
270. Grady, K. L., Hof, K. V., Andrei, A.-C., Shankel, T., Chinnock, R., Miyamoto, S., ... Pahl, E. (2018). Pediatric Heart Transplantation: Transitioning to Adult Care (TRANSIT): Baseline Findings. *Pediatric Cardiology*, 39(2), 354–364. <https://doi.org/10.1007/s00246-017-1763-x>
271. Granja, C., Lopes, A., Moreira, S., Dias, C., Costa-Pereira, A., Carneiro, A., & JMIP Study Group. (2005). Patients' recollections of experiences in the intensive care unit may affect their quality of life. *Critical Care / the Society of Critical Care Medicine*, 9(2), R96–R109.
<https://doi.org/10.1186/cc3026>
272. Green, M., Marzano, V., Leditschke, I. A., Mitchell, I., & Bissett, B. (2016). Mobilization of intensive care patients: a multidisciplinary practical guide for clinicians. *Journal of Multidisciplinary Healthcare*, 9, 247–256. <https://doi.org/10.2147/JMDH.S99811>
273. Greene, Z., O'Donnell, C. P., & Walshe, M. (2016). Oral stimulation for promoting oral feeding in preterm infants. *Cochrane Database of Systematic Reviews*, 9, CD009720.
<https://doi.org/10.1002/14651858.CD009720.pub2>
274. Greysen, S. R., & Patel, M. S. (2018). Web Exclusive. Annals for Hospitalists Inpatient Notes - Bedrest Is Toxic-Why Mobility Matters in the Hospital. *Annals of Internal Medicine*, 169(2), HO2–HO3. <https://doi.org/10.7326/M18-1427>
275. Griffiths, J., Hatch, R. A., Bishop, J., Morgan, K., Jenkinson, C., Cuthbertson, B. H., & Brett, S. J. (2013). An exploration of social and economic outcome and associated health-related quality of life after critical illness in general intensive care unit survivors: a 12-month follow-up study. *Critical Care / the Society of Critical Care Medicine*, 17(3), R100. <https://doi.org/10.1186/cc12745>
276. Gross, R. D., Atwood, C. W., Jr, Ross, S. B., Olszewski, J. W., & Eichhorn, K. A. (2009). The coordination of breathing and swallowing in chronic obstructive pulmonary disease. *American Journal of Respiratory and Critical Care Medicine*, 179(7), 559–565.
<https://doi.org/10.1164/rccm.200807-1139OC>
277. Growdon, M. E., Shorr, R. I., & Inouye, S. K. (2017). The Tension Between Promoting Mobility and Preventing Falls in the Hospital. *JAMA Internal Medicine*, 177(6), 759–760.
<https://doi.org/10.1001/jamainternmed.2017.0840>
278. Gruther, W., Benesch, T., Zorn, C., Paternostro-Sluga, T., Quittan, M., Fialka-Moser, V., ... Crevenna, R. (2008). Muscle wasting in intensive care patients: ultrasound observation of the M. quadriceps femoris muscle layer. *Journal of Rehabilitation Medicine: Official Journal of the UEMS European Board of Physical and Rehabilitation Medicine*, 40(3), 185–189. <https://doi.org/10.2340/16501977-0139>
279. Gulla, K. M., & Sachdev, A. (2016). Illness severity and organ dysfunction scoring in Pediatric Intensive Care Unit. *Indian Journal of Critical Care Medicine: Peer-Reviewed, Official Publication of Indian Society of Critical Care Medicine*, 20(1), 27–35. <https://doi.org/10.4103/0972-5229.173685>
280. Hager, D. N., Dinglas, V. D., & Needham, D. M. (2013). The authors' reply. *Critical Care Medicine*, 41(9), e241–e242. <https://doi.org/10.1097/CCM.0b013e31829cb262>
281. Hager, D. N., Dinglas, V. D., Subhas, S., Rowden, A. M., Neufeld, K. J., Bienvenu, O. J., ... Needham, D. M. (2013). Reducing deep sedation and delirium in acute lung injury patients: a quality



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

- improvement project. *Critical Care Medicine*, 41(6), 1435–1442.
<https://doi.org/10.1097/CCM.0b013e31827ca949>
282. Haines, K. J., Beesley, S. J., Hopkins, R. O., McPeake, J., Quasim, T., Ritchie, K., & Iwashyna, T. J. (2018). Peer support in critical care: a systematic review. *Critical Care Medicine*, 46(9), 1522–1531.
<https://doi.org/10.1097/CCM.0000000000003293>
283. Haines, K. J., Kelly, P., Fitzgerald, P., Skinner, E. H., & Iwashyna, T. J. (2017). The Untapped Potential of Patient and Family Engagement in the Organization of Critical Care. *Critical Care Medicine*, 45(5), 899–906. <https://doi.org/10.1097/CCM.0000000000002282>
284. Haines, K. J., Quasim, T., & McPeake, J. (2018). Family and Support Networks Following Critical Illness. *Critical Care Clinics*, 34(4), 609–623. <https://doi.org/10.1016/j.ccc.2018.06.008>
285. Haley, S. M., Andres, P. L., Coster, W. J., Kosinski, M., Ni, P., & Jette, A. M. (2004). Short-form activity measure for post-acute care. *Archives of Physical Medicine and Rehabilitation*, 85(4), 649–660. <https://doi.org/10.1016/j.apmr.2003.08.098>
286. Haley, S. M., Ni, P., Jette, A. M., Tao, W., Moed, R., Meyers, D., & Ludlow, L. H. (2009). Replenishing a computerized adaptive test of patient-reported daily activity functioning. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care and Rehabilitation*, 18(4), 461–471. <https://doi.org/10.1007/s11136-009-9463-5>
287. Hamburg, N. M., McMackin, C. J., Huang, A. L., Shenouda, S. M., Widlansky, M. E., Schulz, E., ... Vita, J. A. (2007). Physical inactivity rapidly induces insulin resistance and microvascular dysfunction in healthy volunteers. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 27(12), 2650–2656.
<https://doi.org/10.1161/ATVBAHA.107.153288>
288. Happ, M. B., Garrett, K. L., Tate, J. A., DiVirgilio, D., Houze, M. P., Demirci, J. R., ... Sereika, S. M. (2014). Effect of a multi-level intervention on nurse-patient communication in the intensive care unit: results of the SPEACS trial. *Heart & Lung: The Journal of Critical Care*, 43(2), 89–98.
<https://doi.org/10.1016/j.hrtlng.2013.11.010>
289. Harding, S. M. (2002). Oropharyngeal dysfunction in COPD patients: the need for clinical research. *Chest*, 121(2), 315–317. <https://doi.org/10.1378/chest.121.2.315>
290. Hartigan, I. (2007). A comparative review of the Katz ADL and the Barthel Index in assessing the activities of daily living of older people. *International Journal of Older People Nursing*, 2(3), 204–212. <https://doi.org/10.1111/j.1748-3743.2007.00074.x>
291. Hartman, D. M., & Medoff-Cooper, B. (2012). Transition to home after neonatal surgery for congenital heart disease. *MCN. The American Journal of Maternal Child Nursing*, 37(2), 95–100.
<https://doi.org/10.1097/NMC.0b013e318241dac1>
292. Harvey, N. R., & Stanton, M. P. (2017). Intensive Care Unit-Acquired Weakness: Implications for Case Management. *Professional Case Management*, 22(2), 72–78.
<https://doi.org/10.1097/NCM.0000000000000192>
293. Hashem, M. D., Nelliot, A., & Needham, D. M. (2016). Early mobilization and rehabilitation in the ICU: moving back to the future. *Respiratory Care*, 61(7), 971–979.
<https://doi.org/10.4187/respcare.04741>
294. Hashem, M. D., Parker, A. M., & Needham, D. M. (2016). Early Mobilization and Rehabilitation of Patients Who Are Critically Ill. *Chest*, 150(3), 722–731. <https://doi.org/10.1016/j.chest.2016.03.003>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

295. Haskins, E., & American Congress of Rehabilitation Medicine. (2012-2014). Cognitive rehabilitation manual: translating evidence-based recommendations into practice. https://acrm.org/wp-content/uploads/pdf/COG_Manual_020413_frontSection.pdf
296. Hastings, S. N., Sloane, R., Morey, M. C., Pavon, J. M., & Hoenig, H. (2014). Assisted early mobility for hospitalized older veterans: preliminary data from the STRIDE program. *Journal of the American Geriatrics Society*, 62(11), 2180–2184. <https://doi.org/10.1111/jgs.13095>
297. Hatch, R., Young, D., Barber, V., Griffiths, J., Harrison, D. A., & Watkinson, P. (2018). Anxiety, Depression and Post Traumatic Stress Disorder after critical illness: a UK-wide prospective cohort study. *Critical Care / the Society of Critical Care Medicine*, 22(1), 310. <https://doi.org/10.1186/s13054-018-2223-6>
298. Heffner, J. E., Miller, K. S., & Sahn, S. A. (1986). Tracheostomy in the intensive care unit. Part 1: Indications, technique, management. *Chest*, 90(2), 269–274. <https://doi.org/10.1378/chest.90.2.269>
299. Heller, K. S., Solomon, M. Z., & Initiative for Pediatric Palliative Care (IPPC) Investigator Team. (2005). Continuity of care and caring: what matters to parents of children with life-threatening conditions. *Journal of Pediatric Nursing*, 20(5), 335–346. <https://doi.org/10.1016/j.pedn.2005.03.005>
300. Hemsley, B., Sigafoos, J., Balandin, S., Forbes, R., Taylor, C., Green, V. A., & Parmenter, T. (2001). Nursing the patient with severe communication impairment. *Journal of Advanced Nursing*, 35(6), 827–835. <https://doi.org/10.1046/j.1365-2648.2001.01920.x>
301. Henderson, C. M., Williams, E. P., Shapiro, M. C., Hahn, E., Wright-Sexton, L., Hutton, N., & Boss, R. D. (2017). “Stuck in the ICU”: caring for children with chronic critical illness. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 18(11), e561–e568. <https://doi.org/10.1097/PCC.0000000000001332>
302. Hendricks-Muñoz, K. D., Xu, J., Parikh, H. I., Xu, P., Fettweis, J. M., Kim, Y., ... Sheth, N. U. (2015). Skin-to-skin care and the development of the preterm infant oral microbiome. *American Journal of Perinatology*, 32(13), 1205–1216. <https://doi.org/10.1055/s-0035-1552941>
303. Hendriks, M. M. C., & Buise, M. P. (2019). Interactive video games for rehabilitation in the intensive care unit: A pilot study. *Journal of Critical Care*, 51, 24–25. <https://doi.org/10.1016/j.jcrc.2019.01.022>
304. Hepp, M. B., Costello, J., Garrett, K., & Fried-Okne, M. (2007). AAC In the ICU. *Augmentative Communication News*. <https://pdfs.semanticscholar.org/403b/9a754bbc399543629515958bb1c4215b1a44.pdf>
305. Herling, S. F., Greve, I. E., Vasilevskis, E. E., Egerod, I., Bekker Mortensen, C., Møller, A. M., ... Thomsen, T. (2018). Interventions for preventing intensive care unit delirium in adults. *Cochrane Database of Systematic Reviews*, 11, CD009783. <https://doi.org/10.1002/14651858.CD009783.pub2>
306. Hermans, G., & Gosselink, R. (2011). Should we abandon manual muscle strength testing in the ICU? *Critical Care / the Society of Critical Care Medicine*, 15(2), 127. <https://doi.org/10.1186/cc10038>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

307. Hermans, G., De Jonghe, B., Bruyninckx, F., & Van den Berghe, G. (2009). Interventions for preventing critical illness polyneuropathy and critical illness myopathy. *Cochrane Database of Systematic Reviews*, (1), CD006832. <https://doi.org/10.1002/14651858.CD006832.pub2>
308. Hermans, G., Wilmer, A., Meersseman, W., Milants, I., Wouters, P. J., Bobbaers, H., ... Van den Berghe, G. (2007). Impact of intensive insulin therapy on neuromuscular complications and ventilator dependency in the medical intensive care unit. *American Journal of Respiratory and Critical Care Medicine*, 175(5), 480–489. <https://doi.org/10.1164/rccm.200605-665OC>
309. Herridge, M. S. (2009). Legacy of intensive care unit-acquired weakness. *Critical Care Medicine*, 37(10 Suppl), S457–S461. <https://doi.org/10.1097/CCM.0b013e3181b6f35c>
310. Herridge, M. S., Cheung, A. M., Tansey, C. M., Matte-Martyn, A., Diaz-Granados, N., Al-Saidi, F., ... Canadian Critical Care Trials Group. (2003). One-year outcomes in survivors of the acute respiratory distress syndrome. *The New England Journal of Medicine*, 348(8), 683–693. <https://doi.org/10.1056/NEJMoa022450>
311. Herridge, M. S., Tansey, C. M., Matté, A., Tomlinson, G., Diaz-Granados, N., Cooper, A., ... Canadian Critical Care Trials Group. (2011). Functional disability 5 years after acute respiratory distress syndrome. *The New England Journal of Medicine*, 364(14), 1293–1304. <https://doi.org/10.1056/NEJMoa1011802>
312. Herritt, B., Chaudhuri, D., Thavorn, K., Kubelik, D., & Kyeremanteng, K. (2018). Early vs. late tracheostomy in intensive care settings: Impact on ICU and hospital costs. *Journal of Critical Care*, 44, 285–288. <https://doi.org/10.1016/j.jcrc.2017.11.037>
313. Herrup, E. A., Wieczorek, B., & Kudchadkar, S. R. (2017). Characteristics of postintensive care syndrome in survivors of pediatric critical illness: A systematic review. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 6(2), 124–134. <https://doi.org/10.5492/wjccm.v6.i2.124>
314. Herrup, E. A., Wieczorek, B., & Kudchadkar, S. R. (2019). Feasibility and Perceptions of PICU Diaries. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 20(2), e83–e90. <https://doi.org/10.1097/PCC.0000000000001814>
315. Hickmann, C. E., Castanares-Zapatero, D., Deldicque, L., Van den Bergh, P., Caty, G., Robert, A., ... Laterre, P.-F. (2018). Impact of Very Early Physical Therapy During Septic Shock on Skeletal Muscle: A Randomized Controlled Trial. *Critical Care Medicine*, 46(9), 1436–1443. <https://doi.org/10.1097/CCM.0000000000003263>
316. Hirst, K., Dodrill, P., & Gosa, M. (2017). Noninvasive Respiratory Support and Feeding in the Neonate. *Perspectives of the ASHA Special Interest Groups*. <https://pubs.asha.org/doi/10.1044/persp2.SIG13.82>
317. Hodgson, C. L., Stiller, K., Needham, D. M., Tipping, C. J., Harrold, M., Baldwin, C. E., ... Webb, S. A. (2014). Expert consensus and recommendations on safety criteria for active mobilization of mechanically ventilated critically ill adults. *Critical Care / the Society of Critical Care Medicine*, 18(6), 658. <https://doi.org/10.1186/s13054-014-0658-y>



318. Hodgson, C., Needham, D., Haines, K., Bailey, M., Ward, A., Harrold, M., ... Berney, S. (2014). Feasibility and inter-rater reliability of the ICU Mobility Scale. *Heart & Lung: The Journal of Critical Care*, 43(1), 19–24. <https://doi.org/10.1016/j.hrtlng.2013.11.003>
319. Hoffman, B. D., Gallardo, A. R., & Carlson, K. F. (2016). Unsafe from the Start: Serious Misuse of Car Safety Seats at Newborn Discharge. *The Journal of Pediatrics*, 171, 48–54. <https://doi.org/10.1016/j.jpeds.2015.11.047>
320. Hoffmeister, J., Zaborek, N., & Thibeault, S. L. (2019). Postextubation Dysphagia in Pediatric Populations: Incidence, Risk Factors, and Outcomes. *The Journal of Pediatrics*, 211, 126–133.e1. <https://doi.org/10.1016/j.jpeds.2019.02.019>
321. Hollander, S. A., Hollander, A. J., Rizzuto, S., Reinhartz, O., Maeda, K., & Rosenthal, D. N. (2014). An inpatient rehabilitation program utilizing standardized care pathways after paracorporeal ventricular assist device placement in children. *The Journal of Heart and Lung Transplantation: The Official Publication of the International Society for Heart Transplantation*, 33(6), 587–592. <https://doi.org/10.1016/j.healun.2013.12.009>
322. Holm, M. B. (2000). The 2000 Eleanor Clarke Slagle Lecture. Our mandate for the new millennium: evidence-based practice. *The American Journal of Occupational Therapy: Official Publication of the American Occupational Therapy Association*, 54(6), 575–585. <https://doi.org/10.5014/ajot.54.6.575>
323. Honiden, S., & Connors, G. R. (2015). Barriers and Challenges to the Successful Implementation of an Intensive Care Unit Mobility Program: Understanding Systems and Human Factors in Search for Practical Solutions. *Clinics in Chest Medicine*, 36(3), 431–440. <https://doi.org/10.1016/j.ccm.2015.05.006>
324. Hopkins, J., Cermak, S. A., & Merritt, R. J. (2018). Oral Feeding Difficulties in Children With Short Bowel Syndrome: A Narrative Review. *Nutrition in Clinical Practice: Official Publication of the American Society for Parenteral and Enteral Nutrition*, 33(1), 99–106. <https://doi.org/10.1177/0884533617707493>
325. Hopkins, R. O., & Spuhler, V. J. (2009). Strategies for promoting early activity in critically ill mechanically ventilated patients. *AACN Advanced Critical Care*, 20(3), 277–289. <https://doi.org/10.1097/NCI.0b013e3181acaef0>
326. Hopkins, R. O., Choong, K., Zebuhr, C. A., & Kudchadkar, S. R. (2015). Transforming PICU Culture to Facilitate Early Rehabilitation. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 4(4), 204–211. <https://doi.org/10.1055/s-0035-1563547>
327. Hopkins, R. O., Key, C. W., Suchyta, M. R., Weaver, L. K., & Orme, J. F., Jr. (2010). Risk factors for depression and anxiety in survivors of acute respiratory distress syndrome. *General Hospital Psychiatry*, 32(2), 147–155. <https://doi.org/10.1016/j.genhosppsych.2009.11.003>
328. Hopkins, R. O., Miller, R. R., 3rd, Rodriguez, L., Spuhler, V., & Thomsen, G. E. (2012). Physical therapy on the wards after early physical activity and mobility in the intensive care unit. *Physical Therapy*, 92(12), 1518–1523. <https://doi.org/10.2522/ptj.20110446>
329. Hopkins, R. O., Mitchell, L., Thomsen, G. E., Schafer, M., Link, M., & Brown, S. M. (2016). Implementing a Mobility Program to Minimize Post-Intensive Care Syndrome. *AACN Advanced Critical Care*, 27(2), 187–203. <https://doi.org/10.4037/aacnacc2016244>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

330. Hopkins, R. O., Spuhler, V. J., & Thomsen, G. E. (2007). Transforming ICU culture to facilitate early mobility. *Critical Care Clinics*, 23(1), 81–96. <https://doi.org/10.1016/j.ccc.2006.11.004>
331. Hopkins, R. O., Suchyta, M. R., Kamdar, B. B., Darowski, E., Jackson, J. C., & Needham, D. M. (2017). Instrumental Activities of Daily Living after Critical Illness: A Systematic Review. *Annals of the American Thoracic Society*, 14(8), 1332–1343. <https://doi.org/10.1513/AnnalsATS.201701-059SR>
332. Hopkins, R. O., Weaver, L. K., Collingridge, D., Parkinson, R. B., Chan, K. J., & Orme, J. F., Jr. (2005). Two-year cognitive, emotional, and quality-of-life outcomes in acute respiratory distress syndrome. *American Journal of Respiratory and Critical Care Medicine*, 171(4), 340–347. <https://doi.org/10.1164/rccm.200406-763OC>
333. Hopkins, R. O., Weaver, L. K., Pope, D., Orme, J. F., Bigler, E. D., & Larson-LOHR, V. (1999). Neuropsychological sequelae and impaired health status in survivors of severe acute respiratory distress syndrome. *American Journal of Respiratory and Critical Care Medicine*, 160(1), 50–56. <https://doi.org/10.1164/ajrccm.160.1.9708059>
334. Horn, J., & Hermans, G. (2017). Intensive care unit-acquired weakness. *Handbook of Clinical Neurology*, 141, 531–543. <https://doi.org/10.1016/B978-0-444-63599-0.00029-6>
335. Hosker, C., & Ward, D. (2017). Hypoactive delirium. *BMJ*, 357, j2047. <https://doi.org/10.1136/bmj.j2047>
336. Hospital Quality: Ingredients for Success | Commonwealth Fund. (n.d.). Retrieved September 25, 2019, from <https://www.commonwealthfund.org/publications/publication/2004/jul/hospital-quality-ingredients-success>
337. Hough, C. L. (2006). Neuromuscular sequelae in survivors of acute lung injury. *Clinics in Chest Medicine*, 27(4), 691–703; abstract x. <https://doi.org/10.1016/j.ccm.2006.07.002>
338. Hough, C. L., & Needham, D. M. (2007). The role of future longitudinal studies in ICU survivors: understanding determinants and pathophysiology of weakness and neuromuscular dysfunction. *Current Opinion in Critical Care*, 13(5), 489–496. <https://doi.org/10.1097/MCC.0b013e3282efea3a>
339. Hoyer, E. H., Brotman, D. J., Chan, K. S., & Needham, D. M. (2015). Barriers to early mobility of hospitalized general medicine patients: survey development and results. *American Journal of Physical Medicine & Rehabilitation / Association of Academic Physiatrists*, 94(4), 304–312. <https://doi.org/10.1097/PHM.0000000000000185>
340. Hoyer, E. H., Friedman, M., Lavezza, A., Wagner-Kosmakos, K., Lewis-Cherry, R., Skolnik, J. L., ... Needham, D. M. (2016). Promoting mobility and reducing length of stay in hospitalized general medicine patients: A quality-improvement project. *Journal of Hospital Medicine: An Official Publication of the Society of Hospital Medicine*, 11(5), 341–347. <https://doi.org/10.1002/jhm.2546>
341. Hoyer, E. H., Needham, D. M., Atanelov, L., Knox, B., Friedman, M., & Brotman, D. J. (2014). Association of impaired functional status at hospital discharge and subsequent rehospitalization. *Journal of Hospital Medicine: An Official Publication of the Society of Hospital Medicine*, 9(5), 277–282. <https://doi.org/10.1002/jhm.2152>
342. Hoyer, E. H., Needham, D. M., Miller, J., Deutschendorf, A., Friedman, M., & Brotman, D. J. (2013). Functional status impairment is associated with unplanned readmissions. *Archives of Physical Medicine and Rehabilitation*, 94(10), 1951–1958. <https://doi.org/10.1016/j.apmr.2013.05.028>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

343. Hoyer, E. H., Odonkor, C. A., Bhatia, S. N., Leung, C., Deutschendorf, A., & Brotman, D. J. (2016). Association between days to complete inpatient discharge summaries with all-payer hospital readmissions in Maryland. *Journal of Hospital Medicine: An Official Publication of the Society of Hospital Medicine*, 11(6), 393–400. <https://doi.org/10.1002/jhm.2556>
344. Hoyer, E. H., Young, D. L., Friedman, L. A., Brotman, D. J., Klein, L. M., Friedman, M., & Needham, D. M. (2019). Routine Inpatient Mobility Assessment and Hospital Discharge Planning. *JAMA Internal Medicine*, 179(1), 118–120. <https://doi.org/10.1001/jamainternmed.2018.5145>
345. Hoyer, E. H., Young, D. L., Klein, L. M., Kreif, J., Shumock, K., Hiser, S., ... Needham, D. M. (2018). Toward a common language for measuring patient mobility in the hospital: reliability and construct validity of interprofessional mobility measures. *Physical Therapy*, 98(2), 133–142. <https://doi.org/10.1093/ptj/pzx110>
346. Hudson, M. A. (2005). Texas passes first law for safe patient handling in America: landmark legislation protects health-care workers and patients from injury related to manual patient lifting. *Journal of Long-Term Effects of Medical Implants*, 15(5), 559–566. <https://www.ncbi.nlm.nih.gov/pubmed/16218903>
347. Hughes, R. G. (Ed.). (2011). Patient Safety and Quality: An Evidence-Based Handbook for Nurses. <https://www.ncbi.nlm.nih.gov/pubmed/21328752>
348. Hwang, Y.-S., Vergara, E., Lin, C.-H., Coster, W. J., Bigsby, R., & Tsai, W.-H. (2010). Effects of prefeeding oral stimulation on feeding performance of preterm infants. *Indian Journal of Pediatrics*, 77(8), 869–873. <https://doi.org/10.1007/s12098-010-0001-9>
349. ifert, B., Maurer-Karattup, P., & Schorl, M. (2013). Integration of intensive care treatment and neurorehabilitation in patients with disorders of consciousness: a program description and case report. *Archives of Physical Medicine and Rehabilitation*, 94(10), 1924–1933. <https://doi.org/10.1016/j.apmr.2013.03.030>
350. Institute for Patient and Family Centered Care. (n.d.). Facts and Figures About Family Presence and Participation. https://www.cfhi-fcass.ca/sf-docs/default-source/patient-engagement/better-together-facts-and-figures_eng.pdf?sfvrsn=2
351. Iwashyna, T. J., & Viglianti, E. M. (2018). Patient and Population-Level Approaches to Persistent Critical Illness and Prolonged Intensive Care Unit Stays. *Critical Care Clinics*, 34(4), 493–500. <https://doi.org/10.1016/j.ccc.2018.06.001>
352. Iwashyna, T. J., Hodgson, C. L., Pilcher, D., Bailey, M., van Lint, A., Chavan, S., & Bellomo, R. (2016). Timing of onset and burden of persistent critical illness in Australia and New Zealand: a retrospective, population-based, observational study. *The Lancet. Respiratory Medicine*, 4(7), 566–573. [https://doi.org/10.1016/S2213-2600\(16\)30098-4](https://doi.org/10.1016/S2213-2600(16)30098-4)
353. Jackson, J. C., Girard, T. D., Gordon, S. M., Thompson, J. L., Shintani, A. K., Thomason, J. W. W., ... Ely, E. W. (2010). Long-term cognitive and psychological outcomes in the awakening and breathing controlled trial. *American Journal of Respiratory and Critical Care Medicine*, 182(2), 183–191. <https://doi.org/10.1164/rccm.200903-0442OC>
354. Jackson, J. C., Gordon, S. M., Hart, R. P., Hopkins, R. O., & Ely, E. W. (2004). The association between delirium and cognitive decline: a review of the empirical literature. *Neuropsychology Review*, 14(2), 87–98. <https://www.ncbi.nlm.nih.gov/pubmed/15264710>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

355. Jackson, J. C., Hart, R. P., Gordon, S. M., Shintani, A., Truman, B., May, L., & Ely, E. W. (2003). Six-month neuropsychological outcome of medical intensive care unit patients. *Critical Care Medicine*, 31(4), 1226–1234. <https://doi.org/10.1097/01.CCM.0000059996.30263.94>
356. Jackson, J. C., Pandharipande, P. P., Girard, T. D., Brummel, N. E., Thompson, J. L., Hughes, C. G., ... Bringing to light the Risk Factors And Incidence of Neuropsychological dysfunction in ICU survivors (BRAIN-ICU) study investigators. (2014). Depression, post-traumatic stress disorder, and functional disability in survivors of critical illness in the BRAIN-ICU study: a longitudinal cohort study. *The Lancet. Respiratory Medicine*, 2(5), 369–379. [https://doi.org/10.1016/S2213-2600\(14\)70051-7](https://doi.org/10.1016/S2213-2600(14)70051-7)
357. Jacobs, B. R., Salman, B. A., Cotton, R. T., Lyons, K., & Brilli, R. J. (2001). Postoperative management of children after single-stage laryngotracheal reconstruction. *Critical Care Medicine*, 29(1), 164–168. <https://doi.org/10.1097/00003246-200101000-00032>
358. Jacobs, P. L., & Nash, M. S. (2001). Modes, benefits, and risks of voluntary and electrically induced exercise in persons with spinal cord injury. *The Journal of Spinal Cord Medicine*, 24(1), 10–18. <https://doi.org/10.1080/10790268.2001.11753549>
359. Janssen, J., Hale, L., Mirfin-Veitch, B., & Harland, T. (2013). Building the research capacity of clinical physical therapists using a participatory action research approach. *Physical Therapy*, 93(7), 923–934. <https://doi.org/10.2522/ptj.20120030>
360. Jarvis, J. M., Choong, K., & Khetani, M. A. (2019). Associations of Participation-Focused Strategies and Rehabilitation Service Use With Caregiver Stress After Pediatric Critical Illness. *Archives of Physical Medicine and Rehabilitation*, 100(4), 703–710. <https://doi.org/10.1016/j.apmr.2018.11.017>
361. Jencks, S. F., Williams, M. V., & Coleman, E. A. (2009). Rehospitalizations among patients in the Medicare fee-for-service program. *The New England Journal of Medicine*, 360(14), 1418–1428. <https://doi.org/10.1056/NEJMsa0803563>
362. Jeong, D., & Jalali, A. (2019). Who tweets in academia? An overview of Twitter use in higher education. *Advances in Medical Education and Practice*, 10, 171–174. <https://doi.org/10.2147/AMEP.S189963>
363. Jesus, F. S. de, Paim, D. de M., Brito, J. de O., Barros, I. de A., Nogueira, T. B., Martinez, B. P., & Pires, T. Q. (2016). Mobility decline in patients hospitalized in an intensive care unit. *Revista Brasileira de Terapia Intensiva*, 28(2), 114–119. <https://doi.org/10.5935/0103-507X.20160025>
364. Jesus, T. S., Papadimitriou, C., Pinho, C. S., & Hoenig, H. (2018). Key characteristics of rehabilitation quality improvement publications: scoping review from 2010 to 2016. *Archives of Physical Medicine and Rehabilitation*, 99(6), 1141–1148.e4. <https://doi.org/10.1016/j.apmr.2017.08.491>
365. Jette, A., Haley, S., Coster, W., Ni, P., Boston University, & Health and Disability Research Institute. (n.d.). Boston University Activity Measure for Post Acute Care (AM-PAC). <http://www.crecare.com/downloads/AMPAC.CAT2.13.07.pdf>
366. Jette, D. U., Stilphen, M., Ranganathan, V. K., & Jette, A. M. (2015). Are CMS G-Code functional limitation severity modifiers responsive to change across an episode of outpatient rehabilitation? *Physical Therapy*, 95(12), 1650–1659. <https://doi.org/10.2522/ptj.20150003>



367. Jette, D. U., Stilphen, M., Ranganathan, V. K., Passek, S. D., Frost, F. S., & Jette, A. M. (2014a). AM-PAC "6-Clicks" functional assessment scores predict acute care hospital discharge destination. *Physical Therapy*, 94(9), 1252–1261. <https://doi.org/10.2522/ptj.20130359>
368. Jette, D. U., Stilphen, M., Ranganathan, V. K., Passek, S. D., Frost, F. S., & Jette, A. M. (2014b). Validity of the AM-PAC "6-Clicks" inpatient daily activity and basic mobility short forms. *Physical Therapy*, 94(3), 379–391. <https://doi.org/10.2522/ptj.20130199>
369. Jette, D. U., Stilphen, M., Ranganathan, V. K., Passek, S., Frost, F. S., & Jette, A. M. (2015). Interrater Reliability of AM-PAC "6-Clicks" Basic Mobility and Daily Activity Short Forms. *Physical Therapy*, 95(5), 758–766. <https://doi.org/10.2522/ptj.20140174>
370. Jewell, D. V., Moore, J. D., & Goldstein, M. S. (2013). Delivering the physical therapy value proposition: a call to action. *Physical Therapy*, 93(1), 104–114. <https://doi.org/10.2522/ptj.20120175>
371. Johnson, K., Griffin-Shirley, N., & Koenig, A. J. (2000). Active Learning for Children with Visual Impairments and Additional Disabilities. *Journal of Visual Impairment & Blindness*, 94(9), 584–594. <https://doi.org/10.1177/0145482X0009400905>
372. Johnson, K., Petti, J., Olson, A., & Custer, T. (2017). Identifying barriers to early mobilisation among mechanically ventilated patients in a trauma intensive care unit. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 42, 51–54. <https://doi.org/10.1016/j.iccn.2017.06.005>
373. Jolley, S. E., Moss, M., Needham, D. M., Caldwell, E., Morris, P. E., Miller, R. R., ... Acute Respiratory Distress Syndrome Network Investigators. (2017). Point Prevalence Study of Mobilization Practices for Acute Respiratory Failure Patients in the United States. *Critical Care Medicine*, 45(2), 205–215. <https://doi.org/10.1097/CCM.0000000000002058>
374. Jones, C. D., Falvey, J., Hess, E., Levy, C. R., Nuccio, E., Barón, A. E., ... Stevens-Lapsley, J. (2019). Predicting Hospital Readmissions from Home Healthcare in Medicare Beneficiaries. *Journal of the American Geriatrics Society*. <https://doi.org/10.1111/jgs.16153>
375. Jones, C., Bäckman, C., Capuzzo, M., Egerod, I., Flaatten, H., Granja, C., ... RACHEL group. (2010). Intensive care diaries reduce new onset post traumatic stress disorder following critical illness: a randomised, controlled trial. *Critical Care / the Society of Critical Care Medicine*, 14(5), R168. <https://doi.org/10.1186/cc9260>
376. Jones, C., Griffiths, R. D., Slater, T., Benjamin, K. S., & Wilson, S. (2006). Significant cognitive dysfunction in non-delirious patients identified during and persisting following critical illness. *Intensive Care Medicine*, 32(6), 923–926. <https://doi.org/10.1007/s00134-006-0112-y>
377. Jones, C., Skirrow, P., Griffiths, R. D., Humphris, G., Ingleby, S., Eddleston, J., ... Gager, M. (2004). Post-traumatic stress disorder-related symptoms in relatives of patients following intensive care. *Intensive Care Medicine*, 30(3), 456–460. <https://doi.org/10.1007/s00134-003-2149-5>
378. Jubran, A., Grant, B. J. B., Duffner, L. A., Collins, E. G., Lanuza, D. M., Hoffman, L. A., & Tobin, M. J. (2019). Long-Term Outcome after Prolonged Mechanical Ventilation. A Long-Term Acute-Care Hospital Study. *American Journal of Respiratory and Critical Care Medicine*, 199(12), 1508–1516. <https://doi.org/10.1164/rccm.201806-1131OC>



379. Jubran, A., Lawm, G., Kelly, J., Duffner, L. A., Gungor, G., Collins, E. G., ... Tobin, M. J. (2010). Depressive disorders during weaning from prolonged mechanical ventilation. *Intensive Care Medicine*, 36(5), 828–835. <https://doi.org/10.1007/s00134-010-1842-4>
380. Kachmar, A. G., Irving, S. Y., Connolly, C. A., & Curley, M. A. Q. (2018). A Systematic Review of Risk Factors Associated With Cognitive Impairment After Pediatric Critical Illness. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 19(3), e164–e171. <https://doi.org/10.1097/PCC.0000000000001430>
381. Kacmarek PhD RRT FAARC, R. M., Stoller MD MS, J. K., & Heuer PhD MBA RRT RPFT, A. (2017). Egan's Fundamentals of Respiratory Care (11e). <https://www.amazon.com/Egans-> <http://www.worldcat.org/oclc/949629366>
382. Kahn, J. M., Le, T., Angus, D. C., Cox, C. E., Hough, C. L., White, D. B., ... ProVent Study Group Investigators. (2015). The epidemiology of chronic critical illness in the United States*. *Critical Care Medicine*, 43(2), 282–287. <https://doi.org/10.1097/CCM.0000000000000710>
383. Kamdar, B. B., Huang, M., Dinglas, V. D., Colantuoni, E., von Wachter, T. M., Hopkins, R. O., ... National Heart, Lung, and Blood Institute Acute Respiratory Distress Syndrome Network. (2017). Joblessness and Lost Earnings after Acute Respiratory Distress Syndrome in a 1-Year National Multicenter Study. *American Journal of Respiratory and Critical Care Medicine*, 196(8), 1012–1020. <https://doi.org/10.1164/rccm.201611-2327OC>
384. Kamdar, B. B., King, L. M., Collop, N. A., Sakamuri, S., Colantuoni, E., Neufeld, K. J., ... Needham, D. M. (2013). The effect of a quality improvement intervention on perceived sleep quality and cognition in a medical ICU. *Critical Care Medicine*, 41(3), 800–809. <https://doi.org/10.1097/CCM.0b013e3182746442>
385. Kamdar, B. B., Sepulveda, K. A., Chong, A., Lord, R. K., Dinglas, V. D., Mendez-Tellez, P. A., ... Needham, D. M. (2018). Return to work and lost earnings after acute respiratory distress syndrome: a 5-year prospective, longitudinal study of long-term survivors. *Thorax*, 73(2), 125–133. <https://doi.org/10.1136/thoraxjnl-2017-210217>
386. Kanaskie, M. L., & Snyder, C. (2018). Nurses and nursing assistants decision-making regarding use of safe patient handling and mobility technology: A qualitative study. *Applied Nursing Research: ANR*, 39, 141–147. <https://doi.org/10.1016/j.apnr.2017.11.006>
387. Kang, B. H., Cho, J., Lee, J. C.-J., & Jung, K. (2018). Early Versus Late Tracheostomy in Trauma Patients: A Propensity-Matched Cohort Study of 5 Years' Data at a Single Institution in Korea. *World Journal of Surgery*, 42(6), 1742–1747. <https://doi.org/10.1007/s00268-018-4474-4>
388. Kang, J., Lee, M., Ko, H., Kim, S., Yun, S., Jeong, Y., & Cho, Y. (2018). Effect of nonpharmacological interventions for the prevention of delirium in the intensive care unit: A systematic review and meta-analysis. *Journal of Critical Care*, 48, 372–384. <https://doi.org/10.1016/j.jcrc.2018.09.032>
389. Kapfhammer, H. P., Rothenhäusler, H. B., Krauseneck, T., Stoll, C., & Schelling, G. (2004). Posttraumatic stress disorder and health-related quality of life in long-term survivors of acute respiratory distress syndrome. *The American Journal of Psychiatry*, 161(1), 45–52. <https://doi.org/10.1176/appi.ajp.161.1.45>



390. Karnatovskaia, L. V., Schulte, P. J., Philbrick, K. L., Johnson, M. M., Anderson, B. K., Gajic, O., & Clark, M. M. (2019). Psychocognitive sequelae of critical illness and correlation with 3 months follow up. *Journal of Critical Care*, 52, 166–171. <https://doi.org/10.1016/j.jcrc.2019.04.028>
391. Kelo, M., Eriksson, E., & Eriksson, I. (2013). Perceptions of patient education during hospital visit--described by school-age children with a chronic illness and their parents. *Scandinavian Journal of Caring Sciences*, 27(4), 894–904. <https://doi.org/10.1111/scs.12001>
392. Kerson, A. G., DeMaria, R., Mauer, E., Joyce, C., Gerber, L. M., Greenwald, B. M., ... Traube, C. (2016). Validity of the Richmond Agitation-Sedation Scale (RASS) in critically ill children. *Journal of Intensive Care Medicine*, 4, 65. <https://doi.org/10.1186/s40560-016-0189-5>
393. Khan, B. A., Fadel, W. F., Tricker, J. L., Carlos, W. G., Farber, M. O., Hui, S. L., ... Boustani, M. A. (2014). Effectiveness of implementing a wake up and breathe program on sedation and delirium in the ICU. *Critical Care Medicine*, 42(12), e791–e795. <https://doi.org/10.1097/CCM.0000000000000660>
394. Khandelwal, N., Hough, C. L., Downey, L., Engelberg, R. A., Carson, S. S., White, D. B., ... Cox, C. E. (2018). Prevalence, Risk Factors, and Outcomes of Financial Stress in Survivors of Critical Illness. *Critical Care Medicine*, 46(6), e530–e539. <https://doi.org/10.1097/CCM.0000000000003076>
395. Kho, M. E., Damluji, A., Zanni, J. M., & Needham, D. M. (2012). Feasibility and observed safety of interactive video games for physical rehabilitation in the intensive care unit: a case series. *Journal of Critical Care*, 27(2), 219.e1–e6. <https://doi.org/10.1016/j.jcrc.2011.08.017>
396. Kho, M. E., Molloy, A. J., Clarke, F. J., Reid, J. C., Herridge, M. S., Karachi, T., ... Cook, D. J. (2019). Multicentre pilot randomised clinical trial of early in-bed cycle ergometry with ventilated patients. *BMJ Open Respiratory Research*, 6(1), e000383. <https://doi.org/10.1136/bmjresp-2018-000383>
397. Kho, M. E., Molloy, A. J., Clarke, F., Herridge, M. S., Koo, K. K. Y., Rudkowski, J., ... Canadian Critical Care Trials Group. (2016). CYCLE pilot: a protocol for a pilot randomised study of early cycle ergometry versus routine physiotherapy in mechanically ventilated patients. *BMJ Open*, 6(4), e011659. <https://doi.org/10.1136/bmjopen-2016-011659>
398. Kiekkas, P., & Aretha, D. (2011). Psychiatric long-term complications of intensive care unit survivors. *Critical care medicine*, 39(7), 1852-1853. <https://www.ncbi.nlm.nih.gov/pubmed/21685763>
399. Kim, J.-H., & Thompson, L. V. (2013). Inactivity, age, and exercise: single-muscle fiber power generation. *Journal of Applied Physiology*, 114(1), 90–98. <https://doi.org/10.1152/japplphysiol.00525.2012>
400. Kimawi, I., Lamberjack, B., Nelliot, A., Toonstra, A. L., Zanni, J., Huang, M., ... Needham, D. M. (2017). Safety and feasibility of a protocolized approach to in-bed cycling exercise in the intensive care unit: quality improvement project. *Physical Therapy*, 97(6), 593–602. <https://doi.org/10.1093/ptj/pzx034>
401. King, G., Chiarello, L. A., Ideishi, R., D'Arrigo, R., Smart, E., Ziviani, J., & Pinto, M. (2019). The Nature, Value, and Experience of Engagement in Pediatric Rehabilitation: Perspectives of Youth, Caregivers, and Service Providers. *Developmental Neurorehabilitation*, 1–13. <https://doi.org/10.1080/17518423.2019.1604580>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

402. King, H. B., Battles, J., Baker, D. P., Alonso, A., Salas, E., Webster, J., ... Salisbury, M. (2011). TeamSTEPPSTM: Team Strategies and Tools to Enhance Performance and Patient Safety. In K. Henriksen, J. B. Battles, M. A. Keyes, & M. L. Grady (Eds.), *Advances in Patient Safety: New Directions and Alternative Approaches* (Vol. 3: Performance and Tools).
<https://www.ncbi.nlm.nih.gov/pubmed/21249942>
403. Kirk, K. A., Shoykhet, M., Jeong, J. H., Tyler-Kabara, E. C., Henderson, M. J., Bell, M. J., & Fink, E. L. (2012). Dysautonomia after pediatric brain injury. *Developmental Medicine and Child Neurology*, 54(8), 759–764. <https://doi.org/10.1111/j.1469-8749.2012.04322.x>
404. Kitase, Y., Sato, Y., Takahashi, H., Shimizu, M., Ishikawa, C., Yamamoto, H., & Hayakawa, M. (2017). A new type of swaddling clothing improved development of preterm infants in neonatal intensive care units. *Early Human Development*, 112, 25–28.
<https://doi.org/10.1016/j.earlhumdev.2017.06.005>
405. Klein, L. M., Young, D., Feng, D., Lavezza, A., Hiser, S., Daley, K. N., & Hoyer, E. H. (2018). Increasing patient mobility through an individualized goal-centered hospital mobility program: A quasi-experimental quality improvement project. *Nursing Outlook*, 66(3), 254–262.
<https://doi.org/10.1016/j.outlook.2018.02.006>
406. Knauert, M. P., Pisani, M., Redeker, N., Murphy, T., Araujo, K., Jeon, S., & Yaggi, H. (2019). Pilot study: an intensive care unit sleep promotion protocol. *BMJ Open Respiratory Research*, 6(1), e000411. <https://doi.org/10.1136/bmjresp-2019-000411>
407. KNG Consulting, LLC, Saavoss, A., Koenig, L., & Soltoff, S. (2018). State of the Long Term Care Hospital Sector: Access to Care for Medicare Beneficiaries. Retrieved August 19, 2019, from KNG Consulting website: <http://www.knghealth.com/state-of-the-long-term-care-hospital-sector-access-to-care-for-medicare-beneficiaries/>
408. Ko, Y., Cho, Y. H., Park, Y. H., Lee, H., Suh, G. Y., Yang, J. H., ... Chung, C. R. (2015). Feasibility and Safety of Early Physical Therapy and Active Mobilization for Patients on Extracorporeal Membrane Oxygenation. *ASAIO Journal*, 61(5), 564–568. <https://doi.org/10.1097/MAT.0000000000000239>
409. Kochanek, P. M., Kudchadkar, S. R., & Kissoon, N. (2019). New developments for pediatric critical care medicine in 2019 and beyond. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 20(4), 311. <https://doi.org/10.1097/PCC.0000000000001885>
410. Koester, K., Troeller, H., Panter, S., Winter, E., & Patel, J. J. (2018). Overview of Intensive Care Unit-Related Physical and Functional Impairments and Rehabilitation-Related Devices. *Nutrition in Clinical Practice: Official Publication of the American Society for Parenteral and Enteral Nutrition*, 33(2), 177–184. <https://doi.org/10.1002/ncp.10077>
411. Koller, D. (2008). Child Life Assessment: Variables Associated with a Child's Ability to Cope with Hospitalization. <https://www.childlife.org/>
412. Koo, K. K. Y. (2012). Facilitators & Barriers to Acute Rehabilitation in the Critically Ill. Presented at the Critical Care Canada Forum.
http://www.criticalcarecanada.com/presentations/2012/facilitators_and_barriers_to_acute_rehabilitation_in_the_critically_ill.pdf



413. Kortebein, P. (2009). Rehabilitation for hospital-associated deconditioning. *American Journal of Physical Medicine & Rehabilitation / Association of Academic Physiatrists*, 88(1), 66–77. <https://doi.org/10.1097/PHM.0b013e3181838f70>
414. Korupolu, R., Zanni, J. M., Fan, E., Butler, M., & Needham, D. M. (2010). Early mobilisation of intensive care unit patient: the challenges of morbid obesity and multiorgan failure. *BMJ Case Reports*, 2010. <https://doi.org/10.1136/bcr.09.2009.2257>
415. Kristensson-Hallström, I. (1999). Strategies for feeling secure influence parents' participation in care. *Journal of Clinical Nursing*, 8(5), 586–592. <https://www.ncbi.nlm.nih.gov/pubmed/10786532>
416. Krumholz, H. M. (2013). Post-hospital syndrome--an acquired, transient condition of generalized risk. *The New England Journal of Medicine*, 368(2), 100–102. <https://doi.org/10.1056/NEJMp1212324>
417. Krupp, A. E., Ehlenbach, W. J., & King, B. (2019). factors nurses in the intensive care unit consider when making decisions about patient mobility. *American Journal of Critical Care: An Official Publication, American Association of Critical-Care Nurses*, 28(4), 281–289. <https://doi.org/10.4037/ajcc2019624>
418. Kudchadkar, S. R., Aljohani, O. A., & Punjabi, N. M. (2014). Sleep of critically ill children in the pediatric intensive care unit: a systematic review. *Sleep Medicine Reviews*, 18(2), 103–110. <https://doi.org/10.1016/j.smrv.2013.02.002>
419. Kudchadkar, S. R., Yaster, M., & Punjabi, N. M. (2014). Sedation, sleep promotion, and delirium screening practices in the care of mechanically ventilated children: a wake-up call for the pediatric critical care community*. *Critical Care Medicine*, 42(7), 1592–1600. <https://doi.org/10.1097/CCM.0000000000000326>
420. Laerkner, E., Egerod, I., Olesen, F., Toft, P., & Hansen, H. P. (2019). Negotiated mobilisation: An ethnographic exploration of nurse-patient interactions in an intensive care unit. *Journal of Clinical Nursing*, 28(11-12), 2329–2339. <https://doi.org/10.1111/jocn.14828>
421. Lam, P., Stanschus, S., Zaman, R., & Cichero, J. A. Y. (2017). The International Dysphagia Diet Standardisation Initiative (IDDSI) framework: the Kempen pilot. *British Journal of Neuroscience Nursing*, 13(Sup2), S18–S26. <https://doi.org/10.12968/bjnn.2017.13.Sup2.S18>
422. Lamas, D. J., Owens, R. L., Nace, R. N., Massaro, A. F., Pertsch, N. J., Gass, J., ... Block, S. D. (2017). Opening the Door: The Experience of Chronic Critical Illness in a Long-Term Acute Care Hospital. *Critical Care Medicine*, 45(4), e357–e362. <https://doi.org/10.1097/CCM.0000000000002094>
423. Lampron, S., & Copeland, D. (2019). Using a Sleep Protocol to Limit Sleep Interruptions on a Medical-Surgical Unit. *The Journal of Nursing Administration*, 49(7-8), 350–353. <https://doi.org/10.1097/NNA.0000000000000766>
424. Langouche, L., Marques, M. B., Ingels, C., Gunst, J., Derde, S., Vander Perre, S., ... Van den Berghe, G. (2011). Critical illness induces alternative activation of M2 macrophages in adipose tissue. *Critical Care / the Society of Critical Care Medicine*, 15(5), R245. <https://doi.org/10.1186/cc10503>
425. Lannin, N. A., Cusick, A., McLachlan, R., & Allaous, J. (2013). Observed recovery sequence in neurobehavioral function after severe traumatic brain injury. *The American Journal of Occupational Therapy: Official Publication of the American Occupational Therapy Association*, 67(5), 543–549. <https://doi.org/10.5014/ajot.2013.008094>



426. Larsen, L. K., Frøkjaer, V. G., Nielsen, J. S., Skrobik, Y., Winkler, Y., Møller, K., ... Egerod, I. (2019). Delirium assessment in neuro-critically ill patients: A validation study. *Acta Anaesthesiologica Scandinavica*, 63(3), 352–359. <https://doi.org/10.1111/aas.13270>
427. Latchem, J., Kitzinger, J., & Kitzinger, C. (2016). Physiotherapy for vegetative and minimally conscious state patients: family perceptions and experiences. *Disability and Rehabilitation*, 38(1), 22–29. <https://doi.org/10.3109/09638288.2015.1005759>
428. Latour, J. M., van Goudoever, J. B., Schuurman, B. E., Albers, M. J. I. J., van Dam, N. A. M., Dullaart, E., ... Hazelzet, J. A. (2011). A qualitative study exploring the experiences of parents of children admitted to seven Dutch pediatric intensive care units. *Intensive Care Medicine*, 37(2), 319–325. <https://doi.org/10.1007/s00134-010-2074-3>
429. Lau, C. (2015). Development of Suck and Swallow Mechanisms in Infants. *Annals of Nutrition & Metabolism*, 66 Suppl 5, 7–14. <https://doi.org/10.1159/000381361>
430. Le, S. T., Josephson, S. A., Puttgen, H. A., Gibson, L., Guterman, E. L., Leicester, H. M., ... Probasco, J. C. (2017). Many Neurology Readmissions Are Nonpreventable. *The Neurohospitalist*, 7(2), 61–69. <https://doi.org/10.1177/1941874416674409>
431. Leape, L. L., Cullen, D. J., Clapp, M. D., Burdick, E., Demonaco, H. J., Erickson, J. I., & Bates, D. W. (1999). Pharmacist participation on physician rounds and adverse drug events in the intensive care unit. *JAMA: The Journal of the American Medical Association*, 282(3), 267–270. <https://doi.org/10.1001/jama.282.3.267>
432. Leder, S. B., Warner, H. L., Suiter, D. M., Young, N. O., Bhattacharya, B., Siner, J. M., ... Schuster, K. M. (2019). Evaluation of Swallow Function Post-Extubation: Is It Necessary to Wait 24 Hours? *The Annals of Otology, Rhinology, and Laryngology*, 128(7), 619–624. <https://doi.org/10.1177/0003489419836115>
433. Lee, C. C., Perez, O., Saleh, A., Cabrera, A., Zamot, N., Danckers, M., & Ferrer, G. (2017). Families perception, knowledge, and psychological stress of transitions of care from the ICU: Improving transition of care. *Chest*, 152(4, Supplement), A560. <https://doi.org/10.1016/j.chest.2017.08.590>
434. Lee, C. M., Herridge, M. S., Matte, A., & Cameron, J. I. (2009). Education and support needs during recovery in acute respiratory distress syndrome survivors. *Critical Care / the Society of Critical Care Medicine*, 13(5), R153. <https://doi.org/10.1186/cc8053>
435. Lee, N., Thompson, N. R., Passek, S., Stilphen, M., & Katzan, I. L. (2017). Minimally clinically important change in the activity measure for post-acute care (am-pac), a generic patient-reported outcome tool, in people with low back pain. *Physical Therapy*, 97(11), 1094–1102. <https://doi.org/10.1093/ptj/pzx083>
436. Lefton-Greif, M. A. (2008). Pediatric dysphagia. *Physical Medicine and Rehabilitation Clinics of North America*, 19(4), 837–851, ix. <https://doi.org/10.1016/j.pmr.2008.05.007>
437. Lefton-Greif, M. A., McGrattan, K. E., Carson, K. A., Pinto, J. M., Wright, J. M., & Martin-Harris, B. (2018). First steps towards development of an instrument for the reproducible quantification of oropharyngeal swallow physiology in bottle-fed children. *Dysphagia*, 33(1), 76–82. <https://doi.org/10.1007/s00455-017-9834-y>



438. Lehner, D. C., & Sadler, L. S. (2015). Toddler developmental delays after extensive hospitalization: primary care practitioner guidelines. *Pediatric Nursing*, 41(5), 236–242.
<https://www.ncbi.nlm.nih.gov/pubmed/26665423>
439. Lehr, C. J., Zaas, D. W., Cheifetz, I. M., & Turner, D. A. (2015). Ambulatory extracorporeal membrane oxygenation as a bridge to lung transplantation: walking while waiting. *Chest*, 147(5), 1213–1218. <https://doi.org/10.1378/chest.14-2188>
440. Leijten, F. S., Harinck-de Weerd, J. E., Poortvliet, D. C., & de Weerd, A. W. (1995). The role of polyneuropathy in motor convalescence after prolonged mechanical ventilation. *JAMA: The Journal of the American Medical Association*, 274(15), 1221–1225.
<https://www.ncbi.nlm.nih.gov/pubmed/7563512>
441. Lemke, D. M. (2007). Sympathetic storming after severe traumatic brain injury. *Critical Care Nurse*, 27(1), 30–37; quiz 38. <https://www.ncbi.nlm.nih.gov/pubmed/17244857>
442. Letzkus, L., Hengartner, M., Yeago, D., & Crist, P. (2013). The immobile pediatric population: can progressive mobility hasten recovery? *Journal of Pediatric Nursing*, 28(3), 296–299.
<https://doi.org/10.1016/j.pedn.2013.02.029>
443. Levine, S., Nguyen, T., Taylor, N., Friscia, M. E., Budak, M. T., Rothenberg, P., ... Shrager, J. B. (2008). Rapid disuse atrophy of diaphragm fibers in mechanically ventilated humans. *The New England Journal of Medicine*, 358(13), 1327–1335. <https://doi.org/10.1056/NEJMoa070447>
444. Lewin, S., & Reeves, S. (2011). Enacting “team” and “teamwork”: using Goffman’s theory of impression management to illuminate interprofessional practice on hospital wards. *Social Science & Medicine*, 72(10), 1595–1602. <https://doi.org/10.1016/j.socscimed.2011.03.037>
445. Li, X.-L., Liu, Y., Liu, M., Yang, C.-Y., & Yang, Q.-Z. (2019). Early Premature Infant Oral Motor Intervention Improved Oral Feeding and Prognosis by Promoting Neurodevelopment. *American Journal of Perinatology*. <https://doi.org/10.1055/s-0039-1685448>
446. Lieberstein, M., Weingarten, G., Vialu, C., Itzkowitz, A., Doyle, M., Covino, F., & Kaplan, S. L. (2018). Thirty-second walk test: expansion of normative data. *Pediatric Physical Therapy: The Official Publication of the Section on Pediatrics of the American Physical Therapy Association*, 30(1), 18–25.
<https://doi.org/10.1097/PEP.0000000000000464>
447. Limperopoulos, C., Majnemer, A., Shevell, M. I., Rosenblatt, B., Rohlicek, C., & Tchervenkov, C. (1999). Neurologic status of newborns with congenital heart defects before open heart surgery. *Pediatrics*, 103(2), 402–408. <https://doi.org/10.1542/peds.103.2.402>
448. Lin, F. R., Hazzard, W. R., & Blazer, D. G. (2016). Priorities for Improving Hearing Health Care for Adults: A Report From the National Academies of Sciences, Engineering, and Medicine. *JAMA: The Journal of the American Medical Association*, 316(8), 819–820.
<https://doi.org/10.1001/jama.2016.7916>
449. Lin, F., Phelan, S., Chaboyer, W., & Mitchell, M. (2019). Early mobilisation of ventilated patients in the intensive care unit: A survey of critical care clinicians in an Australian tertiary hospital. *Australian Critical Care: Official Journal of the Confederation of Australian Critical Care Nurses*.
<https://doi.org/10.1016/j.aucc.2019.02.002>



450. Lin, S.-M., Liu, C.-Y., Wang, C.-H., Lin, H.-C., Huang, C.-D., Huang, P.-Y., ... Kuo, H.-P. (2004). The impact of delirium on the survival of mechanically ventilated patients. *Critical Care Medicine*, 32(11), 2254–2259. <https://doi.org/10.1097/01.ccm.0000145587.16421.bb>
451. Liu, K., Baseggio, C., Wissoker, D., Maxwell, S., Haley, J., & Long, S. (2001). Long-term care hospitals under Medicare: facility-level characteristics. *Health Care Financing Review*, 23(2), 1–18. <https://www.ncbi.nlm.nih.gov/pubmed/12500335>
452. Lombardi, F., Taricco, M., De Tanti, A., Telaro, E., & Liberati, A. (2002). Sensory stimulation of brain-injured individuals in coma or vegetative state: results of a Cochrane systematic review. *Clinical Rehabilitation*, 16(5), 464–472. <https://doi.org/10.1191/0269215502cr519oa>
453. London, J. A., Parry, L., Galante, J., & Battistella, F. (2008). Safety of early mobilization of patients with blunt solid organ injuries. *Archives of Surgery*, 143(10), 972–976; discussion 977. <https://doi.org/10.1001/archsurg.143.10.972>
454. Long, A. C., Kross, E. K., & Curtis, J. R. (2016). Family-centered outcomes during and after critical illness: current outcomes and opportunities for future investigation. *Current Opinion in Critical Care*, 22(6), 613–620. <https://doi.org/10.1097/MCC.0000000000000360>
455. Lord, R. K., Mayhew, C. R., Korupolu, R., Mantheiy, E. C., Friedman, M. A., Palmer, J. B., & Needham, D. M. (2013). ICU early physical rehabilitation programs: financial modeling of cost savings. *Critical Care Medicine*, 41(3), 717–724. <https://doi.org/10.1097/CCM.0b013e3182711de2>
456. Loss, S. H., Marchese, C. B., Boniatti, M. M., Wawrzeniak, I. C., Oliveira, R. P., Nunes, L. N., & Victorino, J. A. (2013). Prediction of chronic critical illness in a general intensive care unit. *Revista Da Associacao Medica Brasileira*, 59(3), 241–247. <https://doi.org/10.1016/j.ramb.2012.12.002>
457. Lubiani, G. G., & Okunade, A. A. (2013). Production cost structure in US outpatient physical therapy health care. *Health Economics*, 22(2), 212–223. <https://doi.org/10.1002/hec.2798>
458. Lutz, K. F. (2012). Feeding Problems of NICU and PICU Graduates: Perceptions of Parents and Providers. *Newborn and Infant Nursing Reviews: NAINR*, 12(4), 207–213. <https://doi.org/10.1053/j.nainr.2012.09.008>
459. Macht, M., Wimbish, T., Clark, B. J., Benson, A. B., Burnham, E. L., Williams, A., & Moss, M. (2011). Postextubation dysphagia is persistent and associated with poor outcomes in survivors of critical illness. *Critical Care / the Society of Critical Care Medicine*, 15(5), R231. <https://doi.org/10.1186/cc10472>
460. MacIntyre, N. R., Epstein, S. K., Carson, S., Scheinhorn, D., Christopher, K., Muldoon, S., & National Association for Medical Direction of Respiratory Care. (2005). Management of patients requiring prolonged mechanical ventilation: report of a NAMDRC consensus conference. *Chest*, 128(6), 3937–3954. <https://doi.org/10.1378/chest.128.6.3937>
461. Macri, E. M., Lewis, J. A., Khan, K. M., Ashe, M. C., & de Morton, N. A. (2012). The de morton mobility index: normative data for a clinically useful mobility instrument. *Journal of Aging Research*, 2012, 353252. <https://doi.org/10.1155/2012/353252>
462. Major, M. E., Kwakman, R., Kho, M. E., Connolly, B., McWilliams, D., Denehy, L., ... van der Schaaf, M. (2016). Surviving critical illness: what is next? An expert consensus statement on physical rehabilitation after hospital discharge. *Critical Care / the Society of Critical Care Medicine*, 20(1), 354. <https://doi.org/10.1186/s13054-016-1508-x>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

463. Manning, J. C., Pinto, N. P., Rennick, J. E., Colville, G., & Curley, M. A. Q. (2018). Conceptualizing Post Intensive Care Syndrome in Children-The PICS-p Framework. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 19(4), 298–300. <https://doi.org/10.1097/PCC.0000000000001476>
464. Manworren, R. C. B., & Stinson, J. (2016). Pediatric Pain Measurement, Assessment, and Evaluation. *Seminars in Pediatric Neurology*, 23(3), 189–200. <https://doi.org/10.1016/j.spen.2016.10.001>
465. Manzano, J. L., Lubillo, S., Henríquez, D., Martín, J. C., Pérez, M. C., & Wilson, D. J. (1993). Verbal communication of ventilator-dependent patients. *Critical Care Medicine*, 21(4), 512–517. <https://doi.org/10.1097/0003246-199304000-00009>
466. Maramattom, B. V., & Wijdicks, E. F. M. (2006). Acute neuromuscular weakness in the intensive care unit. *Critical Care Medicine*, 34(11), 2835–2841. <https://doi.org/10.1097/01.CCM.0000239436.63452.81>
467. Markham, C., Proctor, E. K., & Pineda, J. A. (2017). Implementation strategies in pediatric neurocritical care. *Current Opinion in Pediatrics*, 29(3), 266–271. <https://doi.org/10.1097/MOP.0000000000000497>
468. Marra, A., Ely, E. W., Pandharipande, P. P., & Patel, M. B. (2017). The ABCDEF Bundle in Critical Care. *Critical Care Clinics*, 33(2), 225–243. <https://doi.org/10.1016/j.ccc.2016.12.005>
469. Marra, A., Pandharipande, P. P., Girard, T. D., Patel, M. B., Hughes, C. G., Jackson, J. C., ... Brummel, N. E. (2018). Co-occurrence of post-intensive care syndrome problems among 406 survivors of critical illness. *Critical Care Medicine*, 46(9), 1393–1401. <https://doi.org/10.1097/CCM.0000000000003218>
470. Marra, A., Pandharipande, P. P., Shotwell, M. S., Chandrasekhar, R., Girard, T. D., Shintani, A. K., ... Vasilevskis, E. E. (2018). Acute brain dysfunction: development and validation of a daily prediction Model. *Chest*, 154(2), 293–301. <https://doi.org/10.1016/j.chest.2018.03.013>
471. Mattioli, E., Tabuzo, B., Jr, Sangkachand, P., Parkosewich, J., Reyes, L., & Funk, M. (2019). Safety and patients' response to ambulation with a pulmonary artery catheter in the cardiac intensive care unit. *American Journal of Critical Care: An Official Publication, American Association of Critical-Care Nurses*, 28(2), 101–108. <https://doi.org/10.4037/ajcc2019339>
472. McCain, G. C., & Gartside, P. S. (2002). Behavioral responses of preterm infants to a standard-care and semi-demand feeding protocol. *Newborn and Infant Nursing Reviews*, 2(3), 187-193. <https://www.sciencedirect.com/science/article/pii/S1527336902700615>
473. McCain, G. C., Gartside, P. S., Greenberg, J. M., & Lott, J. W. (2001). A feeding protocol for healthy preterm infants that shortens time to oral feeding. *The Journal of Pediatrics*, 139(3), 374–379. <https://doi.org/10.1067/mpd.2001.117077>
474. McGrath, B. A., Wallace, S., Wilson, M., Nicholson, L., Felton, T., Bowyer, C., & Bentley, A. M. (2019). Safety and feasibility of above cuff vocalisation for ventilator-dependant patients with tracheostomies. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 20(1), 59–65. <https://doi.org/10.1177/1751143718767055>
475. McHugh, L. G., Milberg, J. A., Whitcomb, M. E., Schoene, R. B., Mauder, R. J., & Hudson, L. D. (1994). Recovery of function in survivors of the acute respiratory distress syndrome. *American*



- Journal of Respiratory and Critical Care Medicine, 150(1), 90–94.
<https://doi.org/10.1164/ajrccm.150.1.8025779>
476. McKinstry, A., Tranter, M., & Sweeney, J. (2010). Outcomes of dysphagia intervention in a pulmonary rehabilitation program. *Dysphagia*, 25(2), 104–111. <https://doi.org/10.1007/s00455-009-9230-3>
477. McLean, B., Girdler, S., Taylor, S., Valentine, J., Carey, L., & Elliott, C. (2019). Experience of Engagement in a Somatosensory Discrimination Intervention for Children with Hemiplegic Cerebral Palsy: A Qualitative Investigation. *Developmental Neurorehabilitation*, 22(5), 348–358.
<https://doi.org/10.1080/17518423.2018.1503620>
478. McNicoll, L., Pisani, M. A., Zhang, Y., Ely, E. W., Siegel, M. D., & Inouye, S. K. (2003). Delirium in the intensive care unit: occurrence and clinical course in older patients. *Journal of the American Geriatrics Society*, 51(5), 591–598. <https://doi.org/10.1034/j.1600-0579.2003.00201.x>
479. McPeake, J., & Mikkelsen, M. E. (2018). The Evolution of Post Intensive Care Syndrome. *Critical Care Medicine*, 46(9), 1551–1552. <https://doi.org/10.1097/CCM.0000000000003232>
480. McWilliams, D., Snelson, C., Goddard, H., & Attwood, B. (2019). Introducing early and structured rehabilitation in critical care: A quality improvement project. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 53, 79–83.
<https://doi.org/10.1016/j.iccn.2019.04.006>
481. Medicare Payment Advisory Commission. (2007). Report to the Congress: Promoting Greater Efficiency in Medicare. CMS website: http://www.medpac.gov/docs/default-source/reports/Jun07_EntireReport.pdf
482. Medicare Payment Advisory Commission. (2018). A Data Book: Health care spending and the Medicare Program. CMS website: http://www.medpac.gov/docs/default-source/data-book/jun18_databookentirereport_sec.pdf
483. Medoff-Cooper, B., Naim, M., Torowicz, D., & Mott, A. (2010). Feeding, growth, and nutrition in children with congenitally malformed hearts. *Cardiology in the Young*, 20 Suppl 3, 149–153.
<https://doi.org/10.1017/S1047951110001228>
484. Melchers, P., Maluck, A., Suhr, L., Scholten, S., & Lehmkuhl, G. (1999). An Early Onset Rehabilitation Program for Children and Adolescents after Traumatic Brain Injury (TBI): Methods and First Results. *Restorative Neurology and Neuroscience*, 14(2-3), 153–160.
<https://www.ncbi.nlm.nih.gov/pubmed/12671259>
485. Melchers, P., Maluck, A., Suhr, L., Scholten, S., & Lehmkuhl, G. (1999). An early onset rehabilitation program for children and adolescents after traumatic brain injury (TBI): Methods and first results. *Restorative Neurology and Neuroscience*, 14(2), 153–160.
<https://www.ncbi.nlm.nih.gov/pubmed/22387511>
486. Melnyk, B. M., & Feinstein, N. F. (2009). Reducing hospital expenditures with the COPE (Creating Opportunities for Parent Empowerment) program for parents and premature infants: an analysis of direct healthcare neonatal intensive care unit costs and savings. *Nursing Administration Quarterly*, 33(1), 32–37. <https://doi.org/10.1097/01.NAQ.0000343346.47795.13>
487. Melnyk, B. M., Feinstein, N. F., Alpert-Gillis, L., Fairbanks, E., Crean, H. F., Sinkin, R. A., ... Gross, S. J. (2006). Reducing premature infants' length of stay and improving parents' mental health outcomes



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

- with the Creating Opportunities for Parent Empowerment (COPE) neonatal intensive care unit program: a randomized, controlled trial. *Pediatrics*, 118(5), e1414–e1427.
<https://doi.org/10.1542/peds.2005-2580>
488. Mendelson, J. (2018). Emergency Department Management of Pediatric Shock. *Emergency Medicine Clinics of North America*, 36(2), 427–440. <https://doi.org/10.1016/j.emc.2017.12.010>
489. Menefee, K. S. (2014). The Menefee model for patient-focused interdisciplinary team collaboration. *The Journal of Nursing Administration*, 44(11), 598–605.
<https://doi.org/10.1097/NNA.0000000000000132>
490. Mercedes, A., Fairman, P., Hogan, L., Thomas, R., & Slyer, J. T. (2016). Effectiveness of structured multidisciplinary rounding in acute care units on length of stay and satisfaction of patients and staff: a quantitative systematic review. *JBI Database of Systematic Reviews and Implementation Reports*, 14(7), 131–168. <https://doi.org/10.11124/JBISRIR-2016-003014>
491. Meyns, P., Roman de Mettelinge, T., van der Spank, J., Coussens, M., & Van Waelvelde, H. (2018). Motivation in pediatric motor rehabilitation: A systematic search of the literature using the self-determination theory as a conceptual framework. *Developmental Neurorehabilitation*, 21(6), 371–390. <https://doi.org/10.1080/17518423.2017.1295286>
492. Michalsen, A., Long, A. C., DeKeyser Ganz, F., White, D. B., Jensen, H. I., Metaxa, V., ... Curtis, J. R. (2019). Interprofessional Shared Decision-Making in the ICU: A Systematic Review and Recommendations From an Expert Panel. *Critical Care Medicine*, 47(9), 1258–1266.
<https://doi.org/10.1097/CCM.0000000000003870>
493. Mikkelsen, M. E., Christie, J. D., Lanken, P. N., Biester, R. C., Thompson, B. T., Bellamy, S. L., ... Angus, D. C. (2012). The adult respiratory distress syndrome cognitive outcomes study: long-term neuropsychological function in survivors of acute lung injury. *American Journal of Respiratory and Critical Care Medicine*, 185(12), 1307–1315. <https://doi.org/10.1164/rccm.201111-2025OC>
494. Milbrandt, E. B., Deppen, S., Harrison, P. L., Shintani, A. K., Speroff, T., Stiles, R. A., ... Ely, E. W. (2004). Costs associated with delirium in mechanically ventilated patients. *Critical Care Medicine*, 32(4), 955–962. <https://doi.org/10.1097/01.ccm.0000119429.16055.92>
495. Miller, H. D., & Anderson, G. C. (1993). Nonnutritive sucking: effects on crying and heart rate in intubated infants requiring assisted mechanical ventilation. *Nursing Research*, 42(5), 305–307.
<https://www.ncbi.nlm.nih.gov/pubmed/8415048>
496. Mirzakhani, H., Williams, J.-N., Mello, J., Joseph, S., Meyer, M. J., Waak, K., ... Eikermann, M. (2013). Muscle weakness predicts pharyngeal dysfunction and symptomatic aspiration in long-term ventilated patients. *Anesthesiology*, 119(2), 389–397.
<https://doi.org/10.1097/ALN.0b013e31829373fe>
497. Mitchell, M. L., Shum, D. H. K., Mihala, G., Murfield, J. E., & Aitken, L. M. (2018). Long-term cognitive impairment and delirium in intensive care: A prospective cohort study. *Australian Critical Care: Official Journal of the Confederation of Australian Critical Care Nurses*, 31(4), 204–211.
<https://doi.org/10.1016/j.aucc.2017.07.002>
498. Miura, S., Wieczorek, B., Lenker, H., Kudchadkar, S. R., & PICU Up! Early Mobilization Task Force. (2018). Normal baseline function is associated with delayed rehabilitation in critically ill children. *Journal of Intensive Care Medicine*. <https://doi.org/10.1177/0885066618754507>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

499. Moattari, M., Alizadeh Shirazi, F., Sharifi, N., & Zareh, N. (2016). Effects of a sensory stimulation by nurses and families on level of cognitive function, and basic cognitive sensory recovery of comatose patients with severe traumatic brain injury: a randomized control trial. *Trauma Monthly*, 21(4), e23531. <https://doi.org/10.5812/traumamon.23531>
500. Modrykamien, A. M. (2012). The ICU follow-up clinic: a new paradigm for intensivists. *Respiratory Care*, 57(5), 764–772. <https://doi.org/10.4187/respcare.01461>
501. Mohammadi, E., Thelwall, M., Kwasny, M., & Holmes, K. L. (2018). Academic information on Twitter: A user survey. *PloS One*, 13(5), e0197265. <https://doi.org/10.1371/journal.pone.0197265>
502. Moore, L., Lavoie, A., Bourgeois, G., & Lapointe, J. (2015). Donabedian's structure-process-outcome quality of care model: Validation in an integrated trauma system. *The Journal of Trauma and Acute Care Surgery*, 78(6), 1168–1175. <https://doi.org/10.1097/TA.0000000000000663>
503. Morandi, A., Jackson, J. C., & Ely, E. W. (2009). Delirium in the intensive care unit. *International Review of Psychiatry*, 21(1), 43–58. <https://doi.org/10.1080/09540260802675296>
504. Morandi, A., Piva, S., Ely, E. W., Myatra, S. N., Salluh, J. I. F., Amare, D., ... Latronico, N. (2017). Worldwide survey of the “assessing pain, both spontaneous awakening and breathing trials, choice of drugs, delirium monitoring/management, early exercise/mobility, and family empowerment” (ABCDEF) Bundle. *Critical Care Medicine*, 45(11), e1111–e1122. <https://doi.org/10.1097/CCM.0000000000002640>
505. Morandi, A., Vasilevskis, E. E., Pandharipande, P. P., Girard, T. D., Solberg, L. M., Neal, E. B., ... Kripalani, S. (2011). Inappropriate medications in elderly ICU survivors: where to intervene? *Archives of Internal Medicine*, 171(11), 1032–1034. <https://doi.org/10.1001/archinternmed.2011.233>
506. Morris, C. G., McCoy, E. P., & Lavery, G. G. (2004). Spinal immobilisation for unconscious patients with multiple injuries. *BMJ*, 329(7464), 495–499. <https://doi.org/10.1136/bmj.329.7464.495>
507. Morris, L. L., Bedon, A. M., McIntosh, E., & Whitmer, A. (2015). Restoring Speech to Tracheostomy Patients. *Critical Care Nurse*, 35(6), 13–27; quiz 28. <https://doi.org/10.4037/ccn2015401>
508. Morris, P. E. (2007). Moving our critically ill patients: mobility barriers and benefits. *Critical Care Clinics*, 23(1), 1–20. <https://doi.org/10.1016/j.ccc.2006.11.003>
509. Morris, P. E., Berry, M. J., Files, D. C., Thompson, J. C., Hauser, J., Flores, L., ... Young, M. P. (2016). Standardized rehabilitation and hospital length of stay among patients with acute respiratory failure: a randomized clinical trial. *JAMA: The Journal of the American Medical Association*, 315(24), 2694–2702. <https://doi.org/10.1001/jama.2016.7201>
510. Morris, P. E., Goad, A., Thompson, C., Taylor, K., Harry, B., Passmore, L., ... Haponik, E. (2008). Early intensive care unit mobility therapy in the treatment of acute respiratory failure. *Critical Care Medicine*, 36(8), 2238–2243. <https://doi.org/10.1097/CCM.0b013e318180b90e>
511. Morris, P. E., Griffin, L., Berry, M., Thompson, C., Hite, R. D., Winkelman, C., ... Haponik, E. (2011). Receiving early mobility during an intensive care unit admission is a predictor of improved outcomes in acute respiratory failure. *The American Journal of the Medical Sciences*, 341(5), 373–377. <https://doi.org/10.1097/MAJ.0b013e31820ab4f6>
512. Moss, K. M., Healy, K. L., Ziviani, J., Newcombe, P., Cobham, V. E., McCutcheon, H., ... Kenardy, J. (2019a). Trauma-informed care in practice: Observed use of psychosocial care practices with



- children and families in a large pediatric hospital. *Psychological Services*, 16(1), 16–28. <https://doi.org/10.1037/ser0000270>
513. Moss, M., Nordon-Craft, A., Malone, D., Van Pelt, D., Frankel, S. K., Warner, M. L., ... Schenkman, M. (2016). A Randomized Trial of an Intensive Physical Therapy Program for Patients with Acute Respiratory Failure. *American Journal of Respiratory and Critical Care Medicine*, 193(10), 1101–1110. <https://doi.org/10.1164/rccm.201505-1039OC>
514. Mouncey, P. R., Wade, D., Richards-Belle, A., Sadique, Z., Wulff, J., Grieve, R., ... Rowan, K. M. (2019). A nurse-led, preventive, psychological intervention to reduce PTSD symptom severity in critically ill patients: the POPPI feasibility study and cluster RCT. <https://doi.org/10.3310/hsdr07300>
515. Moyer, M., Young, B., Wilensky, E. M., Borst, J., Pino, W., Hart, M., ... Kumar, M. (2017). Implementation of an early mobility pathway in neurointensive care unit patients with external ventricular devices. *The Journal of Neuroscience Nursing: Journal of the American Association of Neuroscience Nurses*, 49(2), 102–107. <https://doi.org/10.1097/JNN.0000000000000258>
516. Mundy, L. M., Leet, T. L., Darst, K., Schnitzler, M. A., & Dunagan, W. C. (2003). Early mobilization of patients hospitalized with community-acquired pneumonia. *Chest*, 124(3), 883–889. <https://doi.org/10.1378/chest.124.3.883>
517. Munkwitz, M., Hopkins, R. O., Miller, R. R., Iii, Luckett, P. M., & Hirshberg, E. L. (2010). A perspective on early mobilization for adult patients with respiratory failure: Lessons for the pediatric population. *Journal of Pediatric Rehabilitation Medicine*, 3(3), 215–227. <https://doi.org/10.3233/PRM-2010-0130>
518. Munro, C. L., Cairns, P., Ji, M., Calero, K., Anderson, W. M., & Liang, Z. (2017). Delirium prevention in critically ill adults through an automated reorientation intervention - A pilot randomized controlled trial. *Heart & Lung: The Journal of Critical Care*, 46(4), 234–238. <https://doi.org/10.1016/j.hrtlng.2017.05.002>
519. Muscedere, J., Waters, B., Varambally, A., Bagshaw, S. M., Boyd, J. G., Maslove, D., ... Rockwood, K. (2017). The impact of frailty on intensive care unit outcomes: a systematic review and meta-analysis. *Intensive Care Medicine*, 43(8), 1105–1122. <https://doi.org/10.1007/s00134-017-4867-0>
520. Myszenski, A., Hannum, N., Hudson, M., & Yee, J. (2019). Acute physical and occupational therapy and serum potassium: when is it safe? *Journal of Acute Care Physical Therapy*, 10(2), 46. <https://doi.org/10.1097/JAT.0000000000000098>
521. Nadig, N., Huff, N. G., Cox, C. E., & Ford, D. W. (2016). Coping as a multifaceted construct: associations with psychological outcomes among family members of mechanical ventilation Survivors. *Critical Care Medicine*, 44(9), 1710–1717. <https://doi.org/10.1097/CCM.0000000000001761>
522. Namachivayam, P., Shann, F., Shekerdemian, L., Taylor, A., van Sloten, I., Delzoppo, C., ... Butt, W. (2010). Three decades of pediatric intensive care: Who was admitted, what happened in intensive care, and what happened afterward. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 11(5), 549–555. <https://doi.org/10.1097/PCC.0b013e3181ce7427>
523. Namachivayam, P., Taylor, A., Montague, T., Moran, K., Barrie, J., Delzoppo, C., & Butt, W. (2012). Long-stay children in intensive care: long-term functional outcome and quality of life from a 20-yr



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

- institutional study. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 13(5), 520–528. <https://doi.org/10.1097/PCC.0b013e31824fb989>
524. Namachivayam, S. P., Alexander, J., Slater, A., Millar, J., Erickson, S., Tibballs, J., ... Paediatric Study Group and Australian and New Zealand Intensive Care Society. (2015). Five-year survival of children with chronic critical illness in Australia and New Zealand. *Critical Care Medicine*, 43(9), 1978–1985. <https://doi.org/10.1097/CCM.0000000000001076>
525. National Archives and Records Administration. (1982). 47 Fed. Reg. 18563. *Federal Register*. <https://www.loc.gov/item/fr047084/>
526. Nebeker, J. R., Barach, P., & Samore, M. H. (2004). Clarifying adverse drug events: a clinician's guide to terminology, documentation, and reporting. *Annals of Internal Medicine*, 140(10), 795–801. <https://doi.org/10.7326/0003-4819-140-10-200405180-00009>
527. Needham, D. M. (2008). Mobilizing patients in the intensive care unit: improving neuromuscular weakness and physical function. *JAMA: The Journal of the American Medical Association*, 300(14), 1685–1690. <https://doi.org/10.1001/jama.300.14.1685>
528. Needham, D. M., & Korupolu, R. (2010). Rehabilitation quality improvement in an intensive care unit setting: implementation of a quality improvement model. *Topics in Stroke Rehabilitation*, 17(4), 271–281. <https://doi.org/10.1310/tsr1704-271>
529. Needham, D. M., Colantuoni, E., Dinglas, V. D., Hough, C. L., Wozniak, A. W., Jackson, J. C., ... Hopkins, R. O. (2016). Rosuvastatin versus placebo for delirium in intensive care and subsequent cognitive impairment in patients with sepsis-associated acute respiratory distress syndrome: an ancillary study to a randomised controlled trial. *The Lancet. Respiratory Medicine*, 4(3), 203–212. [https://doi.org/10.1016/S2213-2600\(16\)00005-9](https://doi.org/10.1016/S2213-2600(16)00005-9)
530. Needham, D. M., Davidson, J., Cohen, H., Hopkins, R. O., Weinert, C., Wunsch, H., ... Harvey, M. A. (2012). Improving long-term outcomes after discharge from intensive care unit: report from a stakeholders' conference. *Critical Care Medicine*, 40(2), 502–509. <https://doi.org/10.1097/CCM.0b013e318232da75>
531. Needham, D. M., Dennison, C. R., Dowdy, D. W., Mendez-Tellez, P. A., Ciesla, N., Desai, S. V., ... Pronovost, P. J. (2006). Study protocol: The Improving Care of Acute Lung Injury Patients (ICAP) study. *Critical Care / the Society of Critical Care Medicine*, 10(1), R9. <https://doi.org/10.1186/cc3948>
532. Needham, D. M., Dinglas, V. D., Bienvenu, O. J., Colantuoni, E., Wozniak, A. W., Rice, T. W., ... NIH NHLBI ARDS Network. (2013). One year outcomes in patients with acute lung injury randomised to initial trophic or full enteral feeding: prospective follow-up of EDEN randomised trial. *BMJ*, 346, f1532. <https://doi.org/10.1136/bmj.f1532>
533. Needham, D. M., Korupolu, R., Zanni, J. M., Pradhan, P., Colantuoni, E., Palmer, J. B., ... Fan, E. (2010). Early physical medicine and rehabilitation for patients with acute respiratory failure: a quality improvement project. *Archives of Physical Medicine and Rehabilitation*, 91(4), 536–542. <https://doi.org/10.1016/j.apmr.2010.01.002>



534. Nelson, J. E., Cox, C. E., Hope, A. A., & Carson, S. S. (2010). Chronic critical illness. *American Journal of Respiratory and Critical Care Medicine*, 182(4), 446–454. <https://doi.org/10.1164/rccm.201002-0210CI>
535. Nelson, J. E., Meier, D. E., Litke, A., Natale, D. A., Siegel, R. E., & Morrison, R. S. (2004). The symptom burden of chronic critical illness. *Critical Care Medicine*, 32(7), 1527–1534. <https://doi.org/10.1097/01.ccm.0000129485.08835.5a>
536. Nelson-McMillan, K., Vricella, L. A., Stewart, D., Young, J., Shah, A. S., Hibino, N., & Coulson, J. D. (2019). Recovery from total acute lung failure after 20 months of extracorporeal life support. *ASAIO Journal*. <https://doi.org/10.1097/MAT.0000000000000990>
537. Netzer, G. (Ed.). (2018). Families in the Intensive Care Unit: A Guide to Understanding, Engaging, and Supporting at the Bedside. <https://doi.org/10.1007/978-3-319-94337-4>
538. Nickels, M. R., Aitken, L. M., Walsham, J., Barnett, A. G., & McPhail, S. M. (2017). Critical Care Cycling Study (CYCLIST) trial protocol: a randomised controlled trial of usual care plus additional in-bed cycling sessions versus usual care in the critically ill. *BMJ Open*, 7(10), e017393. <https://doi.org/10.1136/bmjopen-2017-017393>
539. Nikayin, S., Rabiee, A., Hashem, M. D., Huang, M., Bienvenu, O. J., Turnbull, A. E., & Needham, D. M. (2016). Anxiety symptoms in survivors of critical illness: a systematic review and meta-analysis. *General Hospital Psychiatry*, 43, 23–29. <https://doi.org/10.1016/j.genhosppsych.2016.08.005>
540. Noble, N. L., & Sweeney, N. L. (2018). Barriers to the use of assistive devices in patient handling. *Workplace Health & Safety*, 66(1), 41–48. <https://doi.org/10.1177/2165079917697216>
541. Nordon-Craft, A., Moss, M., Quan, D., & Schenkman, M. (2012). Intensive care unit-acquired weakness: implications for physical therapist management. *Physical Therapy*, 92(12), 1494–1506. <https://doi.org/10.2522/ptj.20110117>
542. Nordon-Craft, A., Schenkman, M., Ridgeway, K., Benson, A., & Moss, M. (2011). Physical therapy management and patient outcomes following ICU-acquired weakness: a case series. *Journal of Neurologic Physical Therapy: JNPT*, 35(3), 133–140. <https://doi.org/10.1097/NPT.0b013e3182275905>
543. Norman, B. C., Jackson, J. C., Graves, J. A., Girard, T. D., Pandharipande, P. P., Brummel, N. E., ... Ely, E. W. (2016). Employment Outcomes After Critical Illness: An Analysis of the Bringing to Light the Risk Factors and Incidence of Neuropsychological Dysfunction in ICU Survivors Cohort. *Critical Care Medicine*, 44(11), 2003–2009. <https://doi.org/10.1097/CCM.0000000000001849>
544. Nydahl, P., Ruhl, A. P., Bartoszek, G., Dubb, R., Filipovic, S., Flohr, H.-J., ... Needham, D. M. (2014). Early mobilization of mechanically ventilated patients: a 1-day point-prevalence study in Germany. *Critical Care Medicine*, 42(5), 1178–1186. <https://doi.org/10.1097/CCM.000000000000149>
545. Nydahl, P., Sricharoenchai, T., Chandra, S., Kundt, F. S., Huang, M., Fischill, M., & Needham, D. M. (2017). Safety of Patient Mobilization and Rehabilitation in the Intensive Care Unit. Systematic Review with Meta-Analysis. *Annals of the American Thoracic Society*, 14(5), 766–777. <https://doi.org/10.1513/AnnalsATS.201611-843SR>
546. O'Connor, L. R., Morris, N. R., & Paratz, J. (2019). Physiological and clinical outcomes associated with use of one-way speaking valves on tracheostomised patients: A systematic review. *Heart & Lung: The Journal of Critical Care*, 48(4), 356–364. <https://doi.org/10.1016/j.hrtlng.2018.11.006>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

547. oehm, L. M., Vasilevskis, E. E., & Mion, L. C. (2016). Interprofessional Perspectives on ABCDE Bundle Implementation: A Focus Group Study. *Dimensions of Critical Care Nursing: DCCN*, 35(6), 339–347. <https://doi.org/10.1097/DCC.0000000000000208>
548. Ohtake, P. J., Lee, A. C., Scott, J. C., Hinman, R. S., Ali, N. A., Hinkson, C. R., ... Smith, J. M. (2018). Physical Impairments Associated With Post-Intensive Care Syndrome: Systematic Review Based on the World Health Organization's International Classification of Functioning, Disability and Health Framework. *Physical Therapy*, 98(8), 631–645. <https://doi.org/10.1093/ptj/pzy059>
549. Ong, C., Lee, J. H., Leow, M. K. S., & Puthucheary, Z. A. (2016). Functional Outcomes and Physical Impairments in Pediatric Critical Care Survivors: A Scoping Review. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 17(5), e247–e259. <https://doi.org/10.1097/PCC.0000000000000706>
550. Ong, C., Lee, J. H., Senna, S., Chia, A. Z. H., Wong, J. J. M., Fortier, M. V., ... Puthucheary, Z. A. (2019). Body Composition and Acquired Functional Impairment in Survivors of Pediatric Critical Illness. *Critical Care Medicine*, 47(6), e445–e453. <https://doi.org/10.1097/CCM.0000000000003720>
551. Orford, N. R., Saunders, K., Merriman, E., Henry, M., Pasco, J., Stow, P., & Kotowicz, M. (2011). Skeletal morbidity among survivors of critical illness. *Critical Care Medicine*, 39(6), 1295–1300. <https://doi.org/10.1097/CCM.0b013e318211ff3d>
552. Ouimet, S., Kavanagh, B. P., Gottfried, S. B., & Skrobik, Y. (2007). Incidence, risk factors and consequences of ICU delirium. *Intensive Care Medicine*, 33(1), 66–73. <https://doi.org/10.1007/s00134-006-0399-8>
553. Ouimet, S., Riker, R., Bergeron, N., Cossette, M., Kavanagh, B., & Skrobik, Y. (2007). Subsyndromal delirium in the ICU: evidence for a disease spectrum. *Intensive Care Medicine*, 33(6), 1007–1013. <https://doi.org/10.1007/s00134-007-0618-y>
554. Overgaard, C. B., & Dzavík, V. (2008). Inotropes and vasopressors: review of physiology and clinical use in cardiovascular disease. *Circulation*, 118(10), 1047–1056. <https://doi.org/10.1161/CIRCULATIONAHA.107.728840>
555. Owens, T., & Tapley, C. (2018). Pediatric mobility: the development of standard assessments and interventions for pediatric patients for safe patient handling and mobility. *Critical Care Nursing Quarterly*, 41(3), 314–322. <https://doi.org/10.1097/CNQ.0000000000000210>
556. Padilla, R., & Domina, A. (2016). Effectiveness of sensory stimulation to improve arousal and alertness of people in a coma or persistent vegetative state after traumatic brain injury: a systematic review. *The American Journal of Occupational Therapy: Official Publication of the American Occupational Therapy Association*, 70(3), 7003180030p1–p8. <https://doi.org/10.5014/ajot.2016.021022>
557. Pados, B. F., Park, J., & Dodrill, P. (2019). Know the Flow: Milk Flow Rates From Bottle Nipples Used in the Hospital and After Discharge. *Advances in Neonatal Care: Official Journal of the National Association of Neonatal Nurses*, 19(1), 32–41. <https://doi.org/10.1097/ANC.0000000000000538>
558. Pandharipande, P. P., Girard, T. D., Jackson, J. C., Morandi, A., Thompson, J. L., Pun, B. T., ... & Moons, K. G. (2013). Long-term cognitive impairment after critical illness. *New England Journal of Medicine*, 369(14), 1306–1316. <https://www.nejm.org/doi/full/10.1056/NEJMoa1301372>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

559. Pandharipande, P., Shintani, A., Peterson, J., Pun, B. T., Wilkinson, G. R., Dittus, R. S., ... Ely, E. W. (2006). Lorazepam is an independent risk factor for transitioning to delirium in intensive care unit patients. *Anesthesiology*, 104(1), 21–26. <https://doi.org/10.1097/00000542-200601000-00005>
560. Pandian, V., Boisen, S. E., Mathews, S., & Cole, T. (2019). Are Fenestrated Tracheostomy Tubes Still Valuable? *American Journal of Speech-Language Pathology / American Speech-Language-Hearing Association*, 28(3), 1019–1028. https://doi.org/10.1044/2019_AJSLP-18-0187
561. Parchem, K., Peck, A., & Tales, K. (2018). A Multidisciplinary Approach to Equipment Use in Pediatric Patient Mobilization. *Critical Care Nursing Quarterly*, 41(3), 330–339. <https://doi.org/10.1097/CNQ.0000000000000211>
562. Parisien, R. B., Gillanders, K., Hennessy, E. K., Herterich, L., Saunders, K., Lati, J., ... O'Brien, K. K. (2016). Experiences of four parents with physical therapy and early mobility of their children in a pediatric critical care unit: A case series. *Journal of Pediatric Rehabilitation Medicine*, 9(2), 159–168. <https://doi.org/10.3233/PRM-160374>
563. Park, J., Pados, B. F., & Thoyre, S. M. (2018). Systematic Review: What Is the Evidence for the Side-Lying Position for Feeding Preterm Infants? *Advances in Neonatal Care: Official Journal of the National Association of Neonatal Nurses*, 18(4), 285–294. <https://doi.org/10.1097/ANC.0000000000000529>
564. Parker, A. M., Sricharoenchai, T., Raparla, S., Schneck, K. W., Bienvenu, O. J., & Needham, D. M. (2015). Posttraumatic stress disorder in critical illness survivors: a metaanalysis. *Critical Care Medicine*, 43(5), 1121–1129. <https://doi.org/10.1097/CCM.0000000000000882>
565. Parry, S. M., Berney, S., Warrillow, S., El-Ansary, D., Bryant, A. L., Hart, N., ... Denehy, L. (2014). Functional electrical stimulation with cycling in the critically ill: a pilot case-matched control study. *Journal of Critical Care*, 29(4), 695.e1–e7. <https://doi.org/10.1016/j.jcrc.2014.03.017>
566. Parry, S. M., Huang, M., & Needham, D. M. (2017). Evaluating physical functioning in critical care: considerations for clinical practice and research. *Critical Care / the Society of Critical Care Medicine*, 21(1), 249. <https://doi.org/10.1186/s13054-017-1827-6>
567. Pasek, T. A., Burns, C., Treble-Barna, A., Ortiz-Aguayo, R., Kochanek, P. M., Houtrow, A. J., ... Fink, E. L. (2019). Important Outcomes for Parents of Critically Ill Children. *Critical Care Nurse*, 39(3), 74–79. <https://doi.org/10.4037/ccn2019482>
568. Pasrija, C., & Kon, Z. N. (2019). Ambulation may be an indicator of weaning for extracorporeal membrane oxygenation patients (Reply). *The Annals of Thoracic Surgery*. <https://doi.org/10.1016/j.athoracsur.2019.06.044>
569. Patak, L., Wilson-Stronks, A., Costello, J., Kleinpell, R. M., Henneman, E. A., Person, C., & Happ, M. B. (2009). Improving patient-provider communication: a call to action. *The Journal of Nursing Administration*, 39(9), 372–376. <https://doi.org/10.1097/NNA.0b013e3181b414ca>
570. Patel, M. B., Bednarik, J., Lee, P., Shehabi, Y., Salluh, J. I., Slooter, A. J., ... Ely, E. W. (2018). Delirium Monitoring in Neurocritically Ill Patients: A Systematic Review. *Critical Care Medicine*, 46(11), 1832–1841. <https://doi.org/10.1097/CCM.0000000000003349>
571. Penley, J. A., Tomaka, J., & Wiebe, J. S. (2002). The association of coping to physical and psychological health outcomes: a meta-analytic review. *Journal of Behavioral Medicine*, 25(6), 551–603. <https://www.ncbi.nlm.nih.gov/pubmed/12462958>



572. Perlman, A. L., & Schulze-Delrieu, K. (1996). Deglutition and its Disorders: Anatomy, Physiology, Clinical Diagnosis and Management. <https://www.amazon.com/Deglutition-its-Disorders-Physiology-Schulze-Delrieu/dp/B00EKYZNZY>
573. Perme, C., & Chandrashekhar, R. (2009). Early mobility and walking program for patients in intensive care units: creating a standard of care. American Journal of Critical Care: An Official Publication, American Association of Critical-Care Nurses, 18(3), 212–221. <https://doi.org/10.4037/ajcc2009598>
574. Perme, C., Nalty, T., Winkelman, C., Kenji Nawa, R., & Masud, F. (2013). Safety and Efficacy of Mobility Interventions in Patients with Femoral Catheters in the ICU: A Prospective Observational Study. Cardiopulmonary Physical Therapy Journal, 24(2), 12–17. <https://www.ncbi.nlm.nih.gov/pubmed/23801900>
575. Perme, C., Nawa, R. K., Winkelman, C., & Masud, F. (2014). A tool to assess mobility status in critically ill patients: the Perme Intensive Care Unit Mobility Score. Methodist DeBakey Cardiovascular Journal, 10(1), 41–49. <https://www.ncbi.nlm.nih.gov/pubmed/24932363>
576. Peterson, J. F., Pun, B. T., Dittus, R. S., Thomason, J. W. W., Jackson, J. C., Shintani, A. K., & Ely, E. W. (2006). Delirium and its motoric subtypes: a study of 614 critically ill patients. Journal of the American Geriatrics Society, 54(3), 479–484. <https://doi.org/10.1111/j.1532-5415.2005.00621.x>
577. Peterson, M. L., Lukens, K., & Fulk, G. (2018). Psychometric Properties of Physical Function Measures Used in the Intensive Care Unit: A Systematic Review. Journal of Acute Care Physical Therapy, 9(2), 78–90. <https://doi.org/10.1097/JAT.0000000000000073>
578. Peterson, S., Su, J. A., Szmuszkovicz, J. R., Johnson, R., & Sargent, B. (2017). Exercise capacity following pediatric heart transplantation: A systematic review. Pediatric Transplantation, 21(5). <https://doi.org/10.1111/petr.12922>
579. Petrinec, A. (2017). Post-Intensive Care Syndrome in Family Decision Makers of Long-term Acute Care Hospital Patients. American Journal of Critical Care: An Official Publication, American Association of Critical-Care Nurses, 26(5), 416–422. <https://doi.org/10.4037/ajcc2017414>
580. Petrinec, A. B., & Daly, B. J. (2016). Post-Traumatic Stress Symptoms in Post-ICU Family Members: Review and Methodological Challenges. Western Journal of Nursing Research, 38(1), 57–78. <https://doi.org/10.1177/0193945914544176>
581. Petrinec, A. B., & Martin, B. R. (2018). Post-intensive care syndrome symptoms and health-related quality of life in family decision-makers of critically ill patients. Palliative & Supportive Care, 16(6), 719–724. <https://doi.org/10.1017/S1478951517001043>
582. Petrinec, A. B., Mazanec, P. M., Burant, C. J., Hoffer, A., & Daly, B. J. (2015). Coping Strategies and Posttraumatic Stress Symptoms in Post-ICU Family Decision Makers. Critical Care Medicine, 43(6), 1205–1212. <https://doi.org/10.1097/CCM.0000000000000934>
583. Petty, T. L. (1998). Suspended life or extending death? Chest, 114(2), 360–361. <https://doi.org/10.1378/chest.114.2.360>
584. Pfoh, E. R., Chan, K. S., Dinglas, V. D., Girard, T. D., Jackson, J. C., Morris, P. E., ... NIH NHLBI ARDS Network. (2015). Cognitive screening among acute respiratory failure survivors: a cross-sectional evaluation of the Mini-Mental State Examination. Critical Care / the Society of Critical Care Medicine, 19, 220. <https://doi.org/10.1186/s13054-015-0934-5>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

585. Pinelli, J., & Symington, A. (2000). How rewarding can a pacifier be? A systematic review of nonnutritive sucking in preterm infants. *Neonatal Network: NN*, 19(8), 41–48.
<https://doi.org/10.1891/0730-0832.19.8.41>
586. Poh, Y. N., Poh, P. F., Buang, S. N. H., & Lee, J. H. (2014). Sedation guidelines, protocols, and algorithms in PICUs: a systematic review. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 15(9), 885–892. <https://doi.org/10.1097/PCC.0000000000000255>
587. Pohlman, M. C., Schweickert, W. D., Pohlman, A. S., Nigos, C., Pawlik, A. J., Esbrook, C. L., ... Kress, J. P. (2010). Feasibility of physical and occupational therapy beginning from initiation of mechanical ventilation. *Critical Care Medicine*, 38(11), 2089–2094.
<https://doi.org/10.1097/CCM.0b013e3181f270c3>
588. Pollack, M. M., Holubkov, R., Funai, T., Clark, A., Berger, J. T., Meert, K., ... Eunice Kennedy Shriver National Institute of Child Health and Human Development Collaborative Pediatric Critical Care Research Network. (2014). Pediatric intensive care outcomes: development of new morbidities during pediatric critical care. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 15(9), 821–827. <https://doi.org/10.1097/PCC.0000000000000250>
589. Pollack, M. M., Holubkov, R., Funai, T., Clark, A., Moler, F., Shanley, T., ... Jenkins, T. L. (2014). Relationship between the functional status scale and the pediatric overall performance category and pediatric cerebral performance category scales. *JAMA Pediatrics*, 168(7), 671–676.
<https://doi.org/10.1001/jamapediatrics.2013.5316>
590. Pollack, M. M., Holubkov, R., Glass, P., Dean, J. M., Meert, K. L., Zimmerman, J., ... Eunice Kennedy Shriver National Institute of Child Health and Human Development Collaborative Pediatric Critical Care Research Network. (2009). Functional Status Scale: new pediatric outcome measure. *Pediatrics*, 124(1), e18–e28. <https://doi.org/10.1542/peds.2008-1987>
591. Porter, M. E. (2010). What is value in health care? *The New England Journal of Medicine*, 363(26), 2477–2481. <https://doi.org/10.1056/NEJMmp1011024>
592. Porter, M. E., & Lee, T. H. (2013). The Strategy That Will Fix Health Care. *Harvard Business Review*.
<https://hbr.org/2013/10/the-strategy-that-will-fix-health-care>
593. Porter, M. E., Larsson, S., & Lee, T. H. (2016). Standardizing Patient Outcomes Measurement. *The New England Journal of Medicine*, 374(6), 504–506. <https://doi.org/10.1056/NEJMmp1511701>
594. Post-intensive care syndrome: What it is and how to help prevent it - American Nurse Today. (2013, May 11). Retrieved September 17, 2019, from American Nurse Today website:
<https://www.americannursetoday.com/post-intensive-care-syndrome-what-it-is-and-how-to-help-prevent-it/>
595. Pottenger, B. C., Pronovost, P. J., Kreif, J., Klein, L., Hobson, D., Young, D., & Hoyer, E. H. (2019a). Towards improving hospital workflows: An evaluation of resources to mobilize patients. *Journal of Nursing Management*, 27(1), 27–34. <https://doi.org/10.1111/jonm.12644>
596. Potter, C., & Carlton, E. (n.d.). Impacting Unit Culture through Interdisciplinary Collaboration. Retrieved October 7, 2019, from Association of Child Life Professionals website:



<https://www.childlife.org/membership/aclp-bulletin/summer-2017-table-of-contents/impacting-unit-culture>

597. Power, N., & Franck, L. (2008). Parent participation in the care of hospitalized children: a systematic review. *Journal of Advanced Nursing*, 62(6), 622–641. <https://doi.org/10.1111/j.1365-2648.2008.04643.x>
598. Powers, J. H. (1944). The abuse of rest as a therapeutic measure in surgery: early postoperative activity and rehabilitation. *JAMA: The Journal of the American Medical Association*, 125(16), 1079–1083. <https://doi.org/10.1001/jama.1944.02850340005003>
599. Preslaski, C. R., Lat, I., MacLaren, R., & Poston, J. (2013). Pharmacist contributions as members of the multidisciplinary ICU team. *Chest*, 144(5), 1687–1695. <https://doi.org/10.1378/chest.12-1615>
600. Probasco, J. C., Lavezza, A., Cassell, A., Shakes, T., Feurer, A., Russell, H., ... Hoyer, E. H. (2018). Choosing Wisely Together: Physical and Occupational Therapy Consultation for Acute Neurology Inpatients. *The Neurohospitalist*, 8(2), 53–59. <https://doi.org/10.1177/1941874417729981>
601. Pronovost, P. J., Berenholtz, S. M., & Needham, D. M. (2008). Translating evidence into practice: a model for large scale knowledge translation. *BMJ*, 337, a1714. <https://doi.org/10.1136/bmj.a1714>
602. Pun, B. T., Balas, M. C., Barnes-Daly, M. A., Thompson, J. L., Aldrich, J. M., Barr, J., ... Ely, E. W. (2019). Caring for Critically Ill Patients with the ABCDEF Bundle: Results of the ICU Liberation Collaborative in Over 15,000 Adults. *Critical Care Medicine*, 47(1), 3–14. <https://doi.org/10.1097/CCM.0000000000003482>
603. Puthucheary, Z. A., Rawal, J., McPhail, M., Connolly, B., Ratnayake, G., Chan, P., ... Montgomery, H. E. (2013). Acute skeletal muscle wasting in critical illness. *JAMA: The Journal of the American Medical Association*, 310(15), 1591–1600. <https://doi.org/10.1001/jama.2013.278481>
604. Rabiee, A., Nikayin, S., Hashem, M. D., Huang, M., Dinglas, V. D., Bienvenu, O. J., ... Needham, D. M. (2016). Depressive Symptoms After Critical Illness: A Systematic Review and Meta-Analysis. *Critical Care Medicine*, 44(9), 1744–1753. <https://doi.org/10.1097/CCM.0000000000001811>
605. Radtke, J. V., Baumann, B. M., Garrett, K. L., & Happ, M. B. (2011). Listening to the voiceless patient: case reports in assisted communication in the intensive care unit. *Journal of Palliative Medicine*, 14(6), 791–795. <https://doi.org/10.1089/jpm.2010.0313>
606. Radtke, J. V., Tate, J. A., & Happ, M. B. (2012). Nurses' perceptions of communication training in the ICU. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 28(1), 16–25. <https://doi.org/10.1016/j.iccn.2011.11.005>
607. Ragland, C., Ochoa, L., & Hartjes, T. (2019). Early mobilisation in intensive care during renal replacement therapy: A quality improvement project. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 52, 22–27. <https://doi.org/10.1016/j.iccn.2018.12.005>
608. Rains, J., & Chee, N. (2017a). The role of occupational and physiotherapy in multi-modal approach to tackling delirium in the intensive care. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 18(4), 318–322. <https://doi.org/10.1177/1751143717720589>
609. Rains, J., & Chee, N. (2017b). The role of occupational and physiotherapy in multi-modal approach to tackling delirium in the intensive care. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 18(4), 318–322. <https://doi.org/10.1177/1751143717720589>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

- of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies, 18(4), 318–322. <https://doi.org/10.1177/1751143717720589>
610. Randolph, A. G., Wypij, D., Venkataraman, S. T., Hanson, J. H., Gedeit, R. G., Meert, K. L., ... Pediatric Acute Lung Injury and Sepsis Investigators (PALISI) Network. (2002). Effect of mechanical ventilator weaning protocols on respiratory outcomes in infants and children: a randomized controlled trial. *JAMA: the Journal of the American Medical Association*, 288(20), 2561–2568.
<https://doi.org/10.1001/jama.288.20.2561>
611. Rattray, J. (2014). Life after critical illness: an overview. *Journal of Clinical Nursing*, 23(5-6), 623–633. <https://doi.org/10.1111/jocn.12379>
612. Rattray, J. E., Johnston, M., & Wildsmith, J. A. W. (2005). Predictors of emotional outcomes of intensive care. *Anaesthesia*, 60(11), 1085–1092. <https://doi.org/10.1111/j.1365-2044.2005.04336.x>
613. Rau, C.-S., Wu, S.-C., Kuo, P.-J., Chen, Y.-C., Chien, P.-C., Hsieh, H.-Y., & Hsieh, C.-H. (2017). Polytrauma Defined by the New Berlin Definition: A Validation Test Based on Propensity-Score Matching Approach. *International Journal of Environmental Research and Public Health*, 14(9). <https://doi.org/10.3390/ijerph14091045>
614. Rawal, G., Yadav, S., & Kumar, R. (2017). Post-intensive Care Syndrome: an Overview. *Journal of Translational Internal Medicine*, 5(2), 90–92. <https://doi.org/10.1515/itim-2016-0016>
615. Reade, M. C., & Finfer, S. (2014). Sedation and delirium in the intensive care unit. *The New England Journal of Medicine*, 370(5), 444–454. <https://doi.org/10.1056/NEJMra1208705>
616. Reames, C. D., Price, D. M., King, E. A., & Dickinson, S. (2016). Mobilizing Patients Along the Continuum of Critical Care. *Dimensions of Critical Care Nursing: DCCN*, 35(1), 10–15.
<https://doi.org/10.1097/DCC.0000000000000151>
617. Regala, M., Marvin, S., & Ehlenbach, W. J. (2019). Association between postextubation dysphagia and long-term mortality among critically ill older adults. *Journal of the American Geriatrics Society*.
<https://doi.org/10.1111/jgs.16039>
618. Regensburg, A. M. (2014). Use of iPads by occupational therapists in a medical intensive care unit. *Physical Disabilities Special Interest Section Quarterly*, 37(3), 1–3.
https://www.hopkinsmedicine.org/pulmonary/research/outcomes_after_critical_illness_surgery/excelfiles/ipad%20ot.pdf
619. Reid, C. L., Campbell, I. T., & Little, R. A. (2004). Muscle wasting and energy balance in critical illness. *Clinical Nutrition*, 23(2), 273–280. [https://doi.org/10.1016/S0261-5614\(03\)00129-8](https://doi.org/10.1016/S0261-5614(03)00129-8)
620. Reid, J. C., Unger, J., McCaskell, D., Childerhose, L., Zorko, D. J., & Kho, M. E. (2018). Physical rehabilitation interventions in the intensive care unit: a scoping review of 117 studies. *Journal of Intensive Care Medicine*, 6, 80. <https://doi.org/10.1186/s40560-018-0349-x>
621. Rettig, J. S., & Arnold, J. H. (2017). Dexmedetomidine in the PICU: Can We Get More for Less? *Pediatric Critical Care Medicine: a Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 18(9), 893–894.
<https://doi.org/10.1097/PCC.0000000000001240>
622. Rhooms, L., Dow, K., Brandon, C., Zhao, G., & Fucile, S. (2019). Effect of unimodal and multimodal sensorimotor interventions on oral feeding outcomes in preterm infants: an evidence-based



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

- systematic review. *Advances in Neonatal Care: Official Journal of the National Association of Neonatal Nurses*, 19(1), E3–E20. <https://doi.org/10.1097/ANC.0000000000000546>
623. Rice, K. L., Bennett, M. J., Berger, L., Jennings, B., Eckhardt, L., Fabré-LaCoste, N., ... Ely, E. W. (2017). A pilot randomized controlled trial of the feasibility of a multicomponent delirium prevention intervention versus usual care in acute stroke. *The Journal of Cardiovascular Nursing*, 32(1), E1–E10. <https://doi.org/10.1097/JCN.0000000000000356>
624. Richards, D. A., Ekers, D., McMillan, D., Taylor, R. S., Byford, S., Warren, F. C., ... Finning, K. (2016). Cost and outcome of behavioural activation versus cognitive behavioural therapy for depression (COBRA): a randomised, controlled, non-inferiority trial. *The Lancet*, 388(10047), 871–880. [https://doi.org/10.1016/S0140-6736\(16\)31140-0](https://doi.org/10.1016/S0140-6736(16)31140-0)
625. Richards, D. A., Rhodes, S., Ekers, D., McMillan, D., Taylor, R. S., Byford, S., ... Woodhouse, R. (2017). Cost and Outcome of BehaviouRal Activation (COBRA): a randomised controlled trial of behavioural activation versus cognitive-behavioural therapy for depression. *Health Technology Assessment*, 21(46), 1–366. <https://doi.org/10.3310/hta21460>
626. Rickelmann, C., & Knoblauch, D. J. (2018). Incorporating safe patient-handling techniques to mobilize our most complex patients on extra corporeal membrane oxygenation. *Critical Care Nursing Quarterly*, 41(3), 272–281. <https://doi.org/10.1097/CNQ.0000000000000206>
627. Righy, C., Rosa, R. G., da Silva, R. T. A., Kochhann, R., Migliavaca, C. B., Robinson, C. C., ... Falavigna, M. (2019). Prevalence of post-traumatic stress disorder symptoms in adult critical care survivors: a systematic review and meta-analysis. *Critical Care / the Society of Critical Care Medicine*, 23(1), 213. <https://doi.org/10.1186/s13054-019-2489-3>
628. Ringdal, M., Plos, K., Ortenwall, P., & Bergbom, I. (2010). Memories and health-related quality of life after intensive care: a follow-up study. *Critical Care Medicine*, 38(1), 38–44. <https://doi.org/10.1097/CCM.0b013e3181b42909>
629. Ringdal, M., Warren Stomberg, M., Egnell, K., Wennberg, E., Zetterman, R., & Rylander, C. (2018). In-bed cycling in the ICU; patient safety and recollections with motivational effects. *Acta Anaesthesiologica Scandinavica*, 62(5), 658–665. <https://doi.org/10.1111/aas.13070>
630. Riskin, A. (2017). Meeting the nutritional needs of premature babies: their future is in our hands. *British Journal of Hospital Medicine*, 78(12), 690–694. <https://doi.org/10.12968/hmed.2017.78.12.690>
631. Rivera, C., Giugliano, C., Fuenzalida, J., Perez, C., & Perez, R. (2019). Delirium in a adult ICU of Clinica Alemana, Santiago-Chile: a prospective cohort. *Clinica Alemana de Santiago*. <https://qrco.de/bbH2Yx>
632. Roberts, R., & Knopman, D. S. (2013). Classification and epidemiology of MCI. *Clinics in Geriatric Medicine*, 29(4), 753–772. <https://doi.org/10.1016/j.cger.2013.07.003>
633. Rodríguez-Rey, R., Palacios, A., Alonso-Tapia, J., Pérez, E., Álvarez, E., Coca, A., ... Belda, S. (2017). Posttraumatic growth in pediatric intensive care personnel: Dependence on resilience and coping strategies. *Psychological Trauma: Theory, Research, Practice and Policy*, 9(4), 407–415. <https://doi.org/10.1037/tra0000211>



634. Rogers, A. T., Bai, G., Lavin, R. A., & Anderson, G. F. (2017). Higher Hospital Spending on Occupational Therapy Is Associated With Lower Readmission Rates. *Medical Care Research and Review: MCRR*, 74(6), 668–686. <https://doi.org/10.1177/1077558716666981>
635. Rose, L., Istanboulian, L., Allum, L., Burry, L., Dale, C., Hart, N., ... PERFORM study investigators. (2017). Patient- and family-centered performance measures focused on actionable processes of care for persistent and chronic critical illness: protocol for a systematic review. *Systematic Reviews*, 6(1), 84. <https://doi.org/10.1186/s13643-017-0476-9>
636. Rose, L., Istanboulian, L., Smith, O. M., Silencieux, S., Cuthbertson, B. H., Amaral, A. C. K.-B., ... Dale, C. (2018). Feasibility of the electrolarynx for enabling communication in the chronically critically ill: The EECCHO study. *Journal of Critical Care*, 47, 109–113. <https://doi.org/10.1016/j.jcrc.2018.06.013>
637. Rose, L., McGinlay, M., Amin, R., Burns, K. E., Connolly, B., Hart, N., ... Blackwood, B. (2017). Variation in Definition of Prolonged Mechanical Ventilation. *Respiratory Care*, 62(10), 1324–1332. <https://doi.org/10.4187/respcare.05485>
638. Rothenhäusler, H. B., Ehrentraut, S., Stoll, C., Schelling, G., & Kapfhammer, H. P. (2001). The relationship between cognitive performance and employment and health status in long-term survivors of the acute respiratory distress syndrome: results of an exploratory study. *General Hospital Psychiatry*, 23(2), 90–96. [https://doi.org/10.1016/s0163-8343\(01\)00123-2](https://doi.org/10.1016/s0163-8343(01)00123-2)
639. Rovner, B. W., Casten, R. J., Hegel, M. T., Massof, R. W., Leiby, B. E., Ho, A. C., & Tasman, W. S. (2014). Low vision depression prevention trial in age-related macular degeneration: a randomized clinical trial. *Ophthalmology*, 121(11), 2204–2211. <https://doi.org/10.1016/j.ophtha.2014.05.002>
640. Ruhl, A. P., Lord, R. K., Panek, J. A., Colantuoni, E., Sepulveda, K. A., Chong, A., ... Needham, D. M. (2015). Health care resource use and costs of two-year survivors of acute lung injury. An observational cohort study. *Annals of the American Thoracic Society*, 12(3), 392–401. <https://doi.org/10.1513/AnnalsATS.201409-422OC>
641. Rukstele, C. D., & Gagnon, M. M. (2013). Making strides in preventing ICU-acquired weakness: involving family in early progressive mobility. *Critical Care Nursing Quarterly*, 36(1), 141–147. <https://doi.org/10.1097/CNQ.0b013e31827539cc>
642. Russell, D. C., Kriel, H., Joubert, G., & Goosen, Y. (2009). Prone positioning and motor development in the first 6 weeks of life. *South African Journal of Occupational Therapy*, 39(1), 11–14. http://www.scielo.org.za/scielo.php?script=sci_arttext&pid=S2310-38332009000100004
643. Ryan, G., Dooley, J., Gerber Finn, L., & Kelly, L. (2019). Nonpharmacological management of neonatal abstinence syndrome: a review of the literature. *The Journal of Maternal-Fetal & Neonatal Medicine: The Official Journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstetricians*, 32(10), 1735–1740. <https://doi.org/10.1080/14767058.2017.1414180>
644. Saliski, M., & Kudchadkar, S. R. (2015). Optimizing sedation management to promote early mobilization for critically ill children. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 4(4), 188–193. <https://doi.org/10.1055/s-0035-1563543>



645. Salluh, J. I. F., & Latronico, N. (2015). Making advances in delirium research: coupling delirium outcomes research and data sharing. *Intensive Care Medicine*, 41(7), 1327–1329.
<https://doi.org/10.1007/s00134-015-3864-4>
646. Salluh, J. I. F., Wang, H., Schneider, E. B., Nagaraja, N., Yenokyan, G., Damluji, A., ... Stevens, R. D. (2015). Outcome of delirium in critically ill patients: systematic review and meta-analysis. *BMJ* , 350, h2538. <https://doi.org/10.1136/bmj.h2538>
647. Samuel, V. M., Colville, G. A., Goodwin, S., Ryninks, K., & Dean, S. (2015). The Value of Screening Parents for Their Risk of Developing Psychological Symptoms After PICU: A Feasibility Study Evaluating a Pediatric Intensive Care Follow-Up Clinic. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 16(9), 808–813. <https://doi.org/10.1097/PCC.0000000000000488>
648. Samuelson, K. A. M., Lundberg, D., & Fridlund, B. (2007). Stressful memories and psychological distress in adult mechanically ventilated intensive care patients - a 2-month follow-up study. *Acta Anaesthesiologica Scandinavica*, 51(6), 671–678. <https://doi.org/10.1111/j.1399-6576.2007.01292.x>
649. Sanders, M. R., & Hall, S. L. (2018). Trauma-informed care in the newborn intensive care unit: promoting safety, security and connectedness. *Journal of Perinatology: Official Journal of the California Perinatal Association*, 38(1), 3–10. <https://doi.org/10.1038/jp.2017.124>
650. Saraff, V., Schneider, J., Colleselli, V., Ruepp, M., Rauchenzauner, M., Neururer, S., ... Höglér, W. (2015). Sex-, age-, and height-specific reference curves for the 6-min walk test in healthy children and adolescents. *European Journal of Pediatrics*, 174(6), 837–840. <https://doi.org/10.1007/s00431-014-2454-8>
651. Schaller, S. J., Anstey, M., Blobner, M., Edrich, T., Grabitz, S. D., Gradwohl-Matis, I.,... & Lee, J. (2016). Early, goal-directed mobilisation in the surgical intensive care unit: a randomised controlled trial. *The Lancet*, 388(10052), 1377-1388. <https://www.ncbi.nlm.nih.gov/pubmed/27707496>
652. Schaller, S. J., Anstey, M., Blobner, M., Edrich, T., Grabitz, S. D., Gradwohl-Matis, I., ... International Early SOMS-guided Mobilization Research Initiative. (2016). Early, goal-directed mobilisation in the surgical intensive care unit: a randomised controlled trial. *The Lancet*, 388(10052), 1377–1388. [https://doi.org/10.1016/S0140-6736\(16\)31637-3](https://doi.org/10.1016/S0140-6736(16)31637-3)
653. Schindler, C. A., Mikhailov, T. A., Fischer, K., Lukasiewicz, G., Kuhn, E. M., & Duncan, L. (2007). Skin integrity in critically ill and injured children. *American Journal of Critical Care: An Official Publication, American Association of Critical-Care Nurses*, 16(6), 568–574.
<https://www.ncbi.nlm.nih.gov/pubmed/17962501>
654. Schindler, C. A., Mikhailov, T. A., Kuhn, E. M., Christopher, J., Conway, P., Ridling, D., ... Simpson, V. S. (2011). Protecting fragile skin: nursing interventions to decrease development of pressure ulcers in pediatric intensive care. *American Journal of Critical Care: An Official Publication, American Association of Critical-Care Nurses*, 20(1), 26–34; quiz 35. <https://doi.org/10.4037/ajcc2011754>
655. Schulz, R., & Martire, L. M. (2004). Family caregiving of persons with dementia: prevalence, health effects, and support strategies. *The American Journal of Geriatric Psychiatry: Official Journal of the American Association for Geriatric Psychiatry*, 12(3), 240–249.
<https://www.ncbi.nlm.nih.gov/pubmed/15126224>



656. Schwartz, S. M., & Schmidt, A. (2013). Medical and nursing care of the child on mechanical circulatory support. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 14(5 Suppl 1), S43–S50. <https://doi.org/10.1097/PCC.0b013e318292dfdc>
657. Schweickert, W. D., & Hall, J. (2007). ICU-acquired weakness. *Chest*, 131(5), 1541–1549. <https://doi.org/10.1378/chest.06-2065>
658. Schweickert, W. D., Pohlman, M. C., Pohlman, A. S., Nigos, C., Pawlik, A. J., Esbrook, C. L., ... Kress, J. P. (2009). Early physical and occupational therapy in mechanically ventilated, critically ill patients: a randomised controlled trial. *The Lancet*, 373(9678), 1874–1882. [https://doi.org/10.1016/S0140-6736\(09\)60658-9](https://doi.org/10.1016/S0140-6736(09)60658-9)
659. Schwing, L. J., & Coldsmith, E. E. (2005). Librarians as hidden gems in a clinical team. *Medical Reference Services Quarterly*, 24(1), 29–39. https://doi.org/10.1300/J115v24n01_03
660. Scott, S. L., & Bondoc, S. (2018). Return to Work After Stroke: A Survey of Occupational Therapy Practice Patterns. *Occupational Therapy in Health Care*, 32(3), 195–215. <https://doi.org/10.1080/07380577.2018.1491083>
661. Sejvar, J. J., Lopez, A. S., Cortese, M. M., Leshem, E., Pastula, D. M., Miller, L., ... Feikin, D. (2016). Acute Flaccid Myelitis in the United States, August–December 2014: Results of Nationwide Surveillance. *Clinical Infectious Diseases: An Official Publication of the Infectious Diseases Society of America*, 63(6), 737–745. <https://doi.org/10.1093/cid/ciw372>
662. Sevin, C. M., Bloom, S. L., Jackson, J. C., Wang, L., Ely, E. W., & Stollings, J. L. (2018). Comprehensive care of ICU survivors: Development and implementation of an ICU recovery center. *Journal of Critical Care*, 46, 141–148. <https://doi.org/10.1016/j.jcrc.2018.02.011>
663. Shackelford, M., & Kudchadkar, S. R. (n.d.). ABCDEF Bundle in Pediatrics. In Society of Critical Care Medicine (Ed.), *Current Concepts in Pediatric Critical Care* (pp. 163–169).
664. Shah, S. O., Kraft, J., Ankam, N., Bu, P., Stout, K., Melnyk, S., ... Athar, M. K. (2018). Early ambulation in patients with external ventricular drains: results of a quality improvement project. *Journal of Intensive Care Medicine*, 33(6), 370–374. <https://doi.org/10.1177/0885066616677507>
665. Shaker, C. S. (2013). Cue-based feeding in the NICU: using the infant's communication as a guide. *Neonatal Network: NN*, 32(6), 404–408. <https://doi.org/10.1891/0730-0832.32.6.404>
666. Shaker, R., Li, Q., Ren, J., Townsend, W. F., Dodds, W. J., Martin, B. J., ... Rynders, A. (1992). Coordination of deglutition and phases of respiration: effect of aging, tachypnea, bolus volume, and chronic obstructive pulmonary disease. *The American Journal of Physiology*, 263(5 Pt 1), G750–G755. <https://doi.org/10.1152/ajppgi.1992.263.5.G750>
667. Shapiro, M. C., Henderson, C. M., Hutton, N., & Boss, R. D. (2017). Defining Pediatric Chronic Critical Illness for Clinical Care, Research, and Policy. *Hospital Pediatrics*, 7(4), 236–244. <https://doi.org/10.1542/hpeds.2016-0107>
668. Sharp, W. G., Volkert, V. M., Scahill, L., McCracken, C. E., & McElhanon, B. (2017). A systematic review and meta-analysis of intensive multidisciplinary intervention for pediatric feeding disorders: how standard is the standard of care? *The Journal of Pediatrics*, 181, 116–124.e4. <https://doi.org/10.1016/j.jpeds.2016.10.002>



669. Shehabi, Y., Howe, B. D., Bellomo, R., Arabi, Y. M., Bailey, M., Bass, F. E., ... ANZICS Clinical Trials Group and the SPICE III Investigators. (2019). Early sedation with dexmedetomidine in critically ill patients. *The New England Journal of Medicine*, 380(26), 2506–2517.
<https://doi.org/10.1056/NEJMoa1904710>
670. Shojania, K. G. (2008). The frustrating case of incident-reporting systems. *Quality & Safety in Health Care*, 17(6), 400–402. <https://doi.org/10.1136/qshc.2008.029496>
671. Shumock, K., Appel, J., & Toonstra, A. (2015). Axillary intra-aortic balloon pump placement as a means for safe mobility in a patient awaiting left ventricular assist device implantation: a case report. *Cardiopulmonary Physical Therapy Journal*, 26(3), 53–57.
<https://doi.org/10.1097/CPT.0000000000000010>
672. Sibilla, A., Nydahl, P., Greco, N., Mungo, G., Ott, N., Unger, I., ... Kudchadkar, S. R. (2017). Mobilization of mechanically ventilated patients in Switzerland. *Journal of Intensive Care Medicine*, 885066617728486. <https://doi.org/10.1177/0885066617728486>
673. Silveira, L. T. Y. da, Silva, J. M. da, Soler, J. M. P., Sun, C. Y. L., Tanaka, C., & Fu, C. (2018). Assessing functional status after intensive care unit stay: the Barthel Index and the Katz Index. *International Journal for Quality in Health Care: Journal of the International Society for Quality in Health Care / ISQua*, 30(4), 265–270. <https://doi.org/10.1093/intqhc/mzx203>
674. Simone, S., Edwards, S., Lardieri, A., Walker, L. K., Graciano, A. L., Kishk, O. A., & Custer, J. W. (2017). Implementation of an ICU Bundle: an interprofessional quality improvement project to enhance delirium management and monitor delirium prevalence in a Single PICU. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 18(6), 531–540.
<https://doi.org/10.1097/PCC.0000000000001127>
675. Skinner, M. L., Halstead, L. A., Rubinstein, C. S., Atz, A. M., Andrews, D., & Bradley, S. M. (2005). Laryngopharyngeal dysfunction after the Norwood procedure. *The Journal of Thoracic and Cardiovascular Surgery*, 130(5), 1293–1301. <https://doi.org/10.1016/j.jtcvs.2005.07.013>
676. Skoretz, S. A., Flowers, H. L., & Martino, R. (2010). The incidence of dysphagia following endotracheal intubation: a systematic review. *Chest*, 137(3), 665–673.
<https://doi.org/10.1378/chest.09-1823>
677. Skrobik, Y., Duprey, M. S., Hill, N. S., & Devlin, J. W. (2018). Low-dose nocturnal dexmedetomidine prevents icu delirium. a randomized, placebo-controlled trial. *American Journal of Respiratory and Critical Care Medicine*, 197(9), 1147–1156. <https://doi.org/10.1164/rccm.201710-1995OC>
678. Smith, H. A. B., Boyd, J., Fuchs, D. C., Melvin, K., Berry, P., Shintani, A., ... Ely, E. W. (2011). Diagnosing delirium in critically ill children: Validity and reliability of the Pediatric Confusion Assessment Method for the Intensive Care Unit. *Critical Care Medicine*, 39(1), 150–157.
<https://doi.org/10.1097/CCM.0b013e3181feb489>
679. Smithburger, P. L., Korenosi, A. S., Kane-Gill, S. L., & Alexander, S. A. (2017). Perceptions of Family Members, Nurses, and Physicians on Involving Patients' Families in Delirium Prevention. *Critical Care Nurse*, 37(6), 48–57. <https://doi.org/10.4037/ccn2017901>
680. Smith-Gabai, H. (2017). Occupational Therapy in Acute Care (2e). AOTA Press.
<http://www.worldcat.org/oclc/1032504901>



681. Snyder, J., & Nethersole-Chong, D. (1999). Is cross-training medical/surgical RNs to ICU the answer? *Nursing Management*, 30(2), 58–60. <https://www.ncbi.nlm.nih.gov/pubmed/10188517>
682. So, S., Rogers, A., Patterson, C., Drew, W., Maxwell, J., Darch, J., ... Pollock-BarZiv, S. (2014). Parental experiences of a developmentally focused care program for infants and children during prolonged hospitalization. *Journal of Child Health Care: For Professionals Working with Children in the Hospital and Community*, 18(2), 156–167. <https://doi.org/10.1177/1367493513485476>
683. Soares, M., Bozza, F. A., Angus, D. C., Japiassú, A. M., Viana, W. N., Costa, R., ... Salluh, J. I. F. (2015). Organizational characteristics, outcomes, and resource use in 78 Brazilian intensive care units: the ORCHESTRA study. *Intensive Care Medicine*, 41(12), 2149–2160. <https://doi.org/10.1007/s00134-015-4076-7>
684. Sommers, J., Klooster, E., Zoethout, S. B., van den Oever, H. L. A., Nollet, F., Tepaske, R., ... van der Schaaf, M. (2019). Feasibility of Exercise Testing in Patients Who Are Critically Ill: A Prospective, Observational Multicenter Study. *Archives of Physical Medicine and Rehabilitation*, 100(2), 239–246. <https://doi.org/10.1016/j.apmr.2018.07.430>
685. Sosnowski, K., Mitchell, M. L., White, H., Morrison, L., Sutton, J., Sharratt, J., & Lin, F. (2018). A feasibility study of a randomised controlled trial to examine the impact of the ABCDE bundle on quality of life in ICU survivors. *Pilot and Feasibility Studies*, 4, 32. <https://doi.org/10.1186/s40814-017-0224-x>
686. Southcott, A. M., Holdsworth, C., Malcolm, L., Muruganandan, S., & Skinner, E. (2019). Evaluation of the implementation of a Tracheostomy Review Services (TRS): an observational cohort study. *Journal of Interprofessional Care*, 1–9. <https://doi.org/10.1080/13561820.2019.1566216>
687. Spatz, D. L. (2004). Ten steps for promoting and protecting breastfeeding for vulnerable infants. *The Journal of Perinatal & Neonatal Nursing*, 18(4), 385–396. <https://www.ncbi.nlm.nih.gov/pubmed/15646308>
688. Staab, J. H., Klayman, G. J., & Lin, L. (2014). Assessing pediatric patient's risk of distress during health-care encounters: The psychometric properties of the Psychosocial Risk Assessment in Pediatrics. *Journal of Child Health Care: For Professionals Working with Children in the Hospital and Community*, 18(4), 378–387. <https://doi.org/10.1177/1367493513496671>
689. Stein, T. P., & Wade, C. E. (2005). Metabolic consequences of muscle disuse atrophy. *The Journal of Nutrition*, 135(7), 1824S – 1828S. <https://doi.org/10.1093/jn/135.7.1824S>
690. Steinberg, K. P., Hudson, L. D., Goodman, R. B., Hough, C. L., Lanken, P. N., Hyzy, R., ... National Heart, Lung, and Blood Institute Acute Respiratory Distress Syndrome (ARDS) Clinical Trials Network. (2006). Efficacy and safety of corticosteroids for persistent acute respiratory distress syndrome. *The New England Journal of Medicine*, 354(16), 1671–1684. <https://doi.org/10.1056/NEJMoa051693>
691. Steltzer, M. M., Sussman-Karten, K., Kuzdeba, H. B., Mott, S., & Connor, J. A. (2016). Creating Opportunities for Optimal Nutritional Experiences for Infants With Complex Congenital Heart Disease. *Journal of Pediatric Health Care: Official Publication of National Association of Pediatric Nurse Associates & Practitioners*, 30(6), 599–605. <https://doi.org/10.1016/j.pedhc.2016.08.002>



692. Stevens, R. D., Dowdy, D. W., Michaels, R. K., Mendez-Tellez, P. A., Pronovost, P. J., & Needham, D. M. (2007). Neuromuscular dysfunction acquired in critical illness: a systematic review. *Intensive Care Medicine*, 33(11), 1876–1891. <https://doi.org/10.1007/s00134-007-0772-2>
693. Stevens, R. D., Marshall, S. A., Cornblath, D. R., Hoke, A., Needham, D. M., de Jonghe, B., ... Sharshar, T. (2009). A framework for diagnosing and classifying intensive care unit-acquired weakness. *Critical Care Medicine*, 37(10 Suppl), S299–S308. <https://doi.org/10.1097/CCM.0b013e3181b6ef67>
694. Stoll, C., Schelling, G., Goetz, A. E., Kilger, E., Bayer, A., Kapfhammer, H. P., ... Peter, K. (2000). Health-related quality of life and post-traumatic stress disorder in patients after cardiac surgery and intensive care treatment. *The Journal of Thoracic and Cardiovascular Surgery*, 120(3), 505–512. <https://doi.org/10.1067/mtc.2000.108162>
695. Stollings, J. L., Devlin, J. W., Pun, B. T., Puntillo, K. A., Kelly, T., Hargett, K. D., ... Balas, M. C. (2019). Implementing the ABCDEF Bundle: Top 8 Questions Asked During the ICU Liberation ABCDEF Bundle Improvement Collaborative. *Critical Care Nurse*, 39(1), 36–45. <https://doi.org/10.4037/ccn2019981>
696. Strøm, T., & Toft, P. (2014). Sedation and analgesia in mechanical ventilation. *Seminars in Respiratory and Critical Care Medicine*, 35(4), 441–450. <https://doi.org/10.1055/s-0034-1382156>
697. Sukantarat, K. T., Burgess, P. W., Williamson, R. C. N., & Brett, S. J. (2005). Prolonged cognitive dysfunction in survivors of critical illness. *Anaesthesia*, 60(9), 847–853. <https://doi.org/10.1111/j.1365-2044.2005.04148.x>
698. Suterwala, M. S., Reynolds, J., Carroll, S., Sturdivant, C., & Armstrong, E. S. (2017). Using fiberoptic endoscopic evaluation of swallowing to detect laryngeal penetration and aspiration in infants in the neonatal intensive care unit. *Journal of Perinatology: Official Journal of the California Perinatal Association*, 37(4), 404–408. <https://doi.org/10.1038/jp.2016.239>
699. Sutt, A.-L., Anstey, C. M., Caruana, L. R., Cornwell, P. L., & Fraser, J. F. (2017). Ventilation distribution and lung recruitment with speaking valve use in tracheostomised patient weaning from mechanical ventilation in intensive care. *Journal of Critical Care*, 40, 164–170. <https://doi.org/10.1016/j.jcrc.2017.04.001>
700. Sutt, A.-L., Caruana, L. R., Dunster, K. R., Cornwell, P. L., Anstey, C. M., & Fraser, J. F. (2016). Speaking valves in tracheostomised ICU patients weaning off mechanical ventilation--do they facilitate lung recruitment? *Critical Care / the Society of Critical Care Medicine*, 20, 91. <https://doi.org/10.1186/s13054-016-1249-x>
701. Svenningsen, H. (2015). A shared language regarding sedation and delirium in critically ill patients. *Nursing in Critical Care*, 20(4), 204–209. <https://doi.org/10.1111/nicc.12187>
702. Swinth, J. Y., Anderson, G. C., & Hadeed, A. J. (2003). Kangaroo (skin-to-skin) care with a preterm infant before, during, and after mechanical ventilation. *Neonatal Network: NN*, 22(6), 33–38. <https://doi.org/10.1891/0730-0832.22.6.33>
703. Taylor, A., Butt, W., & Ciardulli, M. (2003). The functional outcome and quality of life of children after admission to an intensive care unit. *Intensive Care Medicine*, 29(5), 795–800. <https://doi.org/10.1007/s00134-003-1690-6>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

704. Taylor, R. M., Preedy, V. R., Baker, A. J., & Grimble, G. (2003). Nutritional support in critically ill children. *Clinical Nutrition*, 22(4), 365–369. <https://www.ncbi.nlm.nih.gov/pubmed/12880603>
705. The Chronic Care Model: Improving Chronic Illness Care. (n.d.). Retrieved September 25, 2019, from <http://www.improvingchroniccare.org/index.php?p=The%20Chronic%20Care%20Model&s=2>
706. The Joint Commission. (n.d.). Facts about patient-centered communications. Retrieved September 17, 2019, from https://www.jointcommission.org/facts_about_patient-centered.communications/
707. The Post-Acute Care Collaborative. (2012-2017). Post-Acute Care Collaborative. Retrieved September 11, 2019, from <https://www.advisory.com/research/post-acute-care-collaborative>
708. Thomas, J. J., Levek, C., Quick, H. D., Brinton, J. T., Garg, S., & Cohen, M. N. (2018). Utility of gabapentin in meeting physical therapy goals following posterior spinal fusion in adolescent patients with idiopathic scoliosis. *Paediatric Anaesthesia*, 28(6), 558–563. <https://doi.org/10.1111/pan.13398>
709. Thompson, L. V. (2002). Skeletal muscle adaptations with age, inactivity, and therapeutic exercise. *The Journal of Orthopaedic and Sports Physical Therapy*, 32(2), 44–57. <https://doi.org/10.2519/jospt.2002.32.2.44>
710. Tipping, C. J., Bailey, M. J., Bellomo, R., Berney, S., Buhr, H., Denehy, L., ... Hodgson, C. L. (2016). The ICU Mobility Scale Has Construct and Predictive Validity and Is Responsive. A Multicenter Observational Study. *Annals of the American Thoracic Society*, 13(6), 887–893. <https://doi.org/10.1513/AnnalsATS.201510-717OC>
711. Titler, M. G. (n.d.). Evidence on EBP Implementation. In R. G. Hughes (Ed.), *Patient safety and quality: an evidence-based handbook for nurses*. {AHRQ}.
712. Tobar, E., Alvarez, E., & Garrido, M. (2017). Cognitive stimulation and occupational therapy for delirium prevention. *Revista Brasileira de terapia intensiva*, 29(2), 248–252. <https://doi.org/10.5935/0103-507X.20170034>
713. Tolotti, A., Bagnasco, A., Catania, G., Aleo, G., Pagnucci, N., Cadorin, L., ... Sasso, L. (2018). The communication experience of tracheostomy patients with nurses in the intensive care unit: A phenomenological study. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 46, 24–31. <https://doi.org/10.1016/j.iccn.2018.01.001>
714. Tomantschger, I., Herrero, D., Einspieler, C., Hamamura, C., Voos, M. C., & Marschik, P. B. (2018). The general movement assessment in non-European low- and middle-income countries. *Revista de Saude Publica*, 52, 6. <https://doi.org/10.11606/S1518-8787.2018052000332>
715. Toonstra, A. L., Zanni, J. M., Sperati, C. J., Nelliot, A., Mantheiy, E., Skinner, E. H., & Needham, D. M. (2016). Feasibility and Safety of Physical Therapy during Continuous Renal Replacement Therapy in the Intensive Care Unit. *Annals of the American Thoracic Society*, 13(5), 699–704. <https://doi.org/10.1513/AnnalsATS.201506-359OC>
716. Topp, R., Ditmyer, M., King, K., Doherty, K., & Hornyak, J., 3rd. (2002). The effect of bed rest and potential of prehabilitation on patients in the intensive care unit. *AACN Clinical Issues*, 13(2), 263–276. <https://www.ncbi.nlm.nih.gov/pubmed/12011598>
717. Townsend-Gervis, M., Cornell, P., & Vardaman, J. M. (2014). Interdisciplinary Rounds and Structured Communication Reduce Re-Admissions and Improve Some Patient Outcomes. *Western Journal of Nursing Research*, 36(7), 917–928. <https://doi.org/10.1177/0193945914527521>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

718. Traube, C., Mauer, E. A., Gerber, L. M., Kaur, S., Joyce, C., Kerson, A., ... Greenwald, B. M. (2016). Cost Associated With Pediatric Delirium in the ICU. *Critical Care Medicine*, 44(12), e1175–e1179. <https://doi.org/10.1097/CCM.0000000000002004>
719. Traube, C., Silver, G., Kearney, J., Patel, A., Atkinson, T. M., Yoon, M. J., ... Greenwald, B. (2014). Cornell Assessment of Pediatric Delirium: a valid, rapid, observational tool for screening delirium in the PICU*. *Critical Care Medicine*, 42(3), 656–663. <https://doi.org/10.1097/CCM.0b013e3182a66b76>
720. TrendWatch: Maximizing the Value of Post-acute Care | AHA. (n.d.). Retrieved October 14, 2019, from American Hospital Association website: <https://www.aha.org/guidesreports/2010-11-30-trendwatch-maximizing-value-post-acute-care>
721. Trevena-Peters, J., McKay, A., Spitz, G., Suda, R., Renison, B., & Ponsford, J. (2018). Efficacy of Activities of Daily Living Retraining During Posttraumatic Amnesia: A Randomized Controlled Trial. *Archives of Physical Medicine and Rehabilitation*, 99(2), 329–337.e2. <https://doi.org/10.1016/j.apmr.2017.08.486>
722. Triplett, P., Carroll, C. P., Gerstenblith, T. A., & Bienvenu, O. J. (2019). An evaluation of proactive psychiatric consults on general medical units. *General Hospital Psychiatry*, 60, 57–64. <https://doi.org/10.1016/j.genhosppsych.2019.07.009>
723. Tsuboi, N., Hiratsuka, M., Kaneko, S., Nishimura, N., Nakagawa, S., Kasahara, M., & Kamikubo, T. (2019). Benefits of early mobilization after pediatric liver transplantation. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 20(2), e91–e97. <https://doi.org/10.1097/PCC.0000000000001815>
724. Tsuboi, N., Nozaki, H., Ishida, Y., Kanazawa, I., Inamoto, M., Hayashi, K., ... Kamikubo, T. (2017). Early Mobilization after Pediatric Liver Transplantation. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 6(3), 199–205. <https://doi.org/10.1055/s-0036-1593387>
725. Tsui, A. S., Wang, H., & Xin, K. R. (2006). Organizational Culture in China: An Analysis of Culture Dimensions and Culture Types. *Management and Organization Review*, 2(3), 345–376. <https://doi.org/10.1111/j.1740-8784.2006.00050.x>
726. Turnbull, A. E., Rabiee, A., Davis, W. E., Nasser, M. F., Venna, V. R., Lolitha, R., ... Needham, D. M. (2016). Outcome measurement in ICU survivorship research from 1970 to 2013: a scoping review of 425 Publications. *Critical Care Medicine*, 44(7), 1267–1277. <https://doi.org/10.1097/CCM.0000000000001651>
727. Turner, D. A., Cheifetz, I. M., Rehder, K. J., Williford, W. L., Bonadonna, D., Banuelos, S. J., ... Zaas, D. (2011). Active rehabilitation and physical therapy during extracorporeal membrane oxygenation while awaiting lung transplantation: a practical approach. *Critical Care Medicine*, 39(12), 2593–2598. <https://doi.org/10.1097/CCM.0b013e3182282bbe>
728. Tweedie, D. J., Cooke, J., Stephenson, K. A., Gupta, S. L., Pepper, C. M., Elloy, M. D., ... Wyatt, M. E. (2018). Paediatric tracheostomy tubes: recent developments and our current practice. *The Journal of Laryngology and Otology*, 132(11), 961–968. <https://doi.org/10.1017/S0022215118001330>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

729. Umakanthan, R., Hoff, S. J., Solenkova, N., Wigger, M. A., Keebler, M. E., Lenneman, A., ... Ahmad, R. M. (2012). Benefits of ambulatory axillary intra-aortic balloon pump for circulatory support as bridge to heart transplant. *The Journal of Thoracic and Cardiovascular Surgery*, 143(5), 1193–1197. <https://doi.org/10.1016/j.jtcvs.2012.02.009>
730. Unroe, M., Kahn, J. M., Carson, S. S., Govert, J. A., Martinu, T., Sathy, S. J., ... Cox, C. E. (2010). One-year trajectories of care and resource utilization for recipients of prolonged mechanical ventilation: a cohort study. *Annals of Internal Medicine*, 153(3), 167–175. <https://doi.org/10.7326/0003-4819-153-3-201008030-00007>
731. Vaidya, A. (2014). ASC QI project success: The 4 'E's that drive process standardization. *Becker's Clinical Leadership and Infection Control*. <https://www.beckersasc.com/asc-quality-infection-control/asc-qc-project-success-the-4-e-s-that-drive-process-standardization.html>
732. van Beusekom, I., Bakhshi-Raiez, F., de Keizer, N. F., Dongelmans, D. A., & van der Schaaf, M. (2016). Reported burden on informal caregivers of ICU survivors: a literature review. *Critical Care / the Society of Critical Care Medicine*, 20, 16. <https://doi.org/10.1186/s13054-016-1185-9>
733. Van Damme, D., Flori, H., & Owens, T. (2018). Development of Medical Criteria for Mobilizing a Pediatric Patient in the PICU. *Critical Care Nursing Quarterly*, 41(3), 323–329. <https://doi.org/10.1097/CNQ.0000000000000212>
734. Van den Berghe, G., Schoonheydt, K., Becx, P., Bruyninckx, F., & Wouters, P. J. (2005). Insulin therapy protects the central and peripheral nervous system of intensive care patients. *Neurology*, 64(8), 1348–1353. <https://doi.org/10.1212/01.WNL.0000158442.08857.FC>
735. Van den Berghe, G., Wilmer, A., Hermans, G., Meersseman, W., Wouters, P. J., Milants, I., ... Bouillon, R. (2006). Intensive insulin therapy in the medical ICU. *The New England Journal of Medicine*, 354(5), 449–461. <https://doi.org/10.1056/NEJMoa052521>
736. van den Berghe, G., Wouters, P., Weekers, F., Verwaest, C., Bruyninckx, F., Schetz, M., ... Bouillon, R. (2001). Intensive insulin therapy in critically ill patients. *The New England Journal of Medicine*, 345(19), 1359–1367. <https://doi.org/10.1056/NEJMoa011300>
737. van den Boogaard, M., Slooter, A. J. C., Brüggemann, R. J. M., Schoonhoven, L., Beishuizen, A., Vermeijden, J. W., ... Hannink, G. (2018). Effect of Haloperidol on Survival Among Critically Ill Adults With a High Risk of Delirium: The REDUCE Randomized Clinical Trial. *JAMA: The Journal of the American Medical Association*, 319(7), 680–690. <https://doi.org/10.1001/jama.2018.0160>
738. van der Schaaf, M., Beelen, A., Dongelmans, D. A., Vroom, M. B., & Nollet, F. (2009a). Functional status after intensive care: a challenge for rehabilitation professionals to improve outcome. *Journal of Rehabilitation Medicine: Official Journal of the UEMS European Board of Physical and Rehabilitation Medicine*, 41(5), 360–366. <https://doi.org/10.2340/16501977-0333>
739. van der Schaaf, M., Beelen, A., Dongelmans, D. A., Vroom, M. B., & Nollet, F. (2009b). Poor functional recovery after a critical illness: a longitudinal study. *Journal of Rehabilitation Medicine: Official Journal of the UEMS European Board of Physical and Rehabilitation Medicine*, 41(13), 1041–1048. <https://doi.org/10.2340/16501977-0443>
740. Van Pelt, D. C., Milbrandt, E. B., Qin, L., Weissfeld, L. A., Rotondi, A. J., Schulz, R., ... Pinsky, M. R. (2007). Informal caregiver burden among survivors of prolonged mechanical ventilation. *American*



- Journal of Respiratory and Critical Care Medicine, 175(2), 167–173.
<https://doi.org/10.1164/rccm.200604-493OC>
741. Van Rompaey, B., Elseviers, M. M., Van Drom, W., Fromont, V., & Jorens, P. G. (2012). The effect of earplugs during the night on the onset of delirium and sleep perception: a randomized controlled trial in intensive care patients. *Critical Care / the Society of Critical Care Medicine*, 16(3), R73.
<https://doi.org/10.1186/cc11330>
742. van Vlimmeren, L. A., van der Graaf, Y., Boere-Boonekamp, M. M., L'Hoir, M. P., Helders, P. J. M., & Engelbert, R. H. H. (2007). Risk factors for deformational plagiocephaly at birth and at 7 weeks of age: a prospective cohort study. *Pediatrics*, 119(2), e408–e418. <https://doi.org/10.1542/peds.2006-2012>
743. Vasilevskis, E. E., Ely, E. W., Speroff, T., Pun, B. T., Boehm, L., & Dittus, R. S. (2010). Reducing iatrogenic risks: ICU-acquired delirium and weakness--crossing the quality chasm. *Chest*, 138(5), 1224–1233. <https://doi.org/10.1378/chest.10-0466>
744. Verceles, A. C., Corwin, D. S., Afshar, M., Friedman, E. B., McCurdy, M. T., Shanholtz, C., ... Netzer, G. (2014). Half of the family members of critically ill patients experience excessive daytime sleepiness. *Intensive Care Medicine*, 40(8), 1124–1131. <https://doi.org/10.1007/s00134-014-3347-z>
745. Vieira, E. R., Schneider, P., Guidera, C., Gadotti, I. C., & Brunt, D. (2016). Work-related musculoskeletal disorders among physical therapists: A systematic review. *Journal of Back and Musculoskeletal Rehabilitation*, 29(3), 417–428. <https://doi.org/10.3233/BMR-150649>
746. Wade, D. M., Mouncey, P. R., Richards-Belle, A., Wulff, J., Harrison, D. A., Sadique, M. Z., ... POPPI Trial Investigators. (2019). Effect of a Nurse-Led Preventive Psychological Intervention on Symptoms of Posttraumatic Stress Disorder Among Critically Ill Patients: A Randomized Clinical Trial. *JAMA: The Journal of the American Medical Association*, 321(7), 665–675.
<https://doi.org/10.1001/jama.2019.0073>
747. Wainwright, M. S., Hansen, G., & Piantino, J. (2016). Pediatric neurocritical care in the 21st century: from empiricism to evidence. *Current Opinion in Critical Care*, 22(2), 106–112.
<https://doi.org/10.1097/MCC.0000000000000288>
748. Wald, H. L., Ramaswamy, R., Perskin, M. H., Roberts, L., Bogaisky, M., Suen, W., ... Quality and Performance Measurement Committee of the American Geriatrics Society. (2019). The Case for Mobility Assessment in Hospitalized Older Adults: American Geriatrics Society White Paper Executive Summary. *Journal of the American Geriatrics Society*, 67(1), 11–16.
<https://doi.org/10.1111/jgs.15595>
749. Walker, T. C., & Kudchadkar, S. R. (2018). Early mobilization in the pediatric intensive care unit. *Translational Pediatrics*, 7(4), 308–313. <https://doi.org/10.21037/tp.2018.09.02>
750. Walker, T., & Kudchadkar, S. R. (2018). Early mobility in the pediatric intensive care unit: can we move on? *The Journal of Pediatrics*, 203, 10–12. <https://doi.org/10.1016/j.jpeds.2018.08.058>
751. Walker, T., & Kudchadkar, S. R. (2019). Pain and Sedation Management: 2018 Update for the Rogers' Textbook of Pediatric Intensive Care. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 20(1), 54–61. <https://doi.org/10.1097/PCC.0000000000001765>



752. Wallace, D. J., Angus, D. C., Seymour, C. W., Barnato, A. E., & Kahn, J. M. (2015). Critical care bed growth in the United States. A comparison of regional and national trends. *American Journal of Respiratory and Critical Care Medicine*, 191(4), 410–416. <https://doi.org/10.1164/rccm.201409-1746OC>
753. Walsh RRT-NPS ACCS FAARC, B. K., Czervinske BSRT RRT-NPS, M. P., & DiBlasi RRT-NPS, R. M. (2009). Perinatal and Pediatric Respiratory Care (3e). <http://www.worldcat.org/oclc/858731402>
754. Walsh, J., & Rastatter, J. (2018). Neonatal tracheostomy. *Clinics in Perinatology*, 45(4), 805–816. <https://doi.org/10.1016/j.clp.2018.07.014>
755. Walsh, T. S., Salisbury, L. G., Merriweather, J. L., Boyd, J. A., Griffith, D. M., Huby, G., ... RECOVER Investigators. (2015). Increased Hospital-Based Physical Rehabilitation and Information Provision After Intensive Care Unit Discharge: The RECOVER Randomized Clinical Trial. *JAMA Internal Medicine*, 175(6), 901–910. <https://doi.org/10.1001/jamainternmed.2015.0822>
756. Wang, Y. T., Haines, T. P., Ritchie, P., Walker, C., Ansell, T. A., Ryan, D. T., ... Skinner, E. H. (2014). Early mobilization on continuous renal replacement therapy is safe and may improve filter life. *Critical Care / the Society of Critical Care Medicine*, 18(4), R161. <https://doi.org/10.1186/cc14001>
757. Warren, E., Shackelford, M. J., & Ascenzi, J. (n.d.). Time to PICU Up: Implementing the ABCDEF Bundle to Liberate the Critically Ill Child. Retrieved October 7, 2019, from American Association of Critical Care Nurses website: <https://www.aacn.org/conferences-and-events/events-calendar/national-events/event-sessions/national-teaching-institute---2018/v60m261/time-to-picu-up-implementing-the-abcdef-bundle-to-liberate-the-critically-ill-child>
758. Wassenaar, A., Rood, P., Boelen, D., Schoonhoven, L., Pickkers, P., & van den Boogaard, M. (2018). Feasibility of Cognitive Training in Critically Ill Patients: A Pilot Study. *American Journal of Critical Care: An Official Publication, American Association of Critical-Care Nurses*, 27(2), 124–135. <https://doi.org/10.4037/ajcc2018467>
759. Waszynski, C. M., Milner, K. A., Staff, I., & Molony, S. L. (2018). Using simulated family presence to decrease agitation in older hospitalized delirious patients: A randomized controlled trial. *International Journal of Nursing Studies*, 77, 154–161. <https://doi.org/10.1016/j.ijnurstu.2017.09.018>
760. Watson, R. S., Choong, K., Colville, G., Crow, S., Dervan, L. A., Hopkins, R. O., ... Curley, M. A. Q. (2018). Life after Critical Illness in Children-Toward an Understanding of Pediatric Post-intensive Care Syndrome. *The Journal of Pediatrics*, 198, 16–24. <https://doi.org/10.1016/j.jpeds.2017.12.084>
761. Weeks, K. W., Coben, D., O'Neill, D., Jones, A., Weeks, A., Brown, M., & Pontin, D. (2019). Developing and integrating nursing competence through authentic technology-enhanced clinical simulation education: Pedagogies for reconceptualising the theory-practice gap. *Nurse Education in Practice*, 37, 29–38. <https://doi.org/10.1016/j.nepr.2019.04.010>
762. Weinreich, M., Herman, J., Dickason, S., & Mayo, H. (2017). Occupational Therapy in the Intensive Care Unit: A Systematic Review. *Occupational Therapy in Health Care*, 31(3), 205–213. <https://doi.org/10.1080/07380577.2017.1340690>
763. Wellington, A., & Perlman, J. M. (2015). Infant-driven feeding in premature infants: a quality improvement project. *Archives of Disease in Childhood. Fetal and Neonatal Edition*, 100(6), F495–F500. <https://doi.org/10.1136/archdischild-2015-308296>



764. Wells, C. L., Forrester, J., Vogel, J., Rector, R., Tabatabai, A., & Herr, D. (2018). Safety and Feasibility of Early Physical Therapy for Patients on Extracorporeal Membrane Oxygenator: University of Maryland Medical Center Experience. *Critical Care Medicine*, 46(1), 53–59.
<https://doi.org/10.1097/CCM.0000000000002770>
765. Wendlandt, B., Ceppe, A., Choudhury, S., Cox, C. E., Hanson, L. C., Danis, M., ... Carson, S. S. (2019). Modifiable elements of ICU supportive care and communication are associated with surrogates' PTSD symptoms. *Intensive Care Medicine*, 45(5), 619–626. <https://doi.org/10.1007/s00134-019-05550-z>
766. Wieczorek, B., Ascenzi, J., Kim, Y., Lenker, H., Potter, C., Shata, N. J., ... Kudchadkar, S. R. (2016). PICU Up!: impact of a quality improvement intervention to promote early mobilization in critically ill children. *pediatric critical care medicine: a journal of the society of critical care medicine and the world Federation of Pediatric Intensive and Critical Care Societies*, 17(12), e559–e566.
<https://doi.org/10.1097/PCC.0000000000000983>
767. Wieczorek, B., Burke, C., Al-Harbi, A., & Kudchadkar, S. R. (2015). Early mobilization in the pediatric intensive care unit: a systematic review. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 2015, 129–170. <https://doi.org/10.1055/s-0035-1563386>
768. Wiencek, C., & Winkelman, C. (2010). Chronic critical illness: prevalence, profile, and pathophysiology. *AACN Advanced Critical Care*, 21(1), 44–61; quiz 63.
<https://doi.org/10.1097/NCI.0b013e3181c6a162>
769. Williams, T. A., Leslie, G. D., Bingham, R., & Brearley, L. (2011). Optimizing seating in the intensive care unit for patients with impaired mobility. *American Journal of Critical Care: An Official Publication, American Association of Critical-Care Nurses*, 20(1), e19–e27.
<https://doi.org/10.4037/ajcc2011239>
770. Williamson, D., Frenette, A. J., Burry, L. D., Perreault, M., Charbonney, E., Lamontagne, F., ... Bernard, F. (2019). Pharmacological interventions for agitated behaviours in patients with traumatic brain injury: a systematic review. *BMJ Open*, 9(7), e029604.
<https://doi.org/10.1136/bmjopen-2019-029604>
771. Wilson, J. E., Collar, E. M., Kiehl, A. L., Lee, H., Merzenich, M., Ely, E. W., & Jackson, J. (2018). Computerized Cognitive Rehabilitation in Intensive Care Unit Survivors: Returning to Everyday Tasks Using Rehabilitation Networks-Computerized Cognitive Rehabilitation Pilot Investigation. *Annals of the American Thoracic Society*, 15(7), 887–891.
<https://doi.org/10.1513/AnnalsATS.201709-744RL>
772. Wilson, M. E., Hopkins, R. O., & Brown, S. M. (2019). Long-Term Functional Outcome Data Should Not in General Be Used to Guide End-of-Life Decision-Making in the ICU. *Critical Care Medicine*, 47(2), 264–267. <https://doi.org/10.1097/CCM.0000000000003443>
773. Winkelman, C. (2007). Inactivity and inflammation in the critically ill patient. *Critical Care Clinics*, 23(1), 21–34. <https://doi.org/10.1016/j.ccc.2006.11.002>
774. Winkelman, C., & Peereboom, K. (2010). Staff-perceived barriers and facilitators. *Critical Care Nurse*, 30(2), S13–S16. <https://doi.org/10.4037/ccn2010393>



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

775. Winnie, K. (2016). Nursing Input During Interprofessional Rounds in the Intensive. (Doctor of Nursing Practice, California State University, Northern California Consortium. (R. Rosenblum, Advisor). <https://doi.org/10.31979/etd.yvpa-des8>
776. Witteveen, E., Wieske, L., Verhamme, C., Schultz, M. J., van Schaik, I. N., & Horn, J. (2014). Muscle and nerve inflammation in intensive care unit-acquired weakness: a systematic translational review. *Journal of the Neurological Sciences*, 345(1-2), 15–25.
<https://doi.org/10.1016/j.jns.2014.07.014>
777. Wolters, A. E., van Dijk, D., Pasma, W., Cremer, O. L., Looije, M. F., de Lange, D. W., ... Slooter, A. J. C. (2014). Long-term outcome of delirium during intensive care unit stay in survivors of critical illness: a prospective cohort study. *Critical Care / the Society of Critical Care Medicine*, 18(3), R125.
<https://doi.org/10.1186/cc13929>
778. Wong, B. M., Dyal, S., Etchells, E. E., Knowles, S., Gerard, L., Diamantouros, A., ... Shojania, K. G. (2015). Application of a trigger tool in near real time to inform quality improvement activities: a prospective study in a general medicine ward. *BMJ Quality & Safety*, 24(4), 272–281.
<https://doi.org/10.1136/bmjqqs-2014-003432>
779. Woods, R. K., Kindel, S. J., Mitchell, M. E., Hraska, V., & Niebler, R. A. (2018). Total Artificial Heart Using Bilateral Paracorporeal Pulsatile Ventricular Assist Devices in an 8.2-kg Child. *The Annals of Thoracic Surgery*, 105(6), e255–e257. <https://doi.org/10.1016/j.athoracsur.2017.12.023>
780. World Health Organization. (2010). Framework for Action on Interprofessional Education.
http://whqlibdoc.who.int/hq/2010/WHO_HRH_HPN_10.3_eng.pdf
781. Wright, S. E., Thomas, K., Watson, G., Baker, C., Bryant, A., Chadwick, T. J., ... Baudouin, S. (2018). Intensive versus standard physical rehabilitation therapy in the critically ill (EPICC): a multicentre, parallel-group, randomised controlled trial. *Thorax*, 73(3), 213–221.
<https://doi.org/10.1136/thoraxjnl-2016-209858>
782. Wyskiel, R. M., Weeks, K., & Marsteller, J. A. (2015). Inviting families to participate in care: a family involvement menu. *Joint Commission Journal on Quality and Patient Safety / Joint Commission Resources*, 41(1), 43–46. <https://www.ncbi.nlm.nih.gov/pubmed/25976723>
783. Yagi, M., Yasunaga, H., Matsui, H., Morita, K., Fushimi, K., Fujimoto, M., ... Fujitani, J. (2017). Impact of Rehabilitation on Outcomes in Patients With Ischemic Stroke: A Nationwide Retrospective Cohort Study in Japan. *Stroke; a Journal of Cerebral Circulation*, 48(3), 740–746.
<https://doi.org/10.1161/STROKEAHA.116.015147>
784. Yang, T., Li, Z., Jiang, L., & Xi, X. (2018). Corticosteroid use and intensive care unit-acquired weakness: a systematic review and meta-analysis. *Critical Care / the Society of Critical Care Medicine*, 22(1), 187. <https://doi.org/10.1186/s13054-018-2111-0>
785. Yataco, R. A., Arnold, S. M., Brown, S. M., David Freeman, W., Carmen Cononie, C., Heckman, M. G., ... Schudlich, D. M. (2019). Early Progressive Mobilization of Patients with External Ventricular Drains: Safety and Feasibility. *Neurocritical Care*, 30(2), 414–420. <https://doi.org/10.1007/s12028-018-0632-7>
786. Yıldız, A., Arıkan, D., Gözüm, S., Taştekin, A., & Budancamanak, I. (2011). The effect of the odor of breast milk on the time needed for transition from gavage to total oral feeding in preterm infants. *Journal of Nursing Scholarship: An Official Publication of Sigma Theta Tau International Honor*



This work, created by Carrie Price, MLS, Katie Lobner, MLIS, Dale M. Needham, MD, PhD and the Johns Hopkins University Outcomes After Critical Illness & Surgery (OACIS) Group, is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/4.0/>.

- Society of Nursing / Sigma Theta Tau, 43(3), 265–273. <https://doi.org/10.1111/j.1547-5069.2011.01410.x>
787. Yocom, A., McCoy, S. W., Bjornson, K. F., Mullens, P., & Burton, G. N. (2010). Reliability and validity of the standing heel-rise test. *Physical & Occupational Therapy in Pediatrics*, 30(3), 190–204. <https://doi.org/10.3109/01942631003761380>
788. Yosef-Brauner, O., Adi, N., Ben Shahar, T., Yehezkel, E., & Carmeli, E. (2015). Effect of physical therapy on muscle strength, respiratory muscles and functional parameters in patients with intensive care unit-acquired weakness. *The Clinical Respiratory Journal*, 9(1), 1–6. <https://doi.org/10.1111/crj.12091>
789. Young, D. L., Seltzer, J., Glover, M., Outten, C., Lavezza, A., Manthei, E., ... Needham, D. M. (2018). Identifying Barriers to Nurse-Facilitated Patient Mobility in the Intensive Care Unit. *American Journal of Critical Care: An Official Publication, American Association of Critical-Care Nurses*, 27(3), 186–193. <https://doi.org/10.4037/ajcc2018368>
790. Zaal, I. J., & Slooter, A. J. C. (2012). Delirium in critically ill patients: epidemiology, pathophysiology, diagnosis and management. *Drugs*, 72(11), 1457–1471. <https://doi.org/10.2165/11635520-000000000-00000>
791. Zaal, I. J., Devlin, J. W., Hazelbag, M., Klein Klouwenberg, P. M. C., van der Kooi, A. W., Ong, D. S. Y., ... Slooter, A. J. C. (2015). Benzodiazepine-associated delirium in critically ill adults. *Intensive Care Medicine*, 41(12), 2130–2137. <https://doi.org/10.1007/s00134-015-4063-z>
792. Zanni, J. M., Korupolu, R., Fan, E., Pradhan, P., Janjua, K., Palmer, J. B., ... Needham, D. M. (2010). Rehabilitation therapy and outcomes in acute respiratory failure: an observational pilot project. *Journal of Critical Care*, 25(2), 254–262. <https://doi.org/10.1016/j.jcrc.2009.10.010>
793. Zebuhr, C., Sinha, A., Skillman, H., & Buckvold, S. (2014). Active rehabilitation in a pediatric extracorporeal membrane oxygenation patient. *PM & R: The Journal of Injury, Function, and Rehabilitation*, 6(5), 456–460. <https://doi.org/10.1016/j.pmrj.2013.11.005>
794. Zifko, U. A. (2000). Long-term outcome of critical illness polyneuropathy. *Muscle & Nerve*. Supplement, 9, S49–S52. <https://www.ncbi.nlm.nih.gov/pubmed/11135284>
795. Zilberberg, M. D., de Wit, M., Pirone, J. R., & Shorr, A. F. (2008). Growth in adult prolonged acute mechanical ventilation: implications for healthcare delivery. *Critical Care Medicine*, 36(5), 1451–1455. <https://doi.org/10.1097/CCM.0b013e3181691a49>
796. Zorowitz, R. D. (2016). ICU-Acquired Weakness: A Rehabilitation Perspective of Diagnosis, Treatment, and Functional Management. *Chest*, 150(4), 966–971. <https://doi.org/10.1016/j.chest.2016.06.006>

