

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Abrams, D., Garan, A. R., & Brodie, D. (2019). Awake and fully mobile patients on cardiac extracorporeal life support. *Ann Cardiothorac Surg*, 8(1), 44-53.
<https://doi.org/10.21037/acs.2018.08.03>
- Abrams, D., Madahar, P., Eckhardt, C. M., Short, B., Yip, N. H., Parekh, M., Serra, A., Dubois, R. L., Saleem, D., Agerstrand, C., Scala, P., Benvenuto, L., Arcasoy, S. M., Sonett, J. R., Takeda, K., Meier, A., Beck, J., Ryan, P., Fan, E. (2022). Early mobilization during extracorporeal membrane oxygenation for cardiopulmonary failure in adults: Factors associated with intensity of treatment. *Ann. Am. Thorac. Soc.*, 19(1), 90-98. <https://doi.org/10.1513/AnnalsATS.202102-1510C>
- Ahmed, S., Daniel Martin, A., & Smith, B. K. (2019). Inspiratory muscle training in patients with prolonged mechanical ventilation: Narrative review. *Cardiopulm. Phys. Ther. J.*, 30(1), 44-50.
<https://doi.org/10.1097/CPT.000000000000092>
- Akhlaghi, N., Needham, D. M., Bose, S., Banner-Goodspeed, V. M., Beesley, S. J., Dinglas, V. D., Groat, D., Greene, T., Hopkins, R. O., Jackson, J., Mir-Kasimov, M., Sevin, C. M., Wilson, E., & Brown, S. M. (2020). Evaluating the association between unmet healthcare needs and subsequent clinical outcomes: protocol for the Addressing Post-Intensive Care Syndrome-01 (APICS-01) multicentre cohort study. *BMJ Open*, 10(10), e040830.
<https://doi.org/10.1136/bmjopen-2020-040830>
- Algeo, N., & Aitken, L. M. (2019). The evolving role of occupational therapists in adult critical care in England: A mixed methods design using role theory. *Irish Journal of Occupational Therapy*, 47(2), 74-94. <https://doi.org/10.1108/IJOT-04-2019-0005>
- Ali, R., Cornelius, P. J., Herasevich, V., Gajic, O., & Kashyap, R. (2017). Effect of daily use of electronic checklist on physical rehabilitation consultations in critically ill patients. *J. Crit. Care*, 38, 357-361. <https://doi.org/10.1016/j.jcrc.2016.12.007>
- Altman, M. T., Knauert, M. P., Murphy, T. E., Ahasic, A. M., Chauhan, Z., & Pisani, M. A. (2018). Association of intensive care unit delirium with sleep disturbance and functional disability after critical illness: an observational cohort study. *Ann. Intensive Care*, 8(1), 63.
<https://doi.org/10.1186/s13613-018-0408-4>
- Álvarez, E. A., Garrido, M. A., Tobar, E. A., Prieto, S. A., Vergara, S. O., Briceño, C. D., & González, F. J. (2017). Occupational therapy for delirium management in elderly patients without mechanical ventilation in an intensive care unit. A pilot randomized clinical trial. *J. Crit. Care*, 40, 85-90.
<https://doi.org/10.1016/j.jcrc.2017.03.016>
- Andersen, E. M., Kelly, T. L., Sharp, A., Keller-Ross, M. L., & Brunsvold, M. E. (2022). Active rehabilitation in a patient during and after venovenous extracorporeal membrane oxygenation

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

with a diagnosis of COVID-19: A Case Report. *J Acute Care Phys Ther*, 13(1), 8-15.
<https://doi.org/10.1097/JAT.000000000000164>

Anderson, R. (2022). Effects of an electronic health record tool on team communication and patient mobility: A 2-Year follow-up study. *Crit. Care Nurse*, 42(2), 23-31.
<https://doi.org/10.4037/ccn2022385>

Anderson, S. P., & Oakman, J. (2016). Allied health professionals and work-related musculoskeletal disorders: A systematic review. *Saf. Health Work*, 7(4), 259-267.
<https://doi.org/10.1016/j.shaw.2016.04.001>

Arnold, M., Radawiec, S., Campo, M., & Wright, L. R. (2011). Changes in functional independence measure ratings associated with a safe patient handling and movement program. *Rehabil. Nurs.*, 36(4), 138-144. <https://doi.org/10.1002/j.2048-7940.2011.tb00081.x>

Ashana, D. C., Lewis, C., & Hart, J. L. (2020). Dealing with "difficult" patients and families: Making a case for trauma-informed care in the intensive care Unit. *Ann. Am. Thorac. Soc.*, 17(5), 541-544. <https://doi.org/10.1513/AnnalsATS.201909-700IP>

Bailey, P. P., Miller, R. R., 3rd, & Clemmer, T. P. (2009). Culture of early mobility in mechanically ventilated patients. *Crit. Care Med.*, 37(10 Suppl), S429-435.
<https://doi.org/10.1097/CCM.0b013e3181b6e227>

Bailey, P., Thomsen, G. E., Spuhler, V. J., Blair, R., Jewkes, J., Bezdjian, L., Veale, K., Rodriguez, L., & Hopkins, R. O. (2007). Early activity is feasible and safe in respiratory failure patients. *Crit. Care Med.*, 35(1), 139-145. <https://doi.org/10.1097/01.CCM.0000251130.69568.87>

Bakhru, R. N., Wiebe, D. J., McWilliams, D. J., Spuhler, V. J., & Schweickert, W. D. (2015). An Environmental Scan for Early Mobilization Practices in U.S. ICUs. *Crit. Care Med.*, 43(11), 2360.
<https://doi.org/10.1097/CCM.0000000000001262>

Balas, M. C., Tan, A., Pun, B. T., Ely, E. W., Carson, S. S., Mion, L., Barnes-Daly, M. A., & Vasilevskis, E. E. (2022). Effects of a National Quality Improvement Collaborative on ABCDEF Bundle Implementation. *Am. J. Crit. Care*, 31(1), 54-64. <https://doi.org/10.4037/ajcc2022768>

Balas, M. C., Weinhouse, G. L., Denehy, L., Chanques, G., Rochweg, B., Misak, C. J., Skrobik, Y., Devlin, J. W., & Fraser, G. L. (2018). Interpreting and Implementing the 2018 Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption Clinical Practice Guideline. *Crit. Care Med.*, 46(9), 1464-1470. <https://doi.org/10.1097/CCM.0000000000003307>

Barber, E. A., Everard, T., Holland, A. E., Tipping, C., Bradley, S. J., & Hodgson, C. L. (2015). Barriers and facilitators to early mobilisation in Intensive Care: a qualitative study. *Aust. Crit. Care*, 28(4), 177-182; quiz 183. <https://doi.org/10.1016/j.aucc.2014.11.001>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Barr, J., Fraser, G. L., Puntillo, K., Ely, E. W., Gélinas, C., Dasta, J. F., Davidson, J. E., Devlin, J. W., Kress, J. P., Joffe, A. M., Coursin, D. B., Herr, D. L., Tung, A., Robinson, B. R. H., Fontaine, D. K., Ramsay, M. A., Riker, R. R., Sessler, C. N., Pun, B., American College of Critical Care. (2013). Clinical practice guidelines for the management of pain, agitation, and delirium in adult patients in the intensive care unit. *Crit. Care Med.*, 41(1), 263-306. <https://doi.org/10.1097/CCM.0b013e3182783b72>
- Barrie, K., Cornick, A., Debreuil, S., Lee, E., Hiebert, B. M., Manji, R. A., Bienvenu, O. J., McDonald, B., Singal, R. K., & Arora, R. C. (2019). Patients with a prolonged intensive care unit length of stay have decreased health-related quality of life after cardiac surgery. *Semin. Thorac. Cardiovasc. Surg.*, 31(1), 21-31. <https://doi.org/10.1053/j.semtcvs.2018.07.005>
- Berg, H. E., Larsson, L., & Tesch, P. A. (1997). Lower limb skeletal muscle function after 6 wk of bed rest. *J. Appl. Physiol.*, 82(1), 182-188. <https://doi.org/10.1152/jappl.1997.82.1.182>
- Berney, S. C., Harrold, M., Webb, S. A., Seppelt, I., Patman, S., Thomas, P. J., & Denehy, L. (2013). Intensive care unit mobility practices in Australia and New Zealand: a point prevalence study. *Crit. Care Resusc.*, 15(4), 260-265. <https://www.ncbi.nlm.nih.gov/pubmed/24289506>
- Berney, S. C., Rose, J. W., Denehy, L., Granger, C. L., Ntoumenopoulos, G., Crothers, E., Steel, B., Clarke, S., & Skinner, E. H. (2019). Commencing out-of-bed rehabilitation in critical care-what influences clinical decision-making? *Arch. Phys. Med. Rehabil.*, 100(2), 261-269.e262. <https://doi.org/10.1016/j.apmr.2018.07.438>
- Bettors, Tandon, & others. (2022). Caregiver perceptions of an early mobility and communication protocol in the pediatric ICU. *J. Pediatr. Perinat. Nutr.* <https://content.iospress.com/articles/journal-of-pediatric-rehabilitation-medicine/prm210001>
- Bienvenu, O. J., Friedman, L. A., Colantuoni, E., Dinglas, V. D., Sepulveda, K. A., Mendez-Tellez, P., Shanholz, C., Pronovost, P. J., & Needham, D. M. (2018). Psychiatric symptoms after acute respiratory distress syndrome: a 5-year longitudinal study. *Intensive Care Med.*, 44(1), 38-47. <https://doi.org/10.1007/s00134-017-5009-4>
- Bissett, B. M. P., Wang, J. M., Neeman, T. P., Leditschke, I. A. M., Boots, R. P., & Paratz, J. P. (2020). Which ICU patients benefit most from inspiratory muscle training? Retrospective analysis of a randomized trial. *Physiother. Theory Pract.*, 36(12), 1316-1321. <https://doi.org/10.1080/09593985.2019.1571144>
- Bittencourt, E. d. S., Moreira, P. S., Paixão, G. M. d., & Cardoso, M. M. (2021). The role of the occupational therapist in the Intensive Care Unit: a systematic review. *Cadernos de Terapia Ocupacional da UFSCar; São Carlos*, 29, 1-21. <https://doi.org/10.1590/2526-8910.ctoAR2118>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Bittencourt, E. S. M. P. S. P. G. M., & Cardoso, M. M. (2021). The role of the occupational therapist in the Intensive Care Unit: a systematic review. *Terapia Ocupacional*, 29. <https://doi.org/10.1590/2526-8910.ctoAR2118>
- Boehm, L. M., Mart, M. F., Dietrich, M. S., Work, B., Wilson, W. T., Walker, G., & Piras, S. E. (2022). Effects of social influence and implementation climate and leadership on nurse-led early mobility behaviours in critical care. *BMJ Open Qual*, 11(2). <https://doi.org/10.1136/bmjog-2022-001885>
- Boggiano, S., Williams, T., Gill, S. E., Alexander, P. D. G., Khwaja, S., Wallace, S., & McGrath, B. A. (2021). Multidisciplinary management of laryngeal pathology identified in patients with COVID-19 following trans-laryngeal intubation and tracheostomy. *Pediatr. Crit. Care Med.*, 17511437211034699. <https://doi.org/10.1177/17511437211034699>
- Bolin, M. C., & Sweetman, M. M. (2022). Sleep in the Intensive Care Unit (ICU): An Overlooked Opportunity for Occupational Therapists to Fill a Gap in Health Care Service. *The Open Journal of Occupational Therapy*, 10(1). <https://doi.org/10.15453/2168-6408.1846>
- Boltzmann, M., Schmidt, S. B., Gutenbrunner, C., Krauss, J. K., Stangel, M., Höglinger, G. U., Wallesch, C.-W., & Rollnik, J. D. (2021). The influence of the CRS-R score on functional outcome in patients with severe brain injury receiving early rehabilitation. *BMC Neurol.*, 21(1), 44. <https://doi.org/10.1186/s12883-021-02063-5>
- Boyle, M., Murgo, M., Adamson, H., Gill, J., Elliott, D., & Crawford, M. (2004). The effect of chronic pain on health related quality of life amongst intensive care survivors. *Aust. Crit. Care*, 17(3), 104-106, 108-113. [https://doi.org/10.1016/s1036-7314\(04\)80012-2](https://doi.org/10.1016/s1036-7314(04)80012-2)
- Brodsky, M. B., Huang, M., Shanholtz, C., Mendez-Tellez, P. A., Palmer, J. B., Colantuoni, E., & Needham, D. M. (2017). Recovery from dysphagia symptoms after oral endotracheal intubation in acute respiratory distress syndrome survivors. A 5-year longitudinal study. *Ann. Am. Thorac. Soc.*, 14(3), 376-383. <https://doi.org/10.1513/AnnalsATS.201606-455OC>
- Brooks, M., McLaughlin, E., & Shields, N. (2019). Expiratory muscle strength training improves swallowing and respiratory outcomes in people with dysphagia: A systematic review. *Int. J. Speech Lang. Pathol.*, 21(1), 89-100. <https://doi.org/10.1080/17549507.2017.1387285>
- Brown, S. M., Dinglas, V. D., Akhlaghi, N., Bose, S., Banner-Goodspeed, V., Beesley, S., Groat, D., Greene, T., Hopkins, R. O., Mir-Kasimov, M., Sevin, C. M., Turnbull, A. E., Jackson, J. C., Needham, D. M., & Team, A.-S. (2022). Association between unmet medication needs after hospital discharge and readmission or death among acute respiratory failure survivors: the addressing post-intensive care syndrome (APICS-01) multicenter prospective cohort study. *Crit. Care*, 26(1), 6. <https://doi.org/10.1186/s13054-021-03848-3>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Brown, S. M., Wilson, E. L., Presson, A. P., Dinglas, V. D., Greene, T., Hopkins, R. O., Needham, D. M., & with the National Institutes of Health, N. A. N. (2017). Understanding patient outcomes after acute respiratory distress syndrome: identifying subtypes of physical, cognitive and mental health outcomes. *Thorax*, 72(12), 1094-1103. <https://doi.org/10.1136/thoraxjnl-2017-210337>
- Bruce, R., & Forry, C. (2018). Integrating a Mobility Champion in the Intensive Care Unit. *Dimens. Crit. Care Nurs.*, 37(4), 201-209. <https://doi.org/10.1097/DCC.0000000000000306>
- Brummel, N. E., Jackson, J. C., Girard, T. D., Pandharipande, P. P., Schiro, E., Work, B., Pun, B. T., Boehm, L., Gill, T. M., & Ely, E. W. (2012). A combined early cognitive and physical rehabilitation program for people who are critically ill: the activity and cognitive therapy in the intensive care unit (ACT-ICU) trial. *Phys. Ther.*, 92(12), 1580-1592. <https://doi.org/10.2522/ptj.20110414>
- Burtin, C., Clerckx, B., Robbeets, C., Ferdinande, P., Langer, D., Troosters, T., Hermans, G., Decramer, M., & Gosselink, R. (2009). Early exercise in critically ill patients enhances short-term functional recovery. *Crit. Care Med.*, 37(9), 2499-2505. <https://doi.org/10.1097/CCM.0b013e3181a38937>
- Çakmak, A., İnce, D. İ., Sağlam, M., Savcı, S., Yağlı, N. V., Kütükcü, E. Ç., Özel, C. B., Ulu, H. S., & Arıkan, H. (2019). Physiotherapy and rehabilitation implementation in intensive care units: A survey study. *Turk Thorac J*, 20(2), 114-119. <https://doi.org/10.5152/TurkThoracJ.2018.18107>
- Campo, M., Shiyko, M. P., Margulis, H., & Darragh, A. R. (2013). Effect of a safe patient handling program on rehabilitation outcomes. *Arch. Phys. Med. Rehabil.*, 94(1), 17-22. <https://doi.org/10.1016/j.apmr.2012.08.213>
- Campos, D. R., Bueno, T. B. C., Anjos, J. S. G. G., Zoppi, D., Dantas, B. G., Gosselink, R., Guirro, R. R. J., & Borges, M. C. (2022). Early neuromuscular electrical stimulation in addition to early mobilization improves functional status and decreases hospitalization days of critically ill patients. *Crit. Care Med.*, 50(7), 1116-1126. <https://doi.org/10.1097/CCM.0000000000005557>
- Chen, S., Lester, L., Piper, G. L., Toy, B., Saputo, M., Chan, W., Fischer, M. G., Gidea, C., Kon, Z. N., Moazami, N., & Smith, D. E. (2022). Safety and feasibility of an early mobilization protocol for patients with femoral intra-aortic balloon pumps as bridge to heart transplant. *ASAIO J.*, 68(5), 714-720. <https://doi.org/10.1097/MAT.0000000000001557>
- Chen, T.-J., Traynor, V., Wang, A.-Y., Shih, C.-Y., Tu, M.-C., Chuang, C.-H., Chiu, H.-Y., & Chang, H.-C. R. (2022). Comparative effectiveness of non-pharmacological interventions for preventing delirium in critically ill adults: A systematic review and network meta-analysis. *Int. J. Nurs. Stud.*, 131, 104239. <https://doi.org/10.1016/j.ijnurstu.2022.104239>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Chlan, L. L., Weinert, C. R., Heiderscheit, A., Tracy, M. F., Skaar, D. J., Guttormson, J. L., & Savik, K. (2013). Effects of patient-directed music intervention on anxiety and sedative exposure in critically ill patients receiving mechanical ventilatory support: a randomized clinical trial. *JAMA*, 309(22), 2335-2344. <https://doi.org/10.1001/jama.2013.5670>
- Ciccone Pt PhD Fapta, C. (2015). *Pharmacology in Rehabilitation (Contemporary Perspectives in Rehabilitation)* (5 ed.). F.A. Davis Company. <https://www.amazon.com/Pharmacology-Rehabilitation-Contemporary-Perspectives/dp/0803640293>
- Cichero, J. A. Y., Lam, P., Steele, C. M., Hanson, B., Chen, J., Dantas, R. O., Duivesteyn, J., Kayashita, J., Lecko, C., Murray, J., Pillay, M., Riquelme, L., & Stanschus, S. (2017). Development of international terminology and definitions for texture-modified foods and thickened fluids used in dysphagia management: The IDDSI Framework. *Dysphagia*, 32(2), 293-314. <https://doi.org/10.1007/s00455-016-9758-y>
- Cole, M. G., McCusker, J., Bellavance, F., Primeau, F. J., Bailey, R. F., Bonnycastle, M. J., & Laplante, J. (2002). Systematic detection and multidisciplinary care of delirium in older medical inpatients: a randomized trial. *CMAJ*, 167(7), 753-759. <https://www.ncbi.nlm.nih.gov/pubmed/12389836>
- Contreras, C. C. T., Páez-Esteban, A. N., Rincon-Romero, M. K., Carvajal, R. R., Herrera, M. M., & Castillo, A. H. D. D. (2021). Nursing intervention to prevent delirium in critically ill adults. *Rev. Esc. Enferm. USP*, 55, e03685. <https://doi.org/10.1590/S1980-220X2019035003685>
- Corner, E. J., & Brett, S. J. (2014). Early identification of patients at risk of long-term critical illness-associated physical disability: is it possible? *Crit. Care*, 18(6), 629. <https://doi.org/10.1186/s13054-014-0629-3>
- Corner, E. J., Hichens, L. V., Attrill, K. M., Vizcaychipi, M. P., Brett, S. J., & Handy, J. M. (2015). The responsiveness of the Chelsea Critical Care Physical Assessment tool in measuring functional recovery in the burns critical care population: an observational study. *Burns*, 41(2), 241-247. <https://doi.org/10.1016/j.burns.2014.12.002>
- Corner, E. J., Soni, N., Handy, J. M., & Brett, S. J. (2014). Construct validity of the Chelsea critical care physical assessment tool: an observational study of recovery from critical illness. *Crit. Care*, 18(2), R55. <https://doi.org/10.1186/cc13801>
- Corner, E. J., Wood, H., Englebretsen, C., Thomas, A., Grant, R. L., Nikolettou, D., & Soni, N. (2013). The Chelsea critical care physical assessment tool (CPAx): validation of an innovative new tool to measure physical morbidity in the general adult critical care population; an observational proof-of-concept pilot study. *Physiotherapy*, 99(1), 33-41. <https://doi.org/10.1016/j.physio.2012.01.003>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Costa, D. K., White, M. R., Ginier, E., Manojlovich, M., Govindan, S., Iwashyna, T. J., & Sales, A. E. (2017). Identifying Barriers to Delivering the Awakening and Breathing Coordination, Delirium, and Early Exercise/Mobility Bundle to Minimize Adverse Outcomes for Mechanically Ventilated Patients: A Systematic Review. *Chest*, 152(2), 304-311.
<https://doi.org/10.1016/j.chest.2017.03.054>
- Cromie, J. E., Robertson, V. J., & Best, M. O. (2000). Work-related musculoskeletal disorders in physical therapists: prevalence, severity, risks, and responses. *Phys. Ther.*, 80(4), 336-351.
<https://doi.org/10.1093/ptj/80.4.336>
- Curtis, L. J., & Langmore, S. E. (1997). Respiratory function and complications related to deglutition. *Perkman AL, Schulze-DELR, Eu K. Deglutition and its disorders*, 99-123.
- Cuthbertson, B. H., & Dale, C. M. (2021). Less daily oral hygiene is more in the ICU: yes. *Intensive Care Med.*, 47(3), 328-330. <https://doi.org/10.1007/s00134-020-06261-6>
- Damluji, A., Zanni, J. M., Manthey, E., Colantuoni, E., Kho, M. E., & Needham, D. M. (2013). Safety and feasibility of femoral catheters during physical rehabilitation in the intensive care unit. *J. Crit. Care*, 28(4), 535.e539-515. <https://doi.org/10.1016/j.jcrc.2013.01.006>
- Davydow, D. S., Gifford, J. M., Desai, S. V., Needham, D. M., & Bienvenu, O. J. (2008). Posttraumatic stress disorder in general intensive care unit survivors: a systematic review. *Gen. Hosp. Psychiatry*, 30(5), 421-434. <https://doi.org/10.1016/j.genhosppsych.2008.05.006>
- de Jonghe, A., Korevaar, J. C., van Munster, B. C., & de Rooij, S. E. (2010). Effectiveness of melatonin treatment on circadian rhythm disturbances in dementia. Are there implications for delirium? A systematic review. *Int. J. Geriatr. Psychiatry*, 25(12), 1201-1208.
<https://doi.org/10.1002/gps.2454>
- De Jonghe, B., Sharshar, T., Lefaucheur, J.-P., Authier, F.-J., Durand-Zaleski, I., Boussarsar, M., Cerf, C., Renaud, E., Mesrati, F., Carlet, J., Raphaël, J.-C., Outin, H., Bastuji-Garin, S., & Groupe de Réflexion et d'Etude des Neuromyopathies en, R. (2002). Paresis acquired in the intensive care unit: a prospective multicenter study. *JAMA*, 288(22), 2859-2867.
<https://doi.org/10.1001/jama.288.22.2859>
- de Morton, N. A., & Lane, K. (2010). Validity and reliability of the de Morton Mobility Index in the subacute hospital setting in a geriatric evaluation and management population. *J. Rehabil. Med.*, 42(10), 956-961. <https://doi.org/10.2340/16501977-0626>
- de Morton, N. A., Brusco, N. K., Wood, L., Lawler, K., & Taylor, N. F. (2011). The de Morton Mobility Index (DEMMI) provides a valid method for measuring and monitoring the mobility of patients making the transition from hospital to the community: an observational study. *J. Physiother.*, 57(2), 109-116. [https://doi.org/10.1016/S1836-9553\(11\)70021-2](https://doi.org/10.1016/S1836-9553(11)70021-2)

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- de Morton, N. A., Davidson, M., & Keating, J. L. (2008). The de Morton Mobility Index (DEMMI): an essential health index for an ageing world. *Health Qual. Life Outcomes*, 6, 63.
<https://doi.org/10.1186/1477-7525-6-63>
- de Morton, N. A., Davidson, M., & Keating, J. L. (2010). Validity, responsiveness and the minimal clinically important difference for the de Morton Mobility Index (DEMMI) in an older acute medical population. *BMC Geriatr.*, 10, 72. <https://doi.org/10.1186/1471-2318-10-72>
- de Morton, N. A., Davidson, M., & Keating, J. L. (2011). Reliability of the de Morton Mobility Index (DEMMI) in an older acute medical population. *Physiother. Res. Int.*, 16(3), 159-169.
<https://doi.org/10.1002/pri.493>
- de Morton, N. A., Meyer, C., Moore, K. J., Dow, B., Jones, C., & Hill, K. (2011). Validation of the de Morton Mobility Index (DEMMI) with older community care recipients. *Australas. J. Ageing*, 30(4), 220-225. <https://doi.org/10.1111/j.1741-6612.2010.00497.x>
- De Silva, D. A., Tan, I. F., & Thilarajah, S. (2020). A protocol for acute stroke unit care during the COVID-19 pandemic. *J. Stroke Cerebrovasc. Dis.*, 29(9), 105009.
<https://doi.org/10.1016/j.jstrokecerebrovasdis.2020.105009>
- Deemer, K., Zjadewicz, K., Fiest, K., Oviatt, S., Parsons, M., Myhre, B., & Posadas-Calleja, J. (2020). Effect of early cognitive interventions on delirium in critically ill patients: a systematic review. *Can. J. Anaesth.*, 67(8), 1016-1034. <https://doi.org/10.1007/s12630-020-01670-z>
- Denehy, L., de Morton, N. A., Skinner, E. H., Edbrooke, L., Haines, K., Warrillow, S., & Berney, S. (2013). A physical function test for use in the intensive care unit: validity, responsiveness, and predictive utility of the physical function ICU test (scored). *Phys. Ther.*, 93(12), 1636-1645.
<https://doi.org/10.2522/ptj.20120310>
- Desai, H. G. (2011). Does model for end-stage liver disease (MELD) require modification? *J. Assoc. Physicians India*, 59, 372-373. <https://www.ncbi.nlm.nih.gov/pubmed/21751591>
- Desai, S. V., Law, T. J., & Needham, D. M. (2011). Long-term complications of critical care. *Crit. Care Med.*, 39(2), 371-379. <https://doi.org/10.1097/CCM.0b013e3181fd66e5>
- Devlin, J. W., Skrobik, Y., Gélinas, C., Needham, D. M., Slooter, A. J. C., Pandharipande, P. P., Watson, P. L., Weinhouse, G. L., Nunnally, M. E., Rochweg, B., Balas, M. C., van den Boogaard, M., Bosma, K. J., Brummel, N. E., Chanques, G., Denehy, L., Drouot, X., Fraser, G. L., Harris, J. E., Price, C., Alhazzani, W. (2018). Clinical practice guidelines for the prevention and management of pain, agitation/sedation, delirium, immobility, and sleep disruption in adult patients in the ICU. *Crit. Care Med.*, 46(9), e825-e873.
<https://doi.org/10.1097/CCM.0000000000003299>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Devlin, J. W., Skrobik, Y., Gélinas, C., Needham, D. M., Slooter, A. J. C., Pandharipande, P. P., Watson, P. L., Weinhouse, G. L., Nunnally, M. E., Rochweg, B., Balas, M. C., van den Boogaard, M., Bosma, K. J., Brummel, N. E., Chanques, G., Denehy, L., Drouot, X., Fraser, G. L., Harris, J. E., Price, C., Alhazzani, W. (2018). Executive summary: Clinical practice guidelines for the prevention and management of pain, agitation/sedation, delirium, immobility, and sleep disruption in adult patients in the ICU. *Crit. Care Med.*, 46(9), 1532-1548. <https://doi.org/10.1097/CCM.0000000000003259>
- Dinglas, V. D., Colantuoni, E., Ciesla, N., Mendez-Tellez, P. A., Shanholtz, C., & Needham, D. M. (2013). Occupational therapy for patients with acute lung injury: factors associated with time to first intervention in the intensive care unit. *Am. J. Occup. Ther.*, 67(3), 355-362. <https://doi.org/10.5014/ajot.2013.007807>
- Dirette, D. P. (2020). Occupational therapy in the time of COVID-19. *The Open Journal of Occupational Therapy*, 8(4). <https://scholarworks.wmich.edu/cgi/viewcontent.cgi?article=1794&context=ojot>
- Dock, W. (1944). The sequelae of complete bed rest. *JAMA*, 125(16), 1083-1085. <https://doi.org/10.1001/jama.1944.02850340009004>
- Donovan, A. L., Aldrich, J. M., Gross, A. K., Barchas, D. M., Thornton, K. C., Schell-Chaple, H. M., Gropper, M. A., Lipshutz, A. K. M., & University of California. (2018). Interprofessional care and teamwork in the ICU. *Crit. Care Med.*, 46(6), 980-990. <https://doi.org/10.1097/CCM.0000000000003067>
- Dowdy, D. W., Eid, M. P., Dennison, C. R., Mendez-Tellez, P. A., Herridge, M. S., Guallar, E., Pronovost, P. J., & Needham, D. M. (2006). Quality of life after acute respiratory distress syndrome: a meta-analysis. *Intensive Care Med.*, 32(8), 1115-1124. <https://doi.org/10.1007/s00134-006-0217-3>
- Dubb, R., Nydahl, P., Hermes, C., Schwabbauer, N., Toonstra, A., Parker, A. M., Kaltwasser, A., & Needham, D. M. (2016). Barriers and strategies for early mobilization of patients in intensive care units. *Ann. Am. Thorac. Soc.*, 13(5), 724-730. <https://doi.org/10.1513/AnnalsATS.201509-586CME>
- Ely, E. W., Gautam, S., Margolin, R., Francis, J., May, L., Speroff, T., Truman, B., Dittus, R., Bernard, R., & Inouye, S. K. (2001). The impact of delirium in the intensive care unit on hospital length of stay. *Intensive Care Med.*, 27(12), 1892-1900. <https://doi.org/10.1007/s00134-001-1132-2>
- Ely, E. W., Inouye, S. K., Bernard, G. R., Gordon, S., Francis, J., May, L., Truman, B., Speroff, T., Gautam, S., Margolin, R., Hart, R. P., & Dittus, R. (2001). Delirium in mechanically ventilated patients: validity and reliability of the confusion assessment method for the intensive care unit (CAM-ICU). *JAMA*, 286(21), 2703-2710. <https://doi.org/10.1001/jama.286.21.2703>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Ely, E. W., Margolin, R., Francis, J., May, L., Truman, B., Dittus, R., Speroff, T., Gautam, S., Bernard, G. R., & Inouye, S. K. (2001). Evaluation of delirium in critically ill patients: validation of the Confusion Assessment Method for the Intensive Care Unit (CAM-ICU). *Crit. Care Med.*, 29(7), 1370-1379. <https://doi.org/10.1097/00003246-200107000-00012>
- Ely, E. W., Shintani, A., Truman, B., Speroff, T., Gordon, S. M., Harrell, F. E., Jr., Inouye, S. K., Bernard, G. R., & Dittus, R. S. (2004). Delirium as a predictor of mortality in mechanically ventilated patients in the intensive care unit. *JAMA*, 291(14), 1753-1762. <https://doi.org/10.1001/jama.291.14.1753>
- Evans, R. A., Leavy, O. C., Richardson, M., Elneima, O., McAuley, H. J. C., Shikotra, A., Singapuri, A., Sereno, M., Saunders, R. M., Harris, V. C., Houchen-Wolloff, L., Aul, R., Beirne, P., Bolton, C. E., Brown, J. S., Choudhury, G., Diar-Bakerly, N., Easom, N., Echevarria, C., Zongo, O. (2022). Clinical characteristics with inflammation profiling of long COVID and association with 1-year recovery following hospitalisation in the UK: a prospective observational study. *The Lancet Respiratory Medicine*, 10(8), 761-775. [https://doi.org/10.1016/S2213-2600\(22\)00127-8](https://doi.org/10.1016/S2213-2600(22)00127-8)
- Evans, R. A., McAuley, H., Harrison, E. M., Shikotra, A., Singapuri, A., Sereno, M., Elneima, O., Docherty, A. B., Lone, N. I., Leavy, O. C., Daines, L., Baillie, J. K., Brown, J. S., Chalder, T., De Soyza, A., Diar Bakerly, N., Easom, N., Geddes, J. R., Greening, N. J. (2021). Physical, cognitive, and mental health impacts of COVID-19 after hospitalisation (PHOSP-COVID): a UK multicentre, prospective cohort study. *Lancet Respir Med*, 9(11), 1275-1287. [https://doi.org/10.1016/S2213-2600\(21\)00383-0](https://doi.org/10.1016/S2213-2600(21)00383-0)
- Fan, E., Dowdy, D. W., Colantuoni, E., Mendez-Tellez, P. A., Sevransky, J. E., Shanholtz, C., Himmelfarb, C. R. D., Desai, S. V., Ciesla, N., Herridge, M. S., Pronovost, P. J., & Needham, D. M. (2014). Physical complications in acute lung injury survivors: a two-year longitudinal prospective study. *Crit. Care Med.*, 42(4), 849-859. <https://doi.org/10.1097/CCM.000000000000040>
- Fan, E., Needham, D. M., Brunton, J., Kern, R. Z., & Stewart, T. E. (2004). West Nile virus infection in the intensive care unit: a case series and literature review. *Can. Respir. J.*, 11(5), 354-358. <https://doi.org/10.1155/2004/906150>
- Fan, E., Shahid, S., Kondreddi, V. P., Bienvenu, O. J., Mendez-Tellez, P. A., Pronovost, P. J., & Needham, D. M. (2008). Informed consent in the critically ill: a two-step approach incorporating delirium screening. *Crit. Care Med.*, 36(1), 94-99. <https://doi.org/10.1097/01.CCM.0000295308.29870.4F>
- Fan, E., Zanni, J. M., Dennison, C. R., Lepre, S. J., & Needham, D. M. (2009). Critical illness neuromyopathy and muscle weakness in patients in the intensive care unit. *AACN Adv. Crit. Care*, 20(3), 243-253. <https://doi.org/10.1097/NCI.0b013e3181ac2551>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Faustino, T. N., Suzart, N. A., Rabelo, R. N. D. S., Santos, J. L., Batista, G. S., Freitas, Y. S. d., Saback, D. A., Sales, N. M. M. D., Brandao Barreto, B., & Gusmao-Flores, D. (2022). Effectiveness of combined non-pharmacological interventions in the prevention of delirium in critically ill patients: A randomized clinical trial. *J. Crit. Care*, 68, 114-120.
<https://doi.org/10.1016/j.jcrc.2021.12.015>
- Ferrando, A. A., Lane, H. W., Stuart, C. A., Davis-Street, J., & Wolfe, R. R. (1996). Prolonged bed rest decreases skeletal muscle and whole body protein synthesis. *Am. J. Physiol.*, 270(4 Pt 1), E627-633. <https://doi.org/10.1152/ajpendo.1996.270.4.E627>
- Ferreira, D. d. C., Marcolino, M. A. Z., Macagnan, F. E., Plentz, R. D. M., & Kessler, A. (2019). Safety and potential benefits of physical therapy in adult patients on extracorporeal membrane oxygenation support: a systematic review. *Rev Bras Ter Intensiva*, 31(2), 227-239.
<https://doi.org/10.5935/0103-507X.20190017>
- Fields, C., Trotsky, A., Fernandez, N., & Smith, B. A. (2015). Mobility and ambulation for patients with pulmonary artery catheters: A retrospective descriptive study. *J Acute Care Phys Ther*, 6(2), 64-70. <https://doi.org/10.1097/JAT.0000000000000012>
- Fink, H., Helming, M., Unterbuchner, C., Lenz, A., Neff, F., Martyn, J. A. J., & Blobner, M. (2008). Systemic inflammatory response syndrome increases immobility-induced neuromuscular weakness. *Crit. Care Med.*, 36(3), 910-916. <https://doi.org/10.1097/CCM.0B013E3181659669>
- Fletcher, S. N., Kennedy, D. D., Ghosh, I. R., Misra, V. P., Kiff, K., Coakley, J. H., & Hinds, C. J. (2003). Persistent neuromuscular and neurophysiologic abnormalities in long-term survivors of prolonged critical illness. *Crit. Care Med.*, 31(4), 1012-1016.
<https://doi.org/10.1097/01.CCM.0000053651.38421.D9>
- Freeman, S. (2011). Care of adult patients with a temporary tracheostomy. *Nurs. Stand.*, 26(2), 49-56; quiz 58. <https://doi.org/10.7748/ns2011.09.26.2.49.c8706>
- Fuke, R., Hifumi, T., Kondo, Y., Hatakeyama, J., Takei, T., Yamakawa, K., Inoue, S., & Nishida, O. (2018). Early rehabilitation to prevent postintensive care syndrome in patients with critical illness: a systematic review and meta-analysis. *BMJ Open*, 8(5), e019998.
<https://doi.org/10.1136/bmjopen-2017-019998>
- Garry, J., Casey, K., Cole, T. K., Regensburg, A., McElroy, C., Schneider, E., Efron, D., & Chi, A. (2016). A pilot study of eye-tracking devices in intensive care. *Surgery*, 159(3), 938-944.
<https://doi.org/10.1016/j.surg.2015.08.012>
- Geense, W. W., van den Boogaard, M., Peters, M. A. A., Simons, K. S., Ewalds, E., Vermeulen, H., van der Hoeven, J. G., & Zegers, M. (2020). Physical, mental, and cognitive health status of ICU

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

survivors before icu admission: A cohort study. *Crit. Care Med.*, 48(9), 1271-1279.

<https://doi.org/10.1097/CCM.0000000000004443>

Geense, W. W., van den Boogaard, M., van der Hoeven, J. G., Vermeulen, H., Hannink, G., & Zegers, M. (2019). Nonpharmacologic interventions to prevent or mitigate adverse long-term outcomes among icu survivors: A systematic review and meta-analysis. *Crit. Care Med.*, 47(11), 1607-1618. <https://doi.org/10.1097/CCM.0000000000003974>

Geense, W. W., Zegers, M., Peters, M. A. A., Ewalds, E., Simons, K. S., Vermeulen, H., van der Hoeven, J. G., & van den Boogaard, M. (2021). New physical, mental, and cognitive problems 1 year after ICU admission: a prospective multicenter study. *Am. J. Respir. Crit. Care Med.*, 203(12), 1512-1521. <https://doi.org/10.1164/rccm.202009-3381OC>

Girard, T. D., Thompson, J. L., Pandharipande, P. P., Brummel, N. E., Jackson, J. C., Patel, M. B., Hughes, C. G., Chandrasekhar, R., Pun, B. T., Boehm, L. M., Elstad, M. R., Goodman, R. B., Bernard, G. R., Dittus, R. S., & Ely, E. W. (2018). Clinical phenotypes of delirium during critical illness and severity of subsequent long-term cognitive impairment: a prospective cohort study. *Lancet Respir Med*, 6(3), 213-222. [https://doi.org/10.1016/S2213-2600\(18\)30062-6](https://doi.org/10.1016/S2213-2600(18)30062-6)

González-Seguel, F., Camus-Molina, A., Cárcamo, M., Hiser, S., Needham, D. M., & Leppe, J. (2020). Inter-observer reliability of trained physiotherapists on the Functional Status Score for the Intensive Care Unit Chilean-Spanish version. *Physiother. Theory Pract.*, 1-7. <https://doi.org/10.1080/09593985.2020.1753272>

González-Seguel, F., Camus-Molina, A., Leppe, J., Hidalgo-Cabalín, V., Gutiérrez-Panchana, T., Needham, D. M., & Guimarães, F. S. (2019). Chilean version of the Functional Status Score for the Intensive Care Unit: a translation and cross-cultural adaptation. *Medwave*, 19(1), e7470. <https://doi.org/10.5867/medwave.2019.01.7439>

Goodwin, V. A., Allan, L., Bethel, A., Cowley, A., Cross, J. L., Day, J., Drummond, A., Hall, A. J., Howard, M., Morley, N., Thompson Coon, J., & Lamb, S. E. (2021). Rehabilitation to enable recovery from COVID-19: a rapid systematic review. *Physiotherapy*, 111, 4-22. <https://doi.org/10.1016/j.physio.2021.01.007>

Gosset, A. T., Sklar, M. C., Delman, A. M., & Detsky, M. E. (2018). Patients' primary activities prior to critical illness: how well do clinicians know them and how likely are patients to return to them? *Crit. Care*, 22(1), 340. <https://doi.org/10.1186/s13054-018-2283-7>

Greenwood, J., Fragala-Pinkham, M., Dakhlian, M. G., Brennan, E., Ploski, C., & Correia, A. (2021). A pediatric hospital physical therapy and occupational therapy department's response to COVID-19: An administrative case report. *Phys. Ther.*, 101(9). <https://doi.org/10.1093/ptj/pzab164>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Gross, R. D., Atwood, C. W., Jr., Ross, S. B., Olszewski, J. W., & Eichhorn, K. A. (2009). The coordination of breathing and swallowing in chronic obstructive pulmonary disease. *Am. J. Respir. Crit. Care Med.*, 179(7), 559-565. <https://doi.org/10.1164/rccm.200807-1139OC>
- Gurin, L., Evangelist, M., Laverty, P., Hanley, K., Corcoran, J., Herbsman, J., Im, B., Frontera, J., Flanagan, S., Galetta, S., & Lewis, A. (2022). Early Neurorehabilitation and Recovery from Disorders of Consciousness After Severe COVID-19. *Neurocrit. Care*, 36(2), 357-371. <https://doi.org/10.1007/s12028-021-01359-1>
- Hager, D. N., Dinglas, V. D., Subhas, S., Rowden, A. M., Neufeld, K. J., Bienvenu, O. J., Touradji, P., Colantuoni, E., Reddy, D. R. S., Brower, R. G., & Needham, D. M. (2013). Reducing deep sedation and delirium in acute lung injury patients: a quality improvement project. *Crit. Care Med.*, 41(6), 1435-1442. <https://doi.org/10.1097/CCM.0b013e31827ca949>
- Haines, K. J., McPeake, J., Hibbert, E., Boehm, L. M., Aparanji, K., Bakhrui, R. N., Bastin, A. J., Beesley, S. J., Beveridge, L., Butcher, B. W., Drumright, K., Eaton, T. L., Farley, T., Firshman, P., Fritschle, A., Holdsworth, C., Hope, A. A., Johnson, A., Kenes, M. T., . . . Sevin, C. M. (2019). Enablers and barriers to implementing icu follow-up clinics and peer support groups following critical illness: The Thrive Collaboratives. *Crit. Care Med.*, 47(9), 1194-1200. <https://doi.org/10.1097/CCM.0000000000003818>
- Hamburg, N. M., McMackin, C. J., Huang, A. L., Shenouda, S. M., Widlansky, M. E., Schulz, E., Gokce, N., Ruderman, N. B., Keane, J. F., Jr., & Vita, J. A. (2007). Physical inactivity rapidly induces insulin resistance and microvascular dysfunction in healthy volunteers. *Arterioscler. Thromb. Vasc. Biol.*, 27(12), 2650-2656. <https://doi.org/10.1161/ATVBAHA.107.153288>
- Harding, S. M. (2002). Oropharyngeal dysfunction in COPD patients: the need for clinical research. *Chest*, 121(2), 315-317. <https://doi.org/10.1378/chest.121.2.315>
- Hashem, M. D., Hopkins, R. O., Colantuoni, E., Dinglas, V. D., Sinha, P., Aronson Friedman, L., Morris, P. E., Jackson, J. C., Hough, C. L., Calfee, C. S., & Needham, D. M. (2022). Six-month and 12-month patient outcomes based on inflammatory subphenotypes in sepsis-associated ARDS: secondary analysis of SAILS-ALTOS trial. *Thorax*, 77(1), 22-30. <https://doi.org/10.1136/thoraxjnl-2020-216613>
- Hashem, M. D., Nelliott, A., & Needham, D. M. (2016). Early mobilization and rehabilitation in the ICU: Moving back to the future. *Respir. Care*, 61(7), 971-979. <https://doi.org/10.4187/respcare.04741>
- Heesakkers, H., van der Hoeven, J. G., Corsten, S., Janssen, I., Ewalds, E., Simons, K. S., Westerhof, B., Rettig, T. C. D., Jacobs, C., van Santen, S., Slooter, A. J. C., van der Woude, M. C. E., van den Boogaard, M., & Zegers, M. (2022). Clinical Outcomes among patients with 1-year survival following intensive care unit treatment for COVID-19. *JAMA*, 327(6), 559-565. <https://doi.org/10.1001/jama.2022.0040>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Hemsley, B., Sigafos, J., Balandin, S., Forbes, R., Taylor, C., Green, V. A., & Parmenter, T. (2001). Nursing the patient with severe communication impairment. *J. Adv. Nurs.*, 35(6), 827-835. <https://doi.org/10.1046/j.1365-2648.2001.01920.x>
- Hendriks, M. M. C., & Buise, M. P. (2019). Interactive video games for rehabilitation in the intensive care unit: A pilot study. *J. Crit. Care*, 51, 24-25. <https://doi.org/10.1016/j.jcrc.2019.01.022>
- Herling, S. F., Greve, I. E., Vasilevskis, E. E., Egerod, I., Bekker Mortensen, C., Møller, A. M., Svenningsen, H., & Thomsen, T. (2018). Interventions for preventing intensive care unit delirium in adults. *Cochrane Database Syst. Rev.*, 11, CD009783. <https://doi.org/10.1002/14651858.CD009783.pub2>
- Hermans, G., Wilmer, A., Meersseman, W., Milants, I., Wouters, P. J., Bobbaers, H., Bruyninckx, F., & Van den Berghe, G. (2007). Impact of intensive insulin therapy on neuromuscular complications and ventilator dependency in the medical intensive care unit. *Am. J. Respir. Crit. Care Med.*, 175(5), 480-489. <https://doi.org/10.1164/rccm.200605-665OC>
- Herridge, M. S., Cheung, A. M., Tansey, C. M., Matte-Martyn, A., Diaz-Granados, N., Al-Saidi, F., Cooper, A. B., Guest, C. B., Mazer, C. D., Mehta, S., Stewart, T. E., Barr, A., Cook, D., Slutsky, A. S., & Canadian Critical Care Trials, G. (2003). One-year outcomes in survivors of the acute respiratory distress syndrome. *N. Engl. J. Med.*, 348(8), 683-693. <https://doi.org/10.1056/NEJMoa022450>
- Herridge, M. S., Tansey, C. M., Matté, A., Tomlinson, G., Diaz-Granados, N., Cooper, A., Guest, C. B., Mazer, C. D., Mehta, S., Stewart, T. E., Kudlow, P., Cook, D., Slutsky, A. S., Cheung, A. M., & Canadian Critical Care Trials, G. (2011). Functional disability 5 years after acute respiratory distress syndrome. *N. Engl. J. Med.*, 364(14), 1293-1304. <https://doi.org/10.1056/NEJMoa1011802>
- Herridge, M. S., Tansey, C. M., Matté, A., Tomlinson, G., Diaz-Granados, N., Cooper, A., Guest, C. B., Mazer, C. D., Mehta, S., Stewart, T. E., Kudlow, P., Cook, D., Slutsky, A. S., Cheung, A. M., & Canadian Critical Care Trials, G. (2011). Functional disability 5 years after acute respiratory distress syndrome. *N. Engl. J. Med.*, 364(14), 1293-1304. <https://doi.org/10.1056/NEJMoa1011802>
- Hiser, S., Toonstra, A., Friedman, L. A., Colantuoni, E., Connolly, B., & Needham, D. M. (2018). Interrater Reliability of the Functional Status Score for the Intensive Care Unit. *Journal of Acute Care Physical Therapy*, 9(4), 186. <https://doi.org/10.1097/JAT.0000000000000086>
- Hodgson, C. L., Capell, E., & Tipping, C. J. (2018). Early mobilization of patients in intensive care: organization, communication and safety factors that influence translation into clinical practice. *Crit. Care*, 22(1), 77. <https://doi.org/10.1186/s13054-018-1998-9>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Hodgson, C. L., Stiller, K., Needham, D. M., Tipping, C. J., Harrold, M., Baldwin, C. E., Bradley, S., Berney, S., Caruana, L. R., Elliott, D., Green, M., Haines, K., Higgins, A. M., Kaukonen, K.-M., Leditschke, I. A., Nickels, M. R., Paratz, J., Patman, S., Skinner, E. H., Webb, S. A. (2014). Expert consensus and recommendations on safety criteria for active mobilization of mechanically ventilated critically ill adults. *Crit. Care*, 18(6), 658. <https://doi.org/10.1186/s13054-014-0658-y>
- Hodgson, C. L., Stiller, K., Needham, D. M., Tipping, C. J., Harrold, M., Baldwin, C. E., Bradley, S., Berney, S., Caruana, L. R., Elliott, D., Green, M., Haines, K., Higgins, A. M., Kaukonen, K.-M., Leditschke, I. A., Nickels, M. R., Paratz, J., Patman, S., Skinner, E. H., . . . Webb, S. A. (2014). Expert consensus and recommendations on safety criteria for active mobilization of mechanically ventilated critically ill adults. *Crit. Care*, 18(6), 658. <https://doi.org/10.1186/s13054-014-0658-y>
- Holm, M. B. (2000). The 2000 Eleanor Clarke Slagle Lecture. Our mandate for the new millennium: evidence-based practice. *Am. J. Occup. Ther.*, 54(6), 575-585. <https://doi.org/10.5014/ajot.54.6.575>
- Honiden, S., & Connors, G. R. (2015). Barriers and challenges to the successful implementation of an intensive care unit mobility program: Understanding systems and human factors in search for practical solutions. *Clin. Chest Med.*, 36(3), 431-440. <https://doi.org/10.1016/j.ccm.2015.05.006>
- Hopkins, R. O., & Spuhler, V. J. (2009). Strategies for promoting early activity in critically ill mechanically ventilated patients. *AACN Adv. Crit. Care*, 20(3), 277-289. <https://doi.org/10.1097/NCI.0b013e3181acaef0>
- Hopkins, R. O., Miller, R. R., 3rd, Rodriguez, L., Spuhler, V., & Thomsen, G. E. (2012). Physical therapy on the wards after early physical activity and mobility in the intensive care unit. *Phys. Ther.*, 92(12), 1518-1523. <https://doi.org/10.2522/ptj.20110446>
- Hopkins, R. O., Mitchell, L., Thomsen, G. E., Schafer, M., Link, M., & Brown, S. M. (2016). Implementing a mobility program to minimize post-intensive care syndrome. *AACN Adv. Crit. Care*, 27(2), 187-203. <https://doi.org/10.4037/aacnacc2016244>
- Hopkins, R. O., Spuhler, V. J., & Thomsen, G. E. (2007). Transforming ICU culture to facilitate early mobility. *Crit. Care Clin.*, 23(1), 81-96. <https://doi.org/10.1016/j.ccc.2006.11.004>
- Hopkins, R. O., Suchyta, M. R., Kamdar, B. B., Darowski, E., Jackson, J. C., & Needham, D. M. (2017). Instrumental Activities of Daily Living after Critical Illness: A Systematic Review. *Ann. Am. Thorac. Soc.*, 14(8), 1332-1343. <https://doi.org/10.1513/AnnalsATS.201701-059SR>
- Hosey, M. M., & Needham, D. M. (2020). Survivorship after COVID-19 ICU stay. *Nature Reviews Disease Primers*, 6(1), 1-2. <https://doi.org/10.1038/s41572-020-0201-1>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Hosey, M. M., Jaskulski, J., Wegener, S. T., Chlan, L. L., & Needham, D. M. (2018). Animal-assisted intervention in the ICU: a tool for humanization. *Crit. Care*, 22(1), 22. <https://doi.org/10.1186/s13054-018-1946-8>
- Hosey, M. M., Wegener, S. T., Hinkle, C., & Needham, D. M. (2021). A Cognitive Behavioral Therapy-Informed Self-Management Program for Acute Respiratory Failure Survivors: A Feasibility Study. *J. Clin. Med. Res.*, 10(4). <https://doi.org/10.3390/jcm10040872>
- Hough, C. L. (2006). Neuromuscular sequelae in survivors of acute lung injury. *Clin. Chest Med.*, 27(4), 691-703; abstract x. <https://doi.org/10.1016/j.ccm.2006.07.002>
- Hough, C. L., & Needham, D. M. (2007). The role of future longitudinal studies in ICU survivors: understanding determinants and pathophysiology of weakness and neuromuscular dysfunction. *Curr. Opin. Crit. Care*, 13(5), 489-496. <https://doi.org/10.1097/MCC.0b013e3282efea3a>
- Hoyer, E. H., Brotman, D. J., Apfel, A., Leung, C., Boonyasai, R. T., Richardson, M., Lepley, D., & Deutschendorf, A. (2018). Improving Outcomes After Hospitalization: A Prospective Observational Multicenter Evaluation of Care Coordination Strategies for Reducing 30-Day Readmissions to Maryland Hospitals. *J. Gen. Intern. Med.*, 33(5), 621-627. <https://doi.org/10.1007/s11606-017-4218-4>
- Hoyer, E. H., Friedman, M., Lavezza, A., Wagner-Kosmakos, K., Lewis-Cherry, R., Skolnik, J. L., Byers, S. P., Atanelov, L., Colantuoni, E., Brotman, D. J., & Needham, D. M. (2016). Promoting mobility and reducing length of stay in hospitalized general medicine patients: A quality-improvement project. *J. Hosp. Med.*, 11(5), 341-347. <https://doi.org/10.1002/jhm.2546>
- Hoyer, E. H., Golden, B., Dougherty, G., Richardson, M., Lepley, D., Leung, C., Deutschendorf, A., Brotman, D. J., & Stewart, R. W. (2021). The paradox of readmission prevention interventions: Missing those most in need. *Am. J. Med.*, 134(9), 1142-1147. <https://doi.org/10.1016/j.amjmed.2021.04.006>
- Hoyer, E. H., Needham, D. M., Miller, J., Deutschendorf, A., Friedman, M., & Brotman, D. J. (2013). Functional status impairment is associated with unplanned readmissions. *Arch. Phys. Med. Rehabil.*, 94(10), 1951-1958. <https://doi.org/10.1016/j.apmr.2013.05.028>
- Hua, F., Xie, H., Worthington, H. V., Furness, S., Zhang, Q., & Li, C. (2016). Oral hygiene care for critically ill patients to prevent ventilator-associated pneumonia. *Cochrane Database Syst. Rev.*, 10, CD008367. <https://doi.org/10.1002/14651858.CD008367.pub3>
- Huang, C., Huang, L., Wang, Y., Li, X., Ren, L., Gu, X., Kang, L., Guo, L., Liu, M., Zhou, X., Luo, J., Huang, Z., Tu, S., Zhao, Y., Chen, L., Xu, D., Li, Y., Li, C., Peng, L., . . . Cao, B. (2021). 6-month consequences of COVID-19 in patients discharged from hospital: a cohort study. *Lancet*, 397(10270), 220-232. [https://doi.org/10.1016/S0140-6736\(20\)32656-8](https://doi.org/10.1016/S0140-6736(20)32656-8)

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Huang, L., Li, X., Gu, X., Zhang, H., Ren, L., Guo, L., Liu, M., Wang, Y., Cui, D., Wang, Y., Zhang, X., Shang, L., Zhong, J., Wang, X., Wang, J., & Cao, B. (2022). Health outcomes in people 2 years after surviving hospitalisation with COVID-19: a longitudinal cohort study. *Lancet Respir Med*, 10(9), 863-876. [https://doi.org/10.1016/S2213-2600\(22\)00126-6](https://doi.org/10.1016/S2213-2600(22)00126-6)
- Huang, L., Yao, Q., Gu, X., Wang, Q., Ren, L., Wang, Y., Hu, P., Guo, L., Liu, M., Xu, J., Zhang, X., Qu, Y., Fan, Y., Li, X., Li, C., Yu, T., Xia, J., Wei, M., Chen, L., . . . Cao, B. (2021). 1-year outcomes in hospital survivors with COVID-19: a longitudinal cohort study. *Lancet*, 398(10302), 747-758. [https://doi.org/10.1016/S0140-6736\(21\)01755-4](https://doi.org/10.1016/S0140-6736(21)01755-4)
- Huang, M., Parker, A. M., Bienvenu, O. J., Dinglas, V. D., Colantuoni, E., Hopkins, R. O., Needham, D. M., National Institutes of Health, N. H. L., & Blood Institute Acute Respiratory Distress Syndrome, N. (2016). Psychiatric symptoms in acute respiratory distress syndrome survivors: A 1-year national multicenter study. *Crit. Care Med.*, 44(5), 954-965. <https://doi.org/10.1097/CCM.0000000000001621>
- ICU Delirium. <https://www.icudelirium.org/>
- ICU Liberation. <https://www.sccm.org/iculiberation>
- Impact of Early Mobilization on Mechanical Ventilation Duration in Intubated Critically Ill Patients - Full Text View - ClinicalTrials.gov. <https://www.clinicaltrials.gov/ct2/show/NCT02520193?term=impact+of+early+mobilization+on+mechanical+ventilation+duration+in+intubated+critically+ill+patients&draw=2&rank=1>
- The ECMO-PT Study Investigators & International ECMO Network. (2020). Early mobilisation during extracorporeal membrane oxygenation was safe and feasible: a pilot randomised controlled trial. *Intensive Care Med.*, 46(5), 1057-1059. <https://doi.org/10.1007/s00134-020-05994-8>
- Jackson, J. C., Gordon, S. M., Hart, R. P., Hopkins, R. O., & Ely, E. W. (2004). The association between delirium and cognitive decline: a review of the empirical literature. *Neuropsychol. Rev.*, 14(2), 87-98. <https://doi.org/10.1023/b:nerv.0000028080.39602.17>
- Jette, D. U., Stilphen, M., Ranganathan, V. K., Passek, S. D., Frost, F. S., & Jette, A. M. (2014). AM-PAC "6-Clicks" functional assessment scores predict acute care hospital discharge destination. *Phys. Ther.*, 94(9), 1252-1261. <https://doi.org/10.2522/ptj.20130359>
- Jette, D. U., Stilphen, M., Ranganathan, V. K., Passek, S. D., Frost, F. S., & Jette, A. M. (2014). Validity of the AM-PAC "6-Clicks" inpatient daily activity and basic mobility short forms. *Phys. Ther.*, 94(3), 379-391. <https://doi.org/10.2522/ptj.20130199>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Johnson, K., Petti, J., Olson, A., & Custer, T. (2017). Identifying barriers to early mobilisation among mechanically ventilated patients in a trauma intensive care unit. *Intensive Crit. Care Nurs.*, *42*, 51-54. <https://doi.org/10.1016/j.iccn.2017.06.005>
- Jolley, S. E., & Hough, C. L. (2017). The authors reply. *Crit. Care Med.*, *45*(3), e330-e331. <https://doi.org/10.1097/CCM.0000000000002223>
- Jolley, S. E., Moss, M., Needham, D. M., Caldwell, E., Morris, P. E., Miller, R. R., Ringwood, N., Anders, M., Koo, K. K., Gundel, S. E., Parry, S. M., Hough, C. L., & Acute Respiratory Distress Syndrome Network, I. (2017). Point prevalence study of mobilization practices for acute respiratory failure patients in the United States. *Crit. Care Med.*, *45*(2), 205-215. <https://doi.org/10.1097/CCM.0000000000002058>
- Jones, C., Bäckman, C., Capuzzo, M., Egerod, I., Flaatten, H., Granja, C., Rylander, C., Griffiths, R. D., & group, R. (2010). Intensive care diaries reduce new onset post traumatic stress disorder following critical illness: a randomised, controlled trial. *Crit. Care*, *14*(5), R168. <https://doi.org/10.1186/cc9260>
- Kamdar, B. B., King, L. M., Collop, N. A., Sakamuri, S., Colantuoni, E., Neufeld, K. J., Bienvenu, O. J., Rowden, A. M., Touradji, P., Brower, R. G., & Needham, D. M. (2013). The effect of a quality improvement intervention on perceived sleep quality and cognition in a medical ICU. *Crit. Care Med.*, *41*(3), 800-809. <https://doi.org/10.1097/CCM.0b013e3182746442>
- Kamdar, B. B., Suri, R., Suchyta, M. R., Digrande, K. F., Sherwood, K. D., Colantuoni, E., Dinglas, V. D., Needham, D. M., & Hopkins, R. O. (2020). Return to work after critical illness: a systematic review and meta-analysis. *Thorax*, *75*(1), 17-27. <https://doi.org/10.1136/thoraxjnl-2019-213803>
- Kang, J., Lee, M., Ko, H., Kim, S., Yun, S., Jeong, Y., & Cho, Y. (2018). Effect of nonpharmacological interventions for the prevention of delirium in the intensive care unit: A systematic review and meta-analysis. *J. Crit. Care*, *48*, 372-384. <https://doi.org/10.1016/j.jcrc.2018.09.032>
- Kapfhammer, H. P., Rothenhäusler, H. B., Krauseneck, T., Stoll, C., & Schelling, G. (2004). Posttraumatic stress disorder and health-related quality of life in long-term survivors of acute respiratory distress syndrome. *Am. J. Psychiatry*, *161*(1), 45-52. <https://doi.org/10.1176/appi.ajp.161.1.45>
- Katsukawa, H., Ota, K., Liu, K., Morita, Y., Watanabe, S., Sato, K., Ishii, K., Yasumura, D., Takahashi, Y., Tani, T., Oosaki, H., Nanba, T., Kozu, R., & Kotani, T. (2021). Risk Factors of Patient-Related Safety Events during Active Mobilization for Intubated Patients in Intensive Care Units- A Multi-Center Retrospective Observational Study. *J. Clin. Med. Res.*, *10*(12). <https://doi.org/10.3390/jcm10122607>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Kawaguchi, Y. M. F., Nawa, R. K., Figueiredo, T. B., Martins, L., & Pires-Neto, R. C. (2016). Perme Intensive Care Unit Mobility Score and ICU Mobility Scale: translation into Portuguese and cross-cultural adaptation for use in Brazil. *J. Bras. Pneumol.*, 42(6), 429-434.
<https://doi.org/10.1590/S1806-37562015000000301>
- Kimawi, I., Lamberjack, B., Nelliott, A., Toonstra, A. L., Zanni, J., Huang, M., Manthey, E., Kho, M. E., & Needham, D. M. (2017). Safety and Feasibility of a Protocolized Approach to In-Bed Cycling Exercise in the Intensive Care Unit: Quality Improvement Project. *Phys. Ther.*, 97(6), 593-602.
<https://doi.org/10.1093/ptj/pzx034>
- Klein, L. M., Young, D., Feng, D., Lavezza, A., Hiser, S., Daley, K. N., & Hoyer, E. H. (2018). Increasing patient mobility through an individualized goal-centered hospital mobility program: A quasi-experimental quality improvement project. *Nurs. Outlook*, 66(3), 254-262.
<https://doi.org/10.1016/j.outlook.2018.02.006>
- Klem, H. E., Tveiten, T. S., Beitland, S., Malerød, S., Kristoffersen, D. T., Dalsnes, T., Nupen-Stieng, M. B., & Larun, L. (2021). Early activity in mechanically ventilated patients - a meta-analysis. *Tidsskr. Nor. Laegeforen.*, 141(8). <https://doi.org/10.4045/tidsskr.20.0351>
- Koester, K., Troeller, H., Panter, S., Winter, E., & Patel, J. J. (2018). Overview of Intensive Care Unit-Related Physical and Functional Impairments and Rehabilitation-Related Devices. *Nutr. Clin. Pract.*, 33(2), 177-184. <https://doi.org/10.1002/ncp.10077>
- Kolata, G. (2009, 2009/1/12). A Tactic to Cut I.C.U. Trauma: Get Patients Up. *The New York Times*.
<https://www.nytimes.com/2009/01/12/health/12icu.html>
- Koo, K. K. Y., Choong, K., Cook, D. J., Herridge, M., Newman, A., Lo, V., Guyatt, G., Priestap, F., Campbell, E., Burns, K. E. A., Lamontagne, F., Meade, M. O., & Canadian Critical Care Trials, G. (2016). Early mobilization of critically ill adults: a survey of knowledge, perceptions and practices of Canadian physicians and physiotherapists. *CMAJ Open*, 4(3), E448-E454.
<https://doi.org/10.9778/cmajo.20160021>
- Korupolu, R., Gifford, J., & Needham, D. (2009). Early mobilization of critically ill patients: reducing neuromuscular complications after intensive care. *Contemporary Critical Care*, 6(9), 1-11.
- Kotfis, K., Williams Roberson, S., Wilson, J., Pun, B., Ely, E. W., Jeżowska, I., Jezierska, M., & Dabrowski, W. (2020). COVID-19: What do we need to know about ICU delirium during the SARS-CoV-2 pandemic? *Anaesthesiol. Intensive Ther.*, 52(2), 132-138.
<https://doi.org/10.5114/ait.2020.95164>
- Kourek, C., Nanas, S., Kotanidou, A., Raidou, V., Dimopoulou, M., Adamopoulos, S., Karabinis, A., & Dimopoulos, S. (2022). Modalities of exercise training in patients with extracorporeal membrane oxygenation support. *J Cardiovasc Dev Dis*, 9(2). <https://doi.org/10.3390/jcdd9020034>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Lall, A., & Behan, D. (2022). Mobilizing ventilated neurosurgery patients: An integrative literature review. *J. Neurosci. Nurs.*, 54(1), 13-18. <https://doi.org/10.1097/JNN.0000000000000624>
- Langmore, S. E., Krisciunas, G. P., Warner, H., White, S. D., Dvorkin, D., Fink, D., McNally, E., Scheel, R., Higgins, C., Levitt, J. E., McKeehan, J., Deane, S., Siner, J. M., Vojnik, R., & Moss, M. (2021). Correction to: Abnormalities of aspiration and swallowing function in survivors of acute respiratory failure. *Dysphagia*, 36(5), 842-853. <https://doi.org/10.1007/s00455-020-10226-8>
- Larsen, L. K., Frøkjær, V. G., Nielsen, J. S., Skrobik, Y., Winkler, Y., Møller, K., Petersen, M., & Egerod, I. (2019). Delirium assessment in neuro-critically ill patients: A validation study. *Acta Anaesthesiol. Scand.*, 63(3), 352-359. <https://doi.org/10.1111/aas.13270>
- Lasiter, S., Oles, S. K., Mundell, J., London, S., & Khan, B. (2016). Critical Care Follow-up Clinics: A Scoping Review of Interventions and Outcomes. *Clin. Nurse Spec.*, 30(4), 227-237. <https://doi.org/10.1097/NUR.0000000000000219>
- Lee, M., Kang, J., & Jeong, Y. J. (2020). Risk factors for post-intensive care syndrome: A systematic review and meta-analysis. *Aust. Crit. Care*, 33(3), 287-294. <https://doi.org/10.1016/j.aucc.2019.10.004>
- Leijten, F. S., De Weerd, A. W., Poortvliet, D. C., De Ridder, V. A., Ulrich, C., & Harink-De Weerd, J. E. (1996). Critical illness polyneuropathy in multiple organ dysfunction syndrome and weaning from the ventilator. *Intensive Care Med.*, 22(9), 856-861. <https://doi.org/10.1007/BF02044107>
- Lewis, K., Alshamsi, F., Carayannopoulos, K. L., Granholm, A., Piticar, J., Al Duhailib, Z., Chaudhuri, D., Spatafora, L., Yuan, Y., Centofanti, J., Spence, J., Rochweg, B., Perri, D., Needham, D. M., Holbrook, A., Devlin, J. W., Nishida, O., Honarmand, K., Ergon, B., . . . group, G. (2022). Dexmedetomidine vs other sedatives in critically ill mechanically ventilated adults: a systematic review and meta-analysis of randomized trials. *Intensive Care Med.*, 48(7), 811-840. <https://doi.org/10.1007/s00134-022-06712-2>
- Lin, F., Phelan, S., Chaboyer, W., & Mitchell, M. (2020). Early mobilisation of ventilated patients in the intensive care unit: A survey of critical care clinicians in an Australian tertiary hospital. *Aust. Crit. Care*, 33(2), 130-136. <https://doi.org/10.1016/j.aucc.2019.02.002>
- Lin, S.-M., Liu, C.-Y., Wang, C.-H., Lin, H.-C., Huang, C.-D., Huang, P.-Y., Fang, Y.-F., Shieh, M.-H., & Kuo, H.-P. (2004). The impact of delirium on the survival of mechanically ventilated patients. *Crit. Care Med.*, 32(11), 2254-2259. <https://doi.org/10.1097/01.ccm.0000145587.16421.bb>
- Loberg, R. A., Smallheer, B. A., & Thompson, J. A. (2022). A quality improvement initiative to evaluate the effectiveness of the ABCDEF Bundle on sepsis outcomes. *Crit. Care Nurs. Q.*, 45(1), 42-53. <https://doi.org/10.1097/CNQ.0000000000000387>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Lockwood, K. J., & Porter, J. (2022). Effectiveness of Hospital-Based Interventions by Occupational Therapy Practitioners on Reducing Readmissions: A Systematic Review With Meta-Analyses. *Am. J. Occup. Ther.*, 76(1). <https://doi.org/10.5014/ajot.2022.048959>
- Macht, M., Wimbish, T., Clark, B. J., Benson, A. B., Burnham, E. L., Williams, A., & Moss, M. (2011). Postextubation dysphagia is persistent and associated with poor outcomes in survivors of critical illness. *Crit. Care*, 15(5), R231. <https://doi.org/10.1186/cc10472>
- Maeda, K., & Mori, N. (2020). Poor oral health and mortality in geriatric patients admitted to an acute hospital: an observational study. *BMC Geriatr.*, 20(1), 26. <https://doi.org/10.1186/s12877-020-1429-z>
- Manzano, J. L., Lubillo, S., Henríquez, D., Martín, J. C., Pérez, M. C., & Wilson, D. J. (1993). Verbal communication of ventilator-dependent patients. *Crit. Care Med.*, 21(4), 512-517. <https://doi.org/10.1097/00003246-199304000-00009>
- Maramattom, B. V., & Wijdicks, E. F. M. (2006). Acute neuromuscular weakness in the intensive care unit. *Crit. Care Med.*, 34(11), 2835-2841. <https://doi.org/10.1097/01.CCM.0000239436.63452.81>
- Marra, A., Ely, E. W., Pandharipande, P. P., & Patel, M. B. (2017). The ABCDEF Bundle in Critical Care. *Crit. Care Clin.*, 33(2), 225-243. <https://doi.org/10.1016/j.ccc.2016.12.005>
- Mattioli, E., Tabuzo, B., Jr., Sangkachand, P., Parkosewich, J., Reyes, L., & Funk, M. (2019). Safety and Patients' Response to Ambulation With a Pulmonary Artery Catheter in the Cardiac Intensive Care Unit. *Am. J. Crit. Care*, 28(2), 101-108. <https://doi.org/10.4037/ajcc2019339>
- Mayer, K. P., Joseph-Isang, E., Robinson, L. E., Parry, S. M., Morris, P. E., & Neyra, J. A. (2020). Safety and feasibility of physical rehabilitation and active mobilization in patients requiring continuous renal replacement therapy: A systematic review. *Crit. Care Med.*, 48(11), e1112-e1120. <https://doi.org/10.1097/CCM.0000000000004526>
- Mayer, K. P., Pastva, A. M., Du, G., Hatchett, S. P., Chang, M., Henning, A. N., Maher, B., Morris, P. E., & Zwischenberger, J. B. (2022). Mobility levels with physical rehabilitation delivered during and after extracorporeal membrane oxygenation: A marker of illness severity or an indication of recovery? *Phys. Ther.*, 102(3). <https://doi.org/10.1093/ptj/pzab301>
- McKinstry, A., Tranter, M., & Sweeney, J. (2010). Outcomes of dysphagia intervention in a pulmonary rehabilitation program. *Dysphagia*, 25(2), 104-111. <https://doi.org/10.1007/s00455-009-9230-3>
- McNicoll, L., Pisani, M. A., Zhang, Y., Ely, E. W., Siegel, M. D., & Inouye, S. K. (2003). Delirium in the intensive care unit: occurrence and clinical course in older patients. *J. Am. Geriatr. Soc.*, 51(5), 591-598. <https://doi.org/10.1034/j.1600-0579.2003.00201.x>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- McPeake, J., Boehm, L. M., Hibbert, E., Bakhru, R. N., Bastin, A. J., Butcher, B. W., Eaton, T. L., Harris, W., Hope, A. A., Jackson, J., Johnson, A., Kloos, J. A., Korzick, K. A., MacTavish, P., Meyer, J., Montgomery-Yates, A., Quasim, T., Slack, A., Wade, D., . . . Sevin, C. M. (2020). Key components of ICU recovery programs: What did patients report provided benefit? *Crit Care Explor*, 2(4), e0088. <https://doi.org/10.1097/CCE.000000000000088>
- Mikkelsen, M. E., Still, M., Anderson, B. J., Bienvenu, O. J., Brodsky, M. B., Brummel, N., Butcher, B., Clay, A. S., Felt, H., Ferrante, L. E., Haines, K. J., Harhay, M. O., Hope, A. A., Hopkins, R. O., Hosey, M., Hough, C. T. L., Jackson, J. C., Johnson, A., Khan, B., . . . Sevin, C. M. (2020). Society of Critical Care Medicine's International Consensus Conference on prediction and identification of long-term impairments after critical illness. *Crit. Care Med.*, 48(11), 1670-1679. <https://doi.org/10.1097/CCM.0000000000004586>
- Milbrandt, E. B., Deppen, S., Harrison, P. L., Shintani, A. K., Speroff, T., Stiles, R. A., Truman, B., Bernard, G. R., Dittus, R. S., & Ely, E. W. (2004). Costs associated with delirium in mechanically ventilated patients. *Crit. Care Med.*, 32(4), 955-962. <https://doi.org/10.1097/01.ccm.0000119429.16055.92>
- Mitchell, M. L., Shum, D. H. K., Mihala, G., Murfield, J. E., & Aitken, L. M. (2018). Long-term cognitive impairment and delirium in intensive care: A prospective cohort study. *Aust. Crit. Care*, 31(4), 204-211. <https://doi.org/10.1016/j.aucc.2017.07.002>
- Moraes, F. d. S., Marengo, L. L., Moura, M. D. G., Bergamaschi, C. d. C., de Sá Del Fiol, F., Lopes, L. C., Silva, M. T., & Barberato-Filho, S. (2022). ABCDE and ABCDEF care bundles: A systematic review of the implementation process in intensive care units. *Medicine*, 101(25), e29499. <https://doi.org/10.1097/MD.00000000000029499>
- Moraes, F. d. S., Marengo, L. L., Silva, M. T., Bergamaschi, C. d. C., Lopes, L. C., Moura, M. D. G., Fiol, F. d. S. D., & Barberato-Filho, S. (2019). ABCDE and ABCDEF care bundles: A systematic review protocol of the implementation process in intensive care units. *Medicine*, 98(11), e14792. <https://doi.org/10.1097/MD.00000000000014792>
- Morris, L. L., Bedon, A. M., McIntosh, E., & Whitmer, A. (2015). Restoring Speech to Tracheostomy Patients. *Crit. Care Nurse*, 35(6), 13-27; quiz 28. <https://doi.org/10.4037/ccn2015401>
- Morris, P. E., Berry, M. J., Files, D. C., Thompson, J. C., Hauser, J., Flores, L., Dhar, S., Chmelo, E., Lovato, J., Case, L. D., Bakhru, R. N., Sarwal, A., Parry, S. M., Campbell, P., Mote, A., Winkelman, C., Hite, R. D., Nicklas, B., Chatterjee, A., & Young, M. P. (2016). Standardized rehabilitation and hospital length of stay among patients with acute respiratory failure: A randomized clinical trial. *JAMA*, 315(24), 2694-2702. <https://doi.org/10.1001/jama.2016.7201>
- Morris, P. E., Goad, A., Thompson, C., Taylor, K., Harry, B., Passmore, L., Ross, A., Anderson, L., Baker, S., Sanchez, M., Penley, L., Howard, A., Dixon, L., Leach, S., Small, R., Hite, R. D., &

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

Haponik, E. (2008). Early intensive care unit mobility therapy in the treatment of acute respiratory failure. *Crit. Care Med.*, 36(8), 2238-2243.
<https://doi.org/10.1097/CCM.0b013e318180b90e>

Moser, C. H., Freeman-Sanderson, A., Keeven, E., Higley, K. A., Ward, E., Brenner, M. J., & Pandian, V. (2022). Tracheostomy care and communication during COVID-19: Global interprofessional perspectives. *Am. J. Otolaryngol.*, 43(2), 103354. <https://doi.org/10.1016/j.amjoto.2021.103354>

Moss, M., Nordon-Craft, A., Malone, D., Van Pelt, D., Frankel, S. K., Warner, M. L., Kriekels, W., McNulty, M., Fairclough, D. L., & Schenkman, M. (2016). A randomized trial of an intensive physical therapy program for patients with acute respiratory failure. *Am. J. Respir. Crit. Care Med.*, 193(10), 1101-1110. <https://doi.org/10.1164/rccm.201505-1039OC>

Needham, D. M. (2008). Mobilizing patients in the intensive care unit: improving neuromuscular weakness and physical function. *JAMA*, 300(14), 1685-1690.
<https://doi.org/10.1001/jama.300.14.1685>

Needham, D. M., & Korupolu, R. (2010). Rehabilitation quality improvement in an intensive care unit setting: implementation of a quality improvement model. *Top. Stroke Rehabil.*, 17(4), 271-281.
<https://doi.org/10.1310/tsr1704-271>

Needham, D. M., Davidson, J., Cohen, H., Hopkins, R. O., Weinert, C., Wunsch, H., Zawistowski, C., Bemis-Dougherty, A., Berney, S. C., Bienvenu, O. J., Brady, S. L., Brodsky, M. B., Denehy, L., Elliott, D., Flatley, C., Harabin, A. L., Jones, C., Louis, D., Meltzer, W., Harvey, M. A. (2012). Improving long-term outcomes after discharge from intensive care unit: report from a stakeholders' conference. *Crit. Care Med.*, 40(2), 502-509.
<https://doi.org/10.1097/CCM.0b013e318232da75>

Needham, D. M., Dennison, C. R., Dowdy, D. W., Mendez-Tellez, P. A., Ciesla, N., Desai, S. V., Sevransky, J., Shanholtz, C., Scharfstein, D., Herridge, M. S., & Pronovost, P. J. (2006). Study protocol: The improving care of acute lung injury patients (ICAP) study. *Crit. Care*, 10(1), R9.
<https://doi.org/10.1186/cc3948>

Needham, D. M., Korupolu, R., Zanni, J. M., Pradhan, P., Colantuoni, E., Palmer, J. B., Brower, R. G., & Fan, E. (2010). Early physical medicine and rehabilitation for patients with acute respiratory failure: a quality improvement project. *Arch. Phys. Med. Rehabil.*, 91(4), 536-542.
<https://doi.org/10.1016/j.apmr.2010.01.002>

Needham, D. M., Sepulveda, K. A., Dinglas, V. D., Chessare, C. M., Friedman, L. A., Bingham, C. O., 3rd, & Turnbull, A. E. (2017). Core Outcome Measures for Clinical Research in Acute Respiratory Failure Survivors. An International Modified Delphi Consensus Study. *Am. J. Respir. Crit. Care Med.*, 196(9), 1122-1130. <https://doi.org/10.1164/rccm.201702-0372OC>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Needham, D. M., Truong, A. D., & Fan, E. (2009). Technology to enhance physical rehabilitation of critically ill patients. *Crit. Care Med.*, 37(10 Suppl), S436-441. <https://doi.org/10.1097/CCM.0b013e3181b6fa29>
- NICE. (2009). *Rehabilitation after critical illness in adults* (CG83). Nice. <https://www.nice.org.uk/guidance/cg83>
- NIDUS. (2017). Delirium Network. <https://deliriumnetwork.org/>
- Nielsen, A. H., Kaldan, G., Nielsen, B. H., Kristensen, G. J., Shiv, L., & Egerod, I. (2022). Intensive care professionals' perspectives on dysphagia management: A focus group study. *Aust. Crit. Care.* <https://doi.org/10.1016/j.aucc.2022.04.004>
- Noble, N. L., & Sweeney, N. L. (2018). Barriers to the use of assistive devices in patient handling. *Workplace Health Saf.*, 66(1), 41-48. <https://doi.org/10.1177/2165079917697216>
- Nydahl, P., McWilliams, D., Weiler, N., Borzikowsky, C., Howroyd, F., Brobeil, A., Lindner, M., & von Haken, R. (2022). Mobilization in the evening to prevent delirium: A pilot randomized trial. *Nurs. Crit. Care*, 27(4), 519-527. <https://doi.org/10.1111/nicc.12638>
- Nydahl, P., Ruhl, A. P., Bartoszek, G., Dubb, R., Filipovic, S., Flohr, H.-J., Kaltwasser, A., Mende, H., Rothaug, O., Schuchhardt, D., Schwabbauer, N., & Needham, D. M. (2014). Early mobilization of mechanically ventilated patients: a 1-day point-prevalence study in Germany. *Crit. Care Med.*, 42(5), 1178-1186. <https://doi.org/10.1097/CCM.000000000000149>
- Nydahl, P., Sricharoenchai, T., Chandra, S., Kundt, F. S., Huang, M., Fischill, M., & Needham, D. M. (2017). Safety of patient mobilization and rehabilitation in the intensive care unit. systematic review with meta-analysis. *Ann. Am. Thorac. Soc.*, 14(5), 766-777. <https://doi.org/10.1513/AnnalsATS.201611-843SR>
- Nydahl, P., Wilkens, S., Glase, S., Mohr, L. M., Richter, P., Klarmann, S., Perme, C. S., & Nawa, R. K. (2018). The German translation of the Perme Intensive Care Unit Mobility Score and inter-rater reliability between physiotherapists and nurses. *European Journal of Physiotherapy*, 20(2), 109-115. <https://doi.org/10.1080/21679169.2017.1401660>
- Olkowski, B. F., & Stolfi, A. M. (2014). Safe patient handling perceptions and practices: a survey of acute care physical therapists. *Phys. Ther.*, 94(5), 682-695. <https://doi.org/10.2522/ptj.20120539>
- O'Neil, A. M., Rush, C., Griffard, L., Roggy, D., Boyd, A., & Hartman, B. (2022). Five-Year Retrospective Analysis of a Vented Mobility Algorithm in the Burn ICU. *J. Burn Care Res.*, irab248. <https://doi.org/10.1093/jbcr/irab248>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Ouimet, S., Riker, R., Bergeron, N., Cossette, M., Kavanagh, B., & Skrobik, Y. (2007). Subsyndromal delirium in the ICU: evidence for a disease spectrum. *Intensive Care Med.*, 33(6), 1007-1013. <https://doi.org/10.1007/s00134-007-0618-y>
- Overgaard, C. B., & Dzavík, V. (2008). Inotropes and vasopressors: review of physiology and clinical use in cardiovascular disease. *Circulation*, 118(10), 1047-1056. <https://doi.org/10.1161/CIRCULATIONAHA.107.728840>
- Ozcan Kahraman, B., Ozsoy, I., Kahraman, T., Tanriverdi, A., Acar, S., Ozpelit, E., Akdeniz, B., Hiser, S., Guimaraes, F. S., Needham, D. M., & Savci, S. (2020). Turkish translation, cross-cultural adaptation, and assessment of psychometric properties of the Functional Status Score for the Intensive Care Unit. *Disabil. Rehabil.*, 42(21), 3092-3097. <https://doi.org/10.1080/09638288.2019.1602852>
- Pandharipande, P. P., Girard, T. D., Jackson, J. C., Morandi, A., Thompson, J. L., Pun, B. T., Brummel, N. E., Hughes, C. G., Vasilevskis, E. E., Shintani, A. K., Moons, K. G., Geevarghese, S. K., Canonico, A., Hopkins, R. O., Bernard, G. R., Dittus, R. S., Ely, E. W., & Investigators, B.-I. S. (2013). Long-term cognitive impairment after critical illness. *N. Engl. J. Med.*, 369(14), 1306-1316. <https://doi.org/10.1056/NEJMoa1301372>
- Parker, A. M., Akhlaghi, N., Malik, A. M., Friedman, L. A., Manthey, E., Albert, K., Glover, M., Dong, S., Lavezza, A., Seltzer, J., & Needham, D. M. (2022). Perceived barriers to early goal-directed mobility in the intensive care unit: Results of a quality improvement evaluation. *Aust. Crit. Care*, 35(3), 219-224. <https://doi.org/10.1016/j.aucc.2021.05.002>
- Parker, A. M., Sinha, P., & Needham, D. M. (2021). Biological Mechanisms of Cognitive and Physical Impairments after Critical Care. Rethinking the Inflammatory Model? *Am. J. Respir. Crit. Care Med.*, 203(6), 665-667. <https://doi.org/10.1164/rccm.202010-3896ED>
- Parker, A. M., Sricharoenchai, T., Rappaport, S., Schneck, K. W., Bienvenu, O. J., & Needham, D. M. (2015). Posttraumatic stress disorder in critical illness survivors: a metaanalysis. *Crit. Care Med.*, 43(5), 1121-1129. <https://doi.org/10.1097/CCM.0000000000000882>
- Parks Taylor, S., McWilliams, A., Taylor, B. T., Heffner, A. C., Chou, S.-H., Runyon, M., Cunningham, K., Evans, S. L., Gibbs, M., Russo, M., Rossman, W., Murphy, S. E., Kowalkowski, M. A., & Atrium Health Acute Care Outcomes Research Network, I. (2019). Predictive accuracy of quick sequential organ failure assessment for hospital mortality decreases with increasing comorbidity burden among patients admitted for suspected infection. *Crit. Care Med.*, 47(8), 1081-1088. <https://doi.org/10.1097/CCM.00000000000003815>
- Parry, S. M., Huang, M., & Needham, D. M. (2017). Evaluating physical functioning in critical care: considerations for clinical practice and research. *Crit. Care*, 21(1), 249. <https://doi.org/10.1186/s13054-017-1827-6>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Parry, S. M., Knight, L. D., Connolly, B., Baldwin, C., Puthuchery, Z., Morris, P., Mortimore, J., Hart, N., Denehy, L., & Granger, C. L. (2017). Factors influencing physical activity and rehabilitation in survivors of critical illness: a systematic review of quantitative and qualitative studies. *Intensive Care Med.*, 43(4), 531-542. <https://doi.org/10.1007/s00134-017-4685-4>
- Parry, S. M., Nalamalapu, S. R., Nunna, K., Rabiee, A., Friedman, L. A., Colantuoni, E., Needham, D. M., & Dinglas, V. D. (2021). Six-Minute Walk Distance After Critical Illness: A Systematic Review and Meta-Analysis. *J. Intensive Care Med.*, 36(3), 343-351. <https://doi.org/10.1177/0885066619885838>
- Pasrija, C., Mackowick, K. M., Raithel, M., Tran, D., Boulos, F. M., Deatrck, K. B., Mazzeffi, M. A., Rector, R., Pham, S. M., Griffith, B. P., Herr, D. L., & Kon, Z. N. (2019). Ambulation With Femoral Arterial Cannulation Can Be Safely Performed on Venoarterial Extracorporeal Membrane Oxygenation. *Ann. Thorac. Surg.*, 107(5), 1389-1394. <https://doi.org/10.1016/j.athoracsur.2018.10.048>
- Pasrija, C., Sawan, M. A., Sorensen, E., Voorhees, H., Shah, A., Strauss, E., Ton, V.-K., DiChiacchio, L., Kaczorowski, D. J., Griffith, B. P., Pham, S. M., & Kon, Z. N. (2019). Less invasive left ventricular assist device implantation may reduce right ventricular failure. *Interact. Cardiovasc. Thorac. Surg.*, 29(4), 592-598. <https://doi.org/10.1093/icvts/ivz143>
- Patel, M. B., Bednarik, J., Lee, P., Shehabi, Y., Salluh, J. I., Slooter, A. J., Klein, K. E., Skrobik, Y., Morandi, A., Spronk, P. E., Naidech, A. M., Pun, B. T., Bozza, F. A., Marra, A., John, S., Pandharipande, P. P., & Ely, E. W. (2018). Delirium Monitoring in Neurocritically Ill Patients: A Systematic Review. *Crit. Care Med.*, 46(11), 1832-1841. <https://doi.org/10.1097/CCM.0000000000003349>
- Patrick, K., & Adams, A. (2021). Mobilization of patients receiving extracorporeal membrane oxygenation before lung transplant. *Crit. Care Nurse*, 41(4), 39-45. <https://doi.org/10.4037/ccn2021689>
- Perme, C., & Chandrashekar, R. (2009). Early mobility and walking program for patients in intensive care units: creating a standard of care. *Am. J. Crit. Care*, 18(3), 212-221. <https://doi.org/10.4037/aicc2009598>
- Perme, C., Lettvin, C., Throckmorton, T. A., Mitchell, K., & Masud, F. (2011). Early mobility and walking for patients with femoral arterial catheters in intensive care unit: A case series. *Journal of Acute Care Physical Therapy*, 2(1), 30. https://journals.lww.com/jacpt/Fulltext/2011/02010/Early_Mobility_and_Walking_for_Patients_wi th.4.aspx
- Perme, C., Nalty, T., Winkelman, C., Kenji Nawa, R., & Masud, F. (2013). Safety and Efficacy of Mobility interventions in patients with femoral catheters in the ICU: A prospective observational

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

study. *Cardiopulm. Phys. Ther. J.*, 24(2), 12-17.

<https://www.ncbi.nlm.nih.gov/pubmed/23801900>

Perme, C., Nawa, R. K., Winkelman, C., & Masud, F. (2014). A tool to assess mobility status in critically ill patients: the Perme Intensive Care Unit Mobility Score. *Methodist Debaquey Cardiovasc. J.*, 10(1), 41-49. <https://doi.org/10.14797/mdcj-10-1-41>

Peterson, J. F., Pun, B. T., Dittus, R. S., Thomason, J. W. W., Jackson, J. C., Shintani, A. K., & Ely, E. W. (2006). Delirium and its motoric subtypes: a study of 614 critically ill patients. *J. Am. Geriatr. Soc.*, 54(3), 479-484. <https://doi.org/10.1111/j.1532-5415.2005.00621.x>

Peterson, J. F., Pun, B. T., Dittus, R. S., Thomason, J. W. W., Jackson, J. C., Shintani, A. K., & Ely, E. W. (2006). Delirium and its motoric subtypes: a study of 614 critically ill patients. *J. Am. Geriatr. Soc.*, 54(3), 479-484. <https://doi.org/10.1111/j.1532-5415.2005.00621.x>

Peterson, M. L., Lukens, K., & Fulk, G. (2018). Psychometric Properties of Physical Function Measures Used in the Intensive Care Unit: A Systematic Review. *Journal of Acute Care Physical Therapy*, 9(2), 78. <https://doi.org/10.1097/JAT.0000000000000073>

Probasco, J. C., Lavezza, A., Cassell, A., Shakes, T., Feurer, A., Russell, H., Sporney, H., Burnett, M., Maritim, C., Urrutia, V., Puttgen, H. A., Friedman, M., & Hoyer, E. H. (2018). Choosing Wisely Together: Physical and Occupational Therapy Consultation for Acute Neurology Inpatients. *Neurohospitalist*, 8(2), 53-59. <https://doi.org/10.1177/1941874417729981>

Pronovost, P. J., Berenholtz, S. M., & Needham, D. M. (2008). Translating evidence into practice: a model for large scale knowledge translation. *BMJ*, 337, a1714. <https://doi.org/10.1136/bmj.a1714>

Rains, J., & Chee, N. (2017). The role of occupational and physiotherapy in multi-modal approach to tackling delirium in the intensive care. *Pediatr. Crit. Care Med.*, 18(4), 318-322. <https://doi.org/10.1177/1751143717720589>

Raja, S., Hasnain, M., Hoersch, M., Gove-Yin, S., & Rajagopalan, C. (2015). Trauma informed care in medicine: current knowledge and future research directions. *Fam. Community Health*, 38(3), 216-226. <https://doi.org/10.1097/FCH.0000000000000071>

Ramsey, S. C., Lucas, J., Barrett, P., Ballard, W. L., Kaul, P., & Klein, A. J. (2020). Safe Ambulation of Critically Ill Cardiac Patients With Femoral Balloon Pumps: A Case Cohort Study. *J. Card. Fail.*, 26(7), 621-625. <https://doi.org/10.1016/j.cardfail.2020.05.010>

Rapolthy-Beck, A., Fleming, J., & Turpin, M. (2022). Occupational therapy service provision in adult intensive care units in Australia: A survey of workload practices, interventions and barriers. *Aust. Occup. Ther. J.*, 69(3), 316-330. <https://doi.org/10.1111/1440-1630.12794>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Rapolthy-Beck, A., Fleming, J., Turpin, M., Sosnowski, K., Dullaway, S., & White, H. (2021). A comparison of standard occupational therapy versus early enhanced occupation-based therapy in a medical/surgical intensive care unit: study protocol for a single site feasibility trial (EFFORT-ICU). *Pilot Feasibility Stud*, 7(1), 51. <https://doi.org/10.1186/s40814-021-00795-2>
- Rattray, J. E., Johnston, M., & Wildsmith, J. A. W. (2005). Predictors of emotional outcomes of intensive care. *Anaesthesia*, 60(11), 1085-1092. <https://doi.org/10.1111/j.1365-2044.2005.04336.x>
- Raurell-Torredà, M., Arias-Rivera, S., Martí, J. D., Frade-Mera, M. J., Zaragoza-García, I., Gallart, E., Velasco-Sanz, T. R., San José-Arribas, A., Blazquez-Martínez, E., & group, M. O. (2022). Variables associated with mobility levels in critically ill patients: A cohort study. *Nurs. Crit. Care*, 27(4), 546-557. <https://doi.org/10.1111/nicc.12639>
- Raurell-Torredà, M., Regaira-Martínez, E., Planas-Pascual, B., Ferrer-Roca, R., Martí, J. D., Blazquez-Martínez, E., Ballesteros-Reviriego, G., Vinuesa-Suárez, I., & Zariquiey-Esteva, G. (2021). Algoritmo de movilización temprana para el paciente crítico. Recomendaciones de expertos. *Enferm. Intensiva*, 32(3), 153-163. <https://doi.org/10.1016/j.enfi.2020.11.001>
- Regan, J., Walshe, M., Lavan, S., Horan, E., Murphy, P. G., Healy, A., Langan, C., Malherbe, K., Murphy, B. F., Cremin, M., Hilton, D., Cavaliere, J., Curley, J., Moloney, A., Flanagan, G., & Whyte, A. (2022). Dysphagia, dysphonia, and dysarthria outcomes among adults hospitalized with COVID-19 across Ireland. *Laryngoscope*, 132(6), 1251-1259. <https://doi.org/10.1002/lary.29900>
- Reid, J. C., Clarke, F., Cook, D. J., Molloy, A., Rudkowski, J. C., Stratford, P., & Kho, M. E. (2020). Feasibility, reliability, responsiveness, and validity of the patient-reported functional scale for the intensive care unit: A pilot study. *J. Intensive Care Med.*, 35(12), 1396-1404. <https://doi.org/10.1177/0885066618824534>
- Rice, K. L., Bennett, M. J., Berger, L., Jennings, B., Eckhardt, L., Fabré-LaCoste, N., Houghton, D., Vidal, G., Gropen, T., Diggs, E., Barry, E., St John, J., Mathew, S., Egger, A., Ryan, S., Egger, R., Galarneau, D., Gaines, K., & Ely, E. W. (2017). A pilot randomized controlled trial of the feasibility of a multicomponent delirium prevention intervention versus usual care in acute stroke. *J. Cardiovasc. Nurs.*, 32(1), E1-E10. <https://doi.org/10.1097/JCN.0000000000000356>
- Ricotti, S., Petrucci, L., Carenzio, G., Carlisi, E., Di Natali, G., De Silvestri, A., Lisi, C., & Covid Rehabilitation, G. (2022). Functional assessment and rehabilitation protocol in acute patients affected by SARS-CoV-2 infection hospitalized in the Intensive Care Unit and in the Medical Care Unit. *Eur. J. Phys. Rehabil. Med.*, 58(2), 316-323. <https://doi.org/10.23736/S1973-9087.21.06897-0>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Ries, E. (1899). Some radical changes in the after-treatment of celiotomy cases. *JAMA*, XXXIII(8), 454-456. <https://doi.org/10.1001/jama.1899.92450600020001g>
- Rivas, E., Cohen, B., Pu, X., Xiang, L., Saasouh, W., Mao, G., Minko, P., Mosteller, L., Volio, A., Maheshwari, K., Sessler, D. I., & Turan, A. (2022). Pain and Opioid Consumption and Mobilization after Surgery: Post Hoc Analysis of Two Randomized Trials. *Anesthesiology*, 136(1), 115-126. <https://doi.org/10.1097/ALN.0000000000004037>
- Robinson, M. R., Koverman, B., Becker, C., Ciancio, K. E., Fisher, G., & Saake, S. (2021). Lessons Learned From the COVID-19 Pandemic: Occupational Therapy on the Front Line. *Am. J. Occup. Ther.*, 75(2), 7502090010p7502090011-7502090010p7502090017. <https://doi.org/10.5014/ajot.2021.047654>
- Rogers, A. T., Bai, G., Lavin, R. A., & Anderson, G. F. (2017). Higher hospital spending on occupational therapy is associated with lower readmission rates. *Med. Care Res. Rev.*, 74(6), 668-686. <https://doi.org/10.1177/1077558716666981>
- Rose, L., Sutt, A.-L., Amaral, A. C., Fergusson, D. A., Smith, O. M., & Dale, C. M. (2021). Interventions to enable communication for adult patients requiring an artificial airway with or without mechanical ventilator support. *Cochrane Database Syst. Rev.*, 10, CD013379. <https://doi.org/10.1002/14651858.CD013379.pub2>
- SAMHSA's Concept of Trauma and Guidance for a Trauma-Informed Approach. <https://store.samhsa.gov/product/SAMHSA-s-Concept-of-Trauma-and-Guidance-for-a-Trauma-Informed-Approach/SMA14-4884>
- Samuelson, K. A. M., Lundberg, D., & Fridlund, B. (2007). Stressful memories and psychological distress in adult mechanically ventilated intensive care patients - a 2-month follow-up study. *Acta Anaesthesiol. Scand.*, 51(6), 671-678. <https://doi.org/10.1111/j.1399-6576.2007.01292.x>
- Sareen, J., Olafson, K., Kredentser, M. S., Bienvenu, O. J., Blouw, M., Bolton, J. M., Logsetty, S., Chateau, D., Nie, Y., Bernstein, C. N., Afifi, T. O., Stein, M. B., Leslie, W. D., Katz, L. Y., Mota, N., El-Gabalawy, R., Sweatman, S., & Marrie, R. A. (2020). The 5-Year incidence of mental disorders in a population-based ICU survivor cohort. *Crit. Care Med.*, 48(8), e675-e683. <https://doi.org/10.1097/CCM.0000000000004413>
- Schaller, S. J., Anstey, M., Blobner, M., Edrich, T., Grabitz, S. D., Gradwohl-Matis, I., Heim, M., Houle, T., Kurth, T., Latronico, N., Lee, J., Meyer, M. J., Peponis, T., Talmor, D., Velmahos, G. C., Waak, K., Walz, J. M., Zafonte, R., Eikermann, M., & International Early, S.-g. M. R. I. (2016). Early, goal-directed mobilisation in the surgical intensive care unit: a randomised controlled trial. *Lancet*, 388(10052), 1377-1388. [https://doi.org/10.1016/S0140-6736\(16\)31637-3](https://doi.org/10.1016/S0140-6736(16)31637-3)

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Schweickert, W. D., & Hall, J. (2007). ICU-acquired weakness. *Chest*, 131(5), 1541-1549. <https://doi.org/10.1378/chest.06-2065>
- Schweickert, W. D., Pohlman, M. C., Pohlman, A. S., Nigos, C., Pawlik, A. J., Esbrook, C. L., Spears, L., Miller, M., Franczyk, M., Deprizio, D., Schmidt, G. A., Bowman, A., Barr, R., McCallister, K. E., Hall, J. B., & Kress, J. P. (2009). Early physical and occupational therapy in mechanically ventilated, critically ill patients: a randomised controlled trial. *Lancet*, 373(9678), 1874-1882. [https://doi.org/10.1016/S0140-6736\(09\)60658-9](https://doi.org/10.1016/S0140-6736(09)60658-9)
- Shah, S. O., Kraft, J., Ankam, N., Bu, P., Stout, K., Melnyk, S., Rincon, F., & Athar, M. K. (2018). Early ambulation in patients with external ventricular drains: Results of a quality improvement project. *J. Intensive Care Med.*, 33(6), 370-374. <https://doi.org/10.1177/0885066616677507>
- Shaker, R., Li, Q., Ren, J., Townsend, W. F., Dodds, W. J., Martin, B. J., Kern, M. K., & Rynders, A. (1992). Coordination of deglutition and phases of respiration: effect of aging, tachypnea, bolus volume, and chronic obstructive pulmonary disease. *Am. J. Physiol.*, 263(5 Pt 1), G750-755. <https://doi.org/10.1152/ajpgi.1992.263.5.G750>
- Sharma, S., Lupera, M. A., Chan, A., Nurok, M., Ansryan, L. Z., & Coleman, B. (2021). Safety First: An Ambulation Protocol for Patients With Pulmonary Artery Catheters. *Crit. Care Nurse*, 41(1), 45-52. <https://doi.org/10.4037/ccn2021957>
- Shumock, K. M., Appel, J., & Toonstra, A. (2015). Axillary intra-aortic balloon pump placement as a means for safe mobility in a patient awaiting left ventricular assist device implantation: A Case report. *Cardiopulm. Phys. Ther. J.*, 26(3), 53. <https://doi.org/10.1097/CPT.000000000000010>
- Silva, P. B. d., & Santos, L. J. D. (2019). Patient functionality and walking speed after discharge from the intensive care unit. *Rev Bras Ter Intensiva*, 31(4), 529-535. <https://doi.org/10.5935/0103-507X.20190066>
- Silveira, L. T. Y. d., Silva, J. M. d., Soler, J. M. P., Sun, C. Y. L., Tanaka, C., & Fu, C. (2018). Assessing functional status after intensive care unit stay: the Barthel Index and the Katz Index. *Int. J. Qual. Health Care*, 30(4), 265-270. <https://doi.org/10.1093/intqhc/mzx203>
- Skinner, E. H., Berney, S., Warrillow, S., & Denehy, L. (2009). Development of a physical function outcome measure (PFIT) and a pilot exercise training protocol for use in intensive care. *Crit. Care Resusc.*, 11(2), 110-115. <https://www.ncbi.nlm.nih.gov/pubmed/19485874>
- Skoretz, S. A., Flowers, H. L., & Martino, R. (2010). The incidence of dysphagia following endotracheal intubation: a systematic review. *Chest*, 137(3), 665-673. <https://doi.org/10.1378/chest.09-1823>
- Slooter, A. J. C., Otte, W. M., Devlin, J. W., Arora, R. C., Bleck, T. P., Claassen, J., Duprey, M. S., Ely, E. W., Kaplan, P. W., Latronico, N., Morandi, A., Neufeld, K. J., Sharshar, T., MacLulich, A. M.

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- J., & Stevens, R. D. (2020). Updated nomenclature of delirium and acute encephalopathy: statement of ten Societies. *Intensive Care Med.*, 46(5), 1020-1022.
<https://doi.org/10.1007/s00134-019-05907-4>
- Smith, J. M., Lee, A. C., Zeleznik, H., Coffey Scott, J. P., Fatima, A., Needham, D. M., & Ohtake, P. J. (2020). Home and Community-Based Physical Therapist Management of Adults With Post-Intensive Care Syndrome. *Phys. Ther.*, 100(7), 1062-1073. <https://doi.org/10.1093/ptj/pzaa059>
- Smith-Gabai, H., & Holm, S. E. (2017). *Occupational Therapy in Acute Care*. AOTA Press.
<https://worldcat.org/en/title/1141025763>
- Sricharoenchai, T., Parker, A. M., Zanni, J. M., Nelliott, A., Dinglas, V. D., & Needham, D. M. (2014). Safety of physical therapy interventions in critically ill patients: a single-center prospective evaluation of 1110 intensive care unit admissions. *J. Crit. Care*, 29(3), 395-400.
<https://doi.org/10.1016/j.jcrc.2013.12.012>
- Stein, T. P., & Wade, C. E. (2005). Metabolic consequences of muscle disuse atrophy. *J. Nutr.*, 135(7), 1824S-1828S. <https://doi.org/10.1093/jn/135.7.1824S>
- Steinberg, K. P., Hudson, L. D., Goodman, R. B., Hough, C. L., Lanken, P. N., Hyzy, R., Thompson, B. T., Ancukiewicz, M., National Heart, L., & Blood Institute Acute Respiratory Distress Syndrome Clinical Trials, N. (2006). Efficacy and safety of corticosteroids for persistent acute respiratory distress syndrome. *N. Engl. J. Med.*, 354(16), 1671-1684.
<https://doi.org/10.1056/NEJMoa051693>
- Stevens, R. D., Dowdy, D. W., Michaels, R. K., Mendez-Tellez, P. A., Pronovost, P. J., & Needham, D. M. (2007). Neuromuscular dysfunction acquired in critical illness: a systematic review. *Intensive Care Med.*, 33(11), 1876-1891. <https://doi.org/10.1007/s00134-007-0772-2>
- Suzuki, G., Kanayama, H., Ichibayashi, R., Arai, Y., Iwanami, Y., Masuyama, Y., Yamamoto, S., Serizawa, H., Nakamichi, Y., Watanabe, M., Honda, M., & Ebihara, S. (2022). Early mobilisation using a mobile patient lift in the intensive care unit: protocol for a randomised controlled trial. *BMJ Open*, 12(3), e057942. <https://doi.org/10.1136/bmjopen-2021-057942>
- Tandon, R. S., Minchin, K. J., & Betters, K. A. (2022). Caregiver perceptions of an early mobility and communication protocol in the pediatric ICU. *J. Pediatr. Rehabil. Med.*, 15(2), 281-287.
<https://doi.org/10.3233/PRM-210001>
- Taylor, S. P., Murphy, S., Rios, A., McWilliams, A., McCurdy, L., Chou, S.-H., Hetherington, T., Rossman, W., Russo, M., Gibbs, M., & Kowalkowski, M. A. (2022). Effect of a multicomponent sepsis transition and recovery program on mortality and readmissions after sepsis: The Improving morbidity during post-acute care transitions for sepsis randomized clinical trial. *Crit. Care Med.*, 50(3), 469-479. <https://doi.org/10.1097/CCM.0000000000005300>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Taylor, S. P., Rios, A., & Kowalkowski, M. A. (2021). translating postsepsis care to post-COVID-19 Care. The case for a virtual recovery program. *Annals ATS*, 18(6), 938-941.
<https://doi.org/10.1513/AnnalsATS.202006-649IP>
- Teeple, E., Collins, J. E., Shrestha, S., Dennerlein, J. T., Losina, E., & Katz, J. N. (2017). Outcomes of safe patient handling and mobilization programs: A meta-analysis. *Work*, 58(2), 173-184.
<https://doi.org/10.3233/WOR-172608>
- Tolotti, A., Cadorin, L., Bonetti, L., Valcarengi, D., & Pagnucci, N. (2022). Communication experiences of tracheostomy patients with nurses in the ICU: A scoping review. *J. Clin. Nurs.*
<https://doi.org/10.1111/jocn.16296>
- Tonna, J. E. (2022). Is active mobility the most underdelivered care component for patients on extracorporeal membrane oxygenation? *Ann. Am. Thorac. Soc.*, 19(1), 9-11.
<https://doi.org/10.1513/AnnalsATS.202108-1006ED>
- Tonna, J. E., Dalton, A., Presson, A. P., Zhang, C., Colantuoni, E., Lander, K., Howard, S., Beynon, J., & Kamdar, B. B. (2021). The effect of a quality improvement intervention on sleep and delirium in critically ill patients in a surgical icU. *Chest*, 160(3), 899-908.
<https://doi.org/10.1016/j.chest.2021.03.030>
- Toonstra, A. L., Zanni, J. M., Sperati, C. J., Nelliott, A., Manthey, E., Skinner, E. H., & Needham, D. M. (2016). Feasibility and safety of physical therapy during continuous renal replacement therapy in the intensive care unit. *Ann. Am. Thorac. Soc.*, 13(5), 699-704.
<https://doi.org/10.1513/AnnalsATS.201506-359OC>
- Tsui, A. S., Wang, H., & Xin, K. R. (2006). Organizational culture in China: An analysis of culture dimensions and culture types. *Management and Organization Review*, 2(3), 345-376.
<https://doi.org/10.1111/j.1740-8784.2006.00050.x>
- Turnbull, A. E., Ji, H., Dinglas, V. D., Wu, A. W., Mendez-Tellez, P. A., Himmelfarb, C. D., Shanholtz, C. B., Hosey, M. M., Hopkins, R. O., & Needham, D. M. (2022). Understanding patients' perceived health after critical illness: Analysis of two prospective, longitudinal studies of ARDS Survivors. *Chest*, 161(2), 407-417. <https://doi.org/10.1016/j.chest.2021.07.2177>
- Turnbull, A. E., Sepulveda, K. A., Dinglas, V. D., Chessare, C. M., Bingham, C. O., 3rd, & Needham, D. M. (2017). Core Domains for Clinical Research in Acute Respiratory Failure Survivors: An International Modified Delphi Consensus Study. *Crit. Care Med.*, 45(6), 1001-1010.
<https://doi.org/10.1097/CCM.0000000000002435>
- Turner, D. A., Cheifetz, I. M., Rehder, K. J., Williford, W. L., Bonadonna, D., Banuelos, S. J., Peterson-Carmichael, S., Lin, S. S., Davis, R. D., & Zaas, D. (2011). Active rehabilitation and physical therapy during extracorporeal membrane oxygenation while awaiting lung transplantation: a

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

practical approach. *Crit. Care Med.*, 39(12), 2593-2598.

<https://doi.org/10.1097/CCM.0b013e3182282bbe>

Tymkew, H., Sledge, J. A., Vyers, K., Arroyo, C., & Schallom, M. (2022). One year post-discharge outcomes after implementation of an ICU early mobility protocol. *Dimens. Crit. Care Nurs.*, 41(4), 209-215. <https://doi.org/10.1097/DCC.0000000000000533>

Ull, C., Hamsen, U., Weckwerth, C., Schildhauer, T. A., Gaschler, R., Waydhas, C., & Jansen, O. (2022). Approach to the basic needs in patients on invasive ventilation using eye-tracking devices for non-verbal communication. *Artif. Organs*, 46(3), 439-450.

<https://doi.org/10.1111/aor.14082>

Umakanthan, R., Hoff, S. J., Solenkova, N., Wigger, M. A., Keebler, M. E., Lenneman, A., Leacche, M., Disalvo, T. G., Ooi, H., Naftilan, A. J., Byrne, J. G., & Ahmad, R. M. (2012). Benefits of ambulatory axillary intra-aortic balloon pump for circulatory support as bridge to heart transplant. *J. Thorac. Cardiovasc. Surg.*, 143(5), 1193-1197. <https://doi.org/10.1016/j.jtcvs.2012.02.009>

University of Edinburgh. (2018-2022). Alpha 2 Agonists for Sedation to Produce Better Outcomes from Critical Illness (A2B Trial) <https://clinicaltrials.gov/ct2/show/NCT03653832>

Van Aerde, N., Meersseman, P., Debaveye, Y., Wilmer, A., Gunst, J., Casaer, M. P., Bruyninckx, F., Wouters, P. J., Gosselink, R., Van den Berghe, G., & Hermans, G. (2020). Five-year impact of ICU-acquired neuromuscular complications: a prospective, observational study. *Intensive Care Med.*, 46(6), 1184-1193. <https://doi.org/10.1007/s00134-020-05927-5>

Van Aerde, N., Meersseman, P., Debaveye, Y., Wilmer, A., Gunst, J., Casaer, M. P., Wauters, J., Wouters, P. J., Gosselink, R., Van den Berghe, G., & Hermans, G. (2021). Five-year outcome of respiratory muscle weakness at intensive care unit discharge: secondary analysis of a prospective cohort study. *Thorax*, 76(6), 561-567. <https://doi.org/10.1136/thoraxjnl-2020-216720>

Van den Berghe, G., Schoonheydt, K., Becx, P., Bruyninckx, F., & Wouters, P. J. (2005). Insulin therapy protects the central and peripheral nervous system of intensive care patients. *Neurology*, 64(8), 1348-1353. <https://doi.org/10.1212/01.WNL.0000158442.08857.FC>

Van den Berghe, G., Wilmer, A., Hermans, G., Meersseman, W., Wouters, P. J., Milants, I., Van Wijngaerden, E., Bobbaers, H., & Bouillon, R. (2006). Intensive insulin therapy in the medical ICU. *N. Engl. J. Med.*, 354(5), 449-461. <https://doi.org/10.1056/NEJMoa052521>

van den Berghe, G., Wouters, P., Weekers, F., Verwaest, C., Bruyninckx, F., Schetz, M., Vlasselaers, D., Ferdinande, P., Lauwers, P., & Bouillon, R. (2001). Intensive insulin therapy in critically ill patients. *N. Engl. J. Med.*, 345(19), 1359-1367. <https://doi.org/10.1056/NEJMoa011300>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Van Rompaey, B., Elseviers, M. M., Van Drom, W., Fromont, V., & Jorens, P. G. (2012). The effect of earplugs during the night on the onset of delirium and sleep perception: a randomized controlled trial in intensive care patients. *Crit. Care*, 16(3), R73. <https://doi.org/10.1186/cc11330>
- Vieira, E. R., Schneider, P., Guidera, C., Gadotti, I. C., & Brunt, D. (2016). Work-related musculoskeletal disorders among physical therapists: A systematic review. *J. Back Musculoskelet. Rehabil.*, 29(3), 417-428. <https://doi.org/10.3233/BMR-150649>
- Wade, D. M., Mouncey, P. R., Richards-Belle, A., Wulff, J., Harrison, D. A., Sadique, M. Z., Grieve, R. D., Emerson, L. M., Mason, A. J., Aaronovitch, D., Als, N., Brewin, C. R., Harvey, S. E., Howell, D. C. J., Hudson, N., Mythen, M. G., Smyth, D., Weinman, J., Welch, J., . . . Investigators, P. T. (2019). Effect of a nurse-led preventive psychological intervention on symptoms of posttraumatic stress disorder among critically ill patients: A randomized clinical trial. *JAMA*, 321(7), 665-675. <https://doi.org/10.1001/jama.2019.0073>
- Wang, R., Duan, G., Xu, H., Wu, Y., Su, Y., Li, J., Liao, L., & Liao, D. (2022). Analysis on the effect of the rehabilitation intervention-centered targeted nursing model on the cardiac function recovery and negative emotions in patients with acute myocardial infarction. *J. Healthc. Eng.*, 2022, 1246092. <https://doi.org/10.1155/2022/1246092>
- Wang, Y. T., Haines, T. P., Ritchie, P., Walker, C., Ansell, T. A., Ryan, D. T., Lim, P.-S., Vij, S., Acs, R., Fealy, N., & Skinner, E. H. (2014). Early mobilization on continuous renal replacement therapy is safe and may improve filter life. *Crit. Care*, 18(4), R161. <https://doi.org/10.1186/cc14001>
- Wang, Y. T., Lang, J. K., Haines, K. J., Skinner, E. H., & Haines, T. P. (2022). Physical Rehabilitation in the ICU: A Systematic Review and Meta-Analysis. *Crit. Care Med.*, 50(3), 375-388. <https://doi.org/10.1097/CCM.0000000000005285>
- Waters, T. R. (2007). When is it safe to manually lift a patient? *Am. J. Nurs.*, 107(8), 53-58; quiz 59. <https://doi.org/10.1097/01.NAJ.0000282296.18688.b1>
- Weeks, A. (2016). Integration of theory into assessment and treatment: The Person-Environment-occupation Model in the intensive care unit. *Physical Disabilities Special Interest Section Quarterly*, 1(3), 22-24.
- Weinreich, M., Herman, J., Dickason, S., & Mayo, H. (2017). Occupational therapy in the intensive care unit: A systematic review. *Occup Ther Health Care*, 31(3), 205-213. <https://doi.org/10.1080/07380577.2017.1340690>
- Weiss, S. L., Peters, M. J., Alhazzani, W., Agus, M. S. D., Flori, H. R., Inwald, D. P., Nadel, S., Schlapbach, L. J., Tasker, R. C., Argent, A. C., Brierley, J., Carcillo, J., Carrol, E. D., Carroll, C. L., Cheifetz, I. M., Choong, K., Cies, J. J., Cruz, A. T., De Luca, D., . . . Tissieres, P. (2020). Surviving Sepsis Campaign International Guidelines for the management of septic shock and

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

sepsis-associated organ dysfunction in children. *Pediatr. Crit. Care Med.*, 21(2), e52-e106.
<https://doi.org/10.1097/PCC.0000000000002198>

Wells, C. L., Forrester, J., Vogel, J., Rector, R., Tabatabai, A., & Herr, D. (2018). Safety and feasibility of early physical therapy for patients on extracorporeal membrane oxygenator: University of Maryland Medical Center Experience. *Crit. Care Med.*, 46(1), 53-59.
<https://doi.org/10.1097/CCM.0000000000002770>

Wibrow, B., Martinez, F. E., Myers, E., Chapman, A., Litton, E., Ho, K. M., Regli, A., Hawkins, D., Ford, A., van Haren, F. M. P., Wyer, S., McCaffrey, J., Rashid, A., Kelty, E., Murray, K., & Anstey, M. (2022). Prophylactic melatonin for delirium in intensive care (Pro-MEDIC): a randomized controlled trial. *Intensive Care Med.*, 48(4), 414-425. <https://doi.org/10.1007/s00134-022-06638-9>

Wilcox, J., & Frank, E. (2021). Occupational therapy for the long haul of post-COVID syndrome: A case report. *Am. J. Occup. Ther.*, 75(Supplement_1). <https://doi.org/10.5014/ajot.2021.049223>

Wilson, J. E., Collar, E. M., Kiehl, A. L., Lee, H., Merzenich, M., Ely, E. W., & Jackson, J. (2018). Computerized cognitive rehabilitation in intensive care unit survivors: Returning to everyday tasks using rehabilitation networks-computerized cognitive rehabilitation pilot investigation. *Ann. Am. Thorac. Soc.*, 15(7), 887-891. <https://doi.org/10.1513/AnnalsATS.201709-744RL>

Winkelman, C. (2007). Inactivity and inflammation in the critically ill patient. *Crit. Care Clin.*, 23(1), 21-34. <https://doi.org/10.1016/j.ccc.2006.11.002>

Wright, S. E., Thomas, K., Watson, G., Baker, C., Bryant, A., Chadwick, T. J., Shen, J., Wood, R., Wilkinson, J., Mansfield, L., Stafford, V., Wade, C., Furneal, J., Henderson, A., Hugill, K., Howard, P., Roy, A., Bonner, S., & Baudouin, S. (2018). Intensive versus standard physical rehabilitation therapy in the critically ill (EPICC): a multicentre, parallel-group, randomised controlled trial. *Thorax*, 73(3), 213-221. <https://doi.org/10.1136/thoraxjnl-2016-209858>

Wyskiel, R. M., Weeks, K., & Marsteller, J. A. (2015). Inviting families to participate in care: a family involvement menu. *Jt. Comm. J. Qual. Patient Saf.*, 41(1), 43-46. [https://doi.org/10.1016/s1553-7250\(15\)41006-2](https://doi.org/10.1016/s1553-7250(15)41006-2)

Yang, R., Zheng, Q., Zuo, D., Zhang, C., & Gan, X. (2021). Safety Assessment Criteria for Early Active Mobilization in Mechanically Ventilated ICU Subjects. *Respir. Care*, 66(2), 307-315.
<https://doi.org/10.4187/respcare.07888>

Yang, T., Li, Z., Jiang, L., & Xi, X. (2018). Corticosteroid use and intensive care unit-acquired weakness: a systematic review and meta-analysis. *Crit. Care*, 22(1), 187.
<https://doi.org/10.1186/s13054-018-2111-0>

Eleventh Annual Johns Hopkins Critical Care Rehabilitation
2022 Adult Literature List
Content from November 3 -5, 2022

- Yataco, R. A., Arnold, S. M., Brown, S. M., David Freeman, W., Carmen Cononie, C., Heckman, M. G., Partridge, L. W., Stucky, C. M., Mellon, L. N., Birst, J. L., Daron, K. L., Zapata-Cooper, M. H., & Schudlich, D. M. (2019). Early Progressive Mobilization of Patients with External Ventricular Drains: Safety and Feasibility. *Neurocrit. Care*, 30(2), 414-420. <https://doi.org/10.1007/s12028-018-0632-7>
- Young, H.-J., Mehta, T. S., Herman, C., Wang, F., & Rimmer, J. H. (2019). The effects of M2M and adapted yoga on physical and psychosocial outcomes in people with multiple sclerosis. *Arch. Phys. Med. Rehabil.*, 100(3), 391-400. <https://doi.org/10.1016/j.apmr.2018.06.032>
- Zaal, I. J., & Slooter, A. J. C. (2012). Delirium in critically ill patients: epidemiology, pathophysiology, diagnosis and management. *Drugs*, 72(11), 1457-1471. <https://doi.org/10.2165/11635520-000000000-00000>
- Zaga, C. J., Berney, S., Hepworth, G., Cameron, T. S., Baker, S., Giddings, C., Howard, M. E., Bellomo, R., & Vogel, A. P. (2022). Tracheostomy clinical practices and patient outcomes in three tertiary metropolitan hospitals in Australia. *Aust. Crit. Care*. <https://doi.org/10.1016/j.aucc.2022.03.002>
- Zhao, T., Wu, X., Zhang, Q., Li, C., Worthington, H. V., & Hua, F. (2020). Oral hygiene care for critically ill patients to prevent ventilator-associated pneumonia. *Cochrane Libr.*, 2020(12). <https://doi.org/10.1002/14651858.cd008367.pub4>
- Zhou, W., Yu, L., Fan, Y., Shi, B., Wang, X., Chen, T., Yu, H., Liu, J., Wang, X., Liu, C., & Zheng, H. (2022). Effect of early mobilization combined with early nutrition on acquired weakness in critically ill patients (EMAS): A dual-center, randomized controlled trial. *PLoS One*, 17(5), e0268599. <https://doi.org/10.1371/journal.pone.0268599>
- Zifko, U. A. (2000). Long-term outcome of critical illness polyneuropathy. *Muscle Nerve Suppl.*, 9, S49-52. [https://doi.org/10.1002/1097-4598\(2000\)999:9<::aid-mus9>3.0.co;2-9](https://doi.org/10.1002/1097-4598(2000)999:9<::aid-mus9>3.0.co;2-9)