

Johns Hopkins Critical Care Rehabilitation Conference Pediatrics Foundations Literature List

- Abdulsatar, F., Walker, R. G., Timmons, B. W., & Choong, K. (2013). "Wii-Hab" in critically ill children: a pilot trial. *Journal of Pediatric Rehabilitation Medicine*, 6(4), 193–204. <https://doi.org/10.3233/PRM-130260>
- Abu-Sultaneh, S., Hole, A. J., Tori, A. J., Benneyworth, B. D., Lutfi, R., & Mastropietro, C. W. (2017). An Interprofessional Quality Improvement Initiative to Standardize Pediatric Extubation Readiness Assessment. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 18(10), e463–e471. <https://doi.org/10.1097/PCC.0000000000001285>
- Amari, A., Suskauer, S. J., Paasch, V., Grodin, L. K., & Slomine, B. S. (2017). Conducting preference assessments for youth with disorders of consciousness during rehabilitation. *Rehabilitation Psychology*, 62(3), 227–237. <https://doi.org/10.1037/rep0000152>
- American Congress of Rehabilitation Medicine, Brain Injury-Interdisciplinary Special Interest Group, Disorders of Consciousness Task Force, Seel, R. T., Sherer, M., Whyte, J., Katz, D. I., Giacino, J. T., Rosenbaum, A. M., Hammond, F. M., Kalmar, K., Pape, T. L.-B., Zafonte, R., Biester, R. C., Kaelin, D., Kean, J., & Zasler, N. (2010). Assessment scales for disorders of consciousness: evidence-based recommendations for clinical practice and research. *Archives of Physical Medicine and Rehabilitation*, 91(12), 1795–1813. <https://doi.org/10.1016/j.apmr.2010.07.218>
- American Speech-Language-Hearing Association. (2003). *Evaluating and Treating Communication and Cognitive Disorders: Approaches to Referral and Collaboration for Speech-Language Pathology and Clinical Neuropsychology*. ASHA. <https://www.asha.org/policy/TR2003-00137/>
- AminiSaman, J., Mohammadi, S., Karimpour, H., Hemmatpour, B., Sharifi, H., & Kawyannejad, R. (2018). Transcutaneous Electrical Nerve Stimulation at the Acupuncture Points to Relieve Pain of Patients Under Mechanical Ventilation: A Randomized Controlled Study. *Journal of Acupuncture and Meridian Studies*, 11(5), 290–295. <https://doi.org/10.1016/j.jams.2018.06.008>
- Ann Adamczyk, M. (2018). Reducing Intensive Care Unit Staff Musculoskeletal Injuries With Implementation of a Safe Patient Handling and Mobility Program. *Critical Care Nursing Quarterly*, 41(3), 264–271. <https://doi.org/10.1097/CNQ.0000000000000205>
- Arvedson, J. C., Brodsky, L., & Lefton-Greif, M. A. (2019). *Pediatric Swallowing and Feeding: Assessment and Management, Third Edition*. Plural Publishing. <https://play.google.com/store/books/details?id=IRGIDwAAQBAJ>
- Au, A. K., Carcillo, J. A., Clark, R. S. B., & Bell, M. J. (2011). Brain injuries and neurological system failure are the most common proximate causes of death in children admitted to a pediatric intensive care unit. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 12(5), 566–571. <https://doi.org/10.1097/PCC.0b013e3181fe3420>
- Baguley, I. J. (1999). Nomenclature of "paroxysmal sympathetic storms" [Review of *Nomenclature of "paroxysmal sympathetic storms"*]. *Mayo Clinic Proceedings. Mayo Clinic*, 74(1), 105. <https://doi.org/10.4065/74.1.105>
- Baguley, I. J., Nicholls, J. L., Felmingham, K. L., Crooks, J., Gurka, J. A., & Wade, L. D. (1999). Dysautonomia after traumatic brain injury: a forgotten syndrome? *Journal of Neurology, Neurosurgery, and Psychiatry*, 67(1), 39–43. <https://doi.org/10.1136/jnnp.67.1.39>



Johns Hopkins Critical Care Rehabilitation Conference Pediatrics Foundations Literature List

Baguley, I. J., Perkes, I. E., Fernandez-Ortega, J.-F., Rabinstein, A. A., Dolce, G., Hendricks, H. T., & Consensus Working Group. (2014). Paroxysmal sympathetic hyperactivity after acquired brain injury: consensus on conceptual definition, nomenclature, and diagnostic criteria. *Journal of Neurotrauma*, 31(17), 1515–1520. <https://doi.org/10.1089/neu.2013.3301>

Balas, M. C., Burke, W. J., Gannon, D., Cohen, M. Z., Colburn, L., Bevil, C., Franz, D., Olsen, K. M., Ely, E. W., & Vasilevskis, E. E. (2013). Implementing the awakening and breathing coordination, delirium monitoring/management, and early exercise/mobility bundle into everyday care: opportunities, challenges, and lessons learned for implementing the ICU Pain, Agitation, and Delirium Guidelines. *Critical Care Medicine*, 41(9 Suppl 1), S116–S127. <https://doi.org/10.1097/CCM.0b013e3182a17064>

Barber, E. A., Everard, T., Holland, A. E., Tipping, C., Bradley, S. J., & Hodgson, C. L. (2015). Barriers and facilitators to early mobilisation in Intensive Care: a qualitative study. *Australian Critical Care: Official Journal of the Confederation of Australian Critical Care Nurses*, 28(4), 177–182; quiz 183. <https://doi.org/10.1016/j.aucc.2014.11.001>

Barnes, S., Yaster, M., & Kudchadkar, S. R. (2016). Pediatric Sedation Management. *Pediatrics in Review / American Academy of Pediatrics*, 37(5), 203–212. <https://doi.org/10.1542/pir.2014-0116>

Baumgartner, C. A., Bewyer, E., & Bruner, D. (2008). Management of communication and swallowing in intensive care: the role of the speech pathologist. *AACN Advanced Critical Care*, 19(4), 433–443. <https://doi.org/10.1097/01.AACN.0000340724.80280.31>

Bennett, L. M., Gadlin, H., & Marchand, C. (2018, May 18). *NIH: National Cancer Institute*. Collaboration and Team Science: A Field Guide. <https://www.cancer.gov/about-nci/organization/crs/research-initiatives/team-science-field-guide>

Berg, H. E., Eiken, O., Miklavcic, L., & Mekjavić, I. B. (2007). Hip, thigh and calf muscle atrophy and bone loss after 5-week bedrest inactivity. *European Journal of Applied Physiology*, 99(3), 283–289. <https://doi.org/10.1007/s00421-006-0346-y>

Bettencourt, A., & Mullen, J. E. (2017). Delirium in Children: Identification, Prevention, and Management. *Critical Care Nurse*, 37(3), e9–e18. <https://doi.org/10.4037/ccn2017692>

Betters, K. A., Hebbar, K. B., Farthing, D., Griego, B., Easley, T., Turman, H., Perrino, L., Sparacino, S., & deAlmeida, M. L. (2017). Development and implementation of an early mobility program for mechanically ventilated pediatric patients. *Journal of Critical Care*, 41, 303–308. <https://doi.org/10.1016/j.jcrc.2017.08.004>

Boehm, L. M., Vasilevskis, E. E., & Mion, L. C. (2016). Interprofessional Perspectives on ABCDE Bundle Implementation: A Focus Group Study. *Dimensions of Critical Care Nursing: DCCN*, 35(6), 339–347. <https://doi.org/10.1097/DCC.0000000000000208>

Brian K. Walsh PhD RRT-NPS RRT-ACCS RPFT FAARC, Czervinske BSRT RRT-NPS, M., & DiBlasi RRT-NPS, R. M. (2009). *Perinatal and Pediatric Respiratory Care* (3rd ed.). Saunders. <https://www.amazon.com/Perinatal-Pediatric-Respiratory-Brian-RRT-NPS/dp/1416024484>

Bridges, W. (2009). *Managing Transitions: Making the Most of Change*. Da Capo Press. https://play.google.com/store/books/details?id=_I49ZSAkTE8C



Johns Hopkins Critical Care Rehabilitation Conference Pediatrics Foundations Literature List

- Brimioule, S., Moraine, J. J., Norrenberg, D., & Kahn, R. J. (1997). Effects of positioning and exercise on intracranial pressure in a neurosurgical intensive care unit. *Physical Therapy*, 77(12), 1682–1689. <https://doi.org/10.1093/ptj/77.12.1682>
- Bruno, M.-A., Vanhaudenhuyse, A., Thibaut, A., Moonen, G., & Laureys, S. (2011). From unresponsive wakefulness to minimally conscious PLUS and functional locked-in syndromes: recent advances in our understanding of disorders of consciousness. *Journal of Neurology*, 258(7), 1373–1384. <https://doi.org/10.1007/s00415-011-6114-x>
- Cameron, S., Ball, I., Cepinskas, G., Choong, K., Doherty, T. J., Ellis, C. G., Martin, C. M., Mele, T. S., Sharpe, M., Shoemaker, J. K., & Fraser, D. D. (2015). Early mobilization in the critical care unit: A review of adult and pediatric literature. *Journal of Critical Care*, 30(4), 664–672. <https://doi.org/10.1016/j.jcrc.2015.03.032>
- Carman, K. L., Dardess, P., Maurer, M., Sofaer, S., Adams, K., Bechtel, C., & Sweeney, J. (2013). Patient and family engagement: a framework for understanding the elements and developing interventions and policies. *Health Affairs*, 32(2), 223–231. <https://doi.org/10.1377/hlthaff.2012.1133>
- Carrothers, K. M., Barr, J., Spurlock, B., Ridgely, M. S., Damberg, C. L., & Ely, E. W. (2013). Contextual issues influencing implementation and outcomes associated with an integrated approach to managing pain, agitation, and delirium in adult ICUs. *Critical Care Medicine*, 41(9 Suppl 1), S128–S135. <https://doi.org/10.1097/CCM.0b013e3182a2c2b1>
- Chambers, I. R., Stobart, L., Jones, P. A., Kirkham, F. J., Marsh, M., Mendelow, A. D., Minns, R. A., Struthers, S., & Tasker, R. C. (2005). Age-related differences in intracranial pressure and cerebral perfusion pressure in the first 6 hours of monitoring after children's head injury: association with outcome. *Child's Nervous System: ChNS: Official Journal of the International Society for Pediatric Neurosurgery*, 21(3), 195–199. <https://doi.org/10.1007/s00381-004-1060-x>
- Cheifetz, I. M. (2003). Invasive and noninvasive pediatric mechanical ventilation. *Respiratory Care*, 48(4), 442–453; discussion 453–458. <https://www.ncbi.nlm.nih.gov/pubmed/12667269>
- Choong, K., Al-Harbi, S., Siu, K., Wong, K., Cheng, J., Baird, B., Pogorzelski, D., Timmons, B., Gorter, J.-W., Thabane, L., Khetani, M., & Canadian Critical Care Trials Group. (2015). Functional recovery following critical illness in children: the “wee-cover” pilot study. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 16(4), 310–318. <https://doi.org/10.1097/PCC.0000000000000362>
- Choong, K., Awladthani, S., Khawaji, A., Clark, H., Borhan, A., Cheng, J., Laskey, S., Neu, C., Sarti, A., Thabane, L., Timmons, B. W., Zheng, K., Al-Harbi, S., & Canadian Critical Care Trials Group. (2017). Early Exercise in Critically Ill Youth and Children, a Preliminary Evaluation: The wEECYCLE Pilot Trial. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 18(11), e546–e554. <https://doi.org/10.1097/PCC.0000000000001329>
- Choong, K., Foster, G., Fraser, D. D., Hutchison, J. S., Joffe, A. R., Jouvet, P. A., Menon, K., Pullenayegum, E., Ward, R. E., & Canadian Critical Care Trials Group. (2014). Acute rehabilitation practices in critically ill children: a multicenter study. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 15(6), e270–e279. <https://doi.org/10.1097/PCC.0000000000000160>



Johns Hopkins Critical Care Rehabilitation Conference Pediatrics Foundations Literature List

- Choong, K., Koo, K. K. Y., Clark, H., Chu, R., Thabane, L., Burns, K. E. A., Cook, D. J., Herridge, M. S., & Meade, M. O. (2013). Early mobilization in critically ill children: a survey of Canadian practice. *Critical Care Medicine*, 41(7), 1745–1753. <https://doi.org/10.1097/CCM.0b013e318287f592>
- Choong, K., Tran, N., Clark, H., Cupido, C., & Corsi, D. J. (2012). Acute rehabilitation in critically ill children. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 1(4), 183–192. <https://doi.org/10.1055/s-0035-1563384>
- Colville, G., Darkins, J., Hesketh, J., Bennett, V., Alcock, J., & Noyes, J. (2009). The impact on parents of a child's admission to intensive care: integration of qualitative findings from a cross-sectional study. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 25(2), 72–79. <https://doi.org/10.1016/j.iccn.2008.10.002>
- Colwell, B. R. L., Williams, C. N., Kelly, S. P., & Ibsen, L. M. (2018). Mobilization Therapy in the Pediatric Intensive Care Unit: A Multidisciplinary Quality Improvement Initiative. *American Journal of Critical Care: An Official Publication, American Association of Critical-Care Nurses*, 27(3), 194–203. <https://doi.org/10.4037/ajcc2018193>
- Committee on Children With Disabilities. (2001). Role of the pediatrician in family-centered early intervention services. *Pediatrics*, 107(5), 1155–1157. <https://doi.org/10.1542/peds.107.5.1155>
- Costello, J. M., Patak, L., & Pritchard, J. (2010). Communication vulnerable patients in the pediatric ICU: Enhancing care through augmentative and alternative communication. *Journal of Pediatric Rehabilitation Medicine*, 3(4), 289–301. <https://doi.org/10.3233/PRM-2010-0140>
- Cuello-Garcia, C. A., Mai, S. H. C., Simpson, R., Al-Harbi, S., & Choong, K. (2018). Early Mobilization in Critically Ill Children: A Systematic Review. *The Journal of Pediatrics*, 203, 25–33.e6. <https://doi.org/10.1016/j.jpeds.2018.07.037>
- Curley, M. A. Q., Harris, S. K., Fraser, K. A., Johnson, R. A., & Arnold, J. H. (2006). State Behavioral Scale: a sedation assessment instrument for infants and young children supported on mechanical ventilation. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 7(2), 107–114. <https://doi.org/10.1097/01.PCC.0000200955.40962.38>
- Curley, M. A. Q., Wypij, D., Matthay, M. A., & RESTORE Study Investigators. (2015). Sedation protocol for critically ill pediatric patients--reply [Review of *Sedation protocol for critically ill pediatric patients--reply*]. *JAMA: The Journal of the American Medical Association*, 313(17), 1754–1755. <https://doi.org/10.1001/jama.2015.3462>
- Curley, M. A. Q., Wypij, D., Watson, R. S., Grant, M. J. C., Asaro, L. A., Cheifetz, I. M., Dodson, B. L., Franck, L. S., Gedeit, R. G., Angus, D. C., Matthay, M. A., & RESTORE Study Investigators and the Pediatric Acute Lung Injury and Sepsis Investigators Network. (2015). Protocolized sedation vs usual care in pediatric patients mechanically ventilated for acute respiratory failure: a randomized clinical trial. *JAMA: The Journal of the American Medical Association*, 313(4), 379–389. <https://doi.org/10.1001/jama.2014.18399>
- da Motta, G. de C. P., & da Cunha, M. L. C. (2015). Prevention and non-pharmacological management of pain in newborns. *Revista Brasileira de Enfermagem*, 68(1), 123–127, 131–135. <https://doi.org/10.1590/0034-7167.2015680118p>



Johns Hopkins Critical Care Rehabilitation Conference Pediatrics Foundations Literature List

Dammeyer, J. A., Baldwin, N., Packard, D., Harrington, S., Christofferson, B., Christopher, J., Strachan, C. L., & Iwashyna, J. (2013). Mobilizing outcomes: implementation of a nurse-led multidisciplinary mobility program. *Critical Care Nursing Quarterly*, 36(1), 109–119. <https://doi.org/10.1097/CNQ.0b013e31827535db>

Dammeyer, J., Dickinson, S., Packard, D., Baldwin, N., & Ricklemann, C. (2013). Building a protocol to guide mobility in the ICU. *Critical Care Nursing Quarterly*, 36(1), 37–49. <https://doi.org/10.1097/CNQ.0b013e3182750acd>

Davidson, J. E., Aslakson, R. A., Long, A. C., Puntillo, K. A., Kross, E. K., Hart, J., Cox, C. E., Wunsch, H., Wickline, M. A., Nunnally, M. E., Netzer, G., Kentish-Barnes, N., Sprung, C. L., Hartog, C. S., Coombs, M., Gerritsen, R. T., Hopkins, R. O., Franck, L. S., Skrobik, Y., ... Curtis, J. R. (2017). Guidelines for Family-Centered Care in the Neonatal, Pediatric, and Adult ICU. *Critical Care Medicine*, 45(1), 103–128. <https://doi.org/10.1097/CCM.0000000000002169>

Davidson, J. E., Jones, C., & Bienvenu, O. J. (2012). Family response to critical illness: postintensive care syndrome-family. *Critical Care Medicine*, 40(2), 618–624. <https://doi.org/10.1097/CCM.0b013e318236ebf9>

Deepika, A., Mathew, M. J., Kumar, S. A., Devi, B. I., & Shukla, D. (2015). Paroxysmal sympathetic hyperactivity in pediatric traumatic brain injury: A case series of four patients. *Autonomic Neuroscience: Basic & Clinical*, 193, 149–151. <https://doi.org/10.1016/j.autneu.2015.08.003>

Dickinson, S., Taylor, S., & Anton, P. (2018). Integrating a Standardized Mobility Program and Safe Patient Handling. *Critical Care Nursing Quarterly*, 41(3), 240–252. <https://doi.org/10.1097/CNQ.0000000000000202>

Dietz, A. S., Pronovost, P. J., Mendez-Tellez, P. A., Wyskiel, R., Marsteller, J. A., Thompson, D. A., & Rosen, M. A. (2014). A systematic review of teamwork in the intensive care unit: what do we know about teamwork, team tasks, and improvement strategies? *Journal of Critical Care*, 29(6), 908–914. <https://doi.org/10.1016/j.jcrc.2014.05.025>

Ding, L., Wang, L., Ma, W., & He, H. (2020). Efficacy and safety of early prone positioning combined with HFNC or NIV in moderate to severe ARDS: a multi-center prospective cohort study. *Critical Care / the Society of Critical Care Medicine*, 24(1), 28. <https://doi.org/10.1186/s13054-020-2738-5>

Donovan, A. L., Aldrich, J. M., Gross, A. K., Barchas, D. M., Thornton, K. C., Schell-Chaple, H. M., Gropper, M. A., Lipshutz, A. K. M., & University of California, San Francisco Critical Care Innovations Group. (2018). Interprofessional Care and Teamwork in the ICU. *Critical Care Medicine*, 46(6), 980–990. <https://doi.org/10.1097/CCM.0000000000003067>

Dusing, S. C., Thorpe, D. E., Mercer, V. S., Rosenberg, A. E., Poe, M. D., & Escolar, M. L. (2007). Temporal and spatial gait characteristics of children with Hurler syndrome after umbilical cord blood transplantation. *Physical Therapy*, 87(8), 978–985. <https://doi.org/10.2522/ptj.20060196>

Eakin, M. N., Ugbah, L., Arnautovic, T., Parker, A. M., & Needham, D. M. (2015). Implementing and sustaining an early rehabilitation program in a medical intensive care unit: A qualitative analysis. *Journal of Critical Care*, 30(4), 698–704. <https://doi.org/10.1016/j.jcrc.2015.03.019>

Eifert, B., Maurer-Karattup, P., & Schorl, M. (2013). Integration of intensive care treatment and neurorehabilitation in patients with disorders of consciousness: a program description and case



Johns Hopkins Critical Care Rehabilitation Conference Pediatrics Foundations Literature List

- report. *Archives of Physical Medicine and Rehabilitation*, 94(10), 1924–1933. <https://doi.org/10.1016/j.apmr.2013.03.030>
- Elser, H. E. (2012). Positioning after feedings: what is the evidence to reduce feeding intolerances? *Advances in Neonatal Care: Official Journal of the National Association of Neonatal Nurses*, 12(3), 172–175. <https://doi.org/10.1097/ANC.0b013e318256b7c1>
- Elsevier. (n.d.). [No title]. Retrieved November 2, 2021, from <https://www.elsevier.com/books/egans-fundamentals-of-respiratory-care/kacmarek/978-0-323-51112-4>
- Ely, E. W. (2017). The ABCDEF Bundle: Science and Philosophy of How ICU Liberation Serves Patients and Families. *Critical Care Medicine*, 45(2), 321–330. <https://doi.org/10.1097/CCM.0000000000002175>
- Ely, E. W., Shintani, A., Truman, B., Speroff, T., Gordon, S. M., Harrell, F. E., Jr, Inouye, S. K., Bernard, G. R., & Dittus, R. S. (2004). Delirium as a predictor of mortality in mechanically ventilated patients in the intensive care unit. *JAMA: The Journal of the American Medical Association*, 291(14), 1753–1762. <https://doi.org/10.1001/jama.291.14.1753>
- Engel, H. J., Needham, D. M., Morris, P. E., & Gropper, M. A. (2013). ICU early mobilization: from recommendation to implementation at three medical centers. *Critical Care Medicine*, 41(9 Suppl 1), S69–S80. <https://doi.org/10.1097/CCM.0b013e3182a240d5>
- Engels, P. T., Beckett, A. N., Rubenfeld, G. D., Kreder, H., Finkelstein, J. A., da Costa, L., Papia, G., Rizoli, S. B., & Tien, H. C. (2013). Physical rehabilitation of the critically ill trauma patient in the ICU. *Critical Care Medicine*, 41(7), 1790–1801. <https://doi.org/10.1097/CCM.0b013e31828a2abf>
- Ewens, B. A., Hendricks, J. M., & Sundin, D. (2015). The use, prevalence and potential benefits of a diary as a therapeutic intervention/tool to aid recovery following critical illness in intensive care: a literature review. *Journal of Clinical Nursing*, 24(9-10), 1406–1425. <https://doi.org/10.1111/jocn.12736>
- Faustino, E. V. S., Gedeit, R., Schwarz, A. J., Asaro, L. A., Wypij, D., Curley, M. A. Q., & Randomized Evaluation of Sedation Titration for Respiratory Failure (RESTORE) Study Investigators. (2017). Accuracy of an Extubation Readiness Test in Predicting Successful Extubation in Children With Acute Respiratory Failure From Lower Respiratory Tract Disease. *Critical Care Medicine*, 45(1), 94–102. <https://doi.org/10.1097/CCM.0000000000002024>
- Feng, Y., Zheng, X., & Fang, Z. (2015). Treatment Progress of Paroxysmal Sympathetic Hyperactivity after Acquired Brain Injury. *Pediatric Neurosurgery*, 50(6), 301–309. <https://doi.org/10.1159/000439282>
- Fina, D. K., Lopas, L. J., Stagnone, J. H., & Santucci, P. R. (1997). Parent participation in the postanesthesia care unit: fourteen years of progress at one hospital. *Journal of Perianesthesia Nursing: Official Journal of the American Society of PeriAnesthesia Nurses / American Society of PeriAnesthesia Nurses*, 12(3), 152–162. [https://doi.org/10.1016/s1089-9472\(97\)80033-0](https://doi.org/10.1016/s1089-9472(97)80033-0)
- Fineman, L. D., LaBrecque, M. A., Shih, M.-C., & Curley, M. A. Q. (2006). Prone positioning can be safely performed in critically ill infants and children. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 7(5), 413–422. <https://doi.org/10.1097/01.PCC.0000235263.86365.B3>



Johns Hopkins Critical Care Rehabilitation Conference Pediatrics Foundations Literature List

Fink, E. L., Jarvis, J. M., Maddux, A. B., Pinto, N., Galyean, P., Olson, L. M., Zickmund, S., Ringwood, M., Sorenson, S., Dean, J. M., Carcillo, J. A., Berg, R. A., Zuppa, A., Pollack, M. M., Meert, K. L., Hall, M. W., Sapru, A., McQuillen, P. S., Mourani, P. M., ... Eunice Kennedy Shriver National Institute of Child Health and Human Development Collaborative Pediatric Critical Care Research Network (CPCCRN). (2020). Development of a core outcome set for pediatric critical care outcomes research. *Contemporary Clinical Trials*, 91, 105968. <https://doi.org/10.1016/j.cct.2020.105968>

Fink, E. L., Kochanek, P. M., Tasker, R. C., Beca, J., Bell, M. J., Clark, R. S. B., Hutchison, J., Vavilala, M. S., Fabio, A., Angus, D. C., Watson, R. S., & Prevalence of Acute critical Neurological disease in children: A Global Epidemiological Assessment (PANGEA) Investigators. (2017). International Survey of Critically Ill Children With Acute Neurologic Insults: The Prevalence of Acute Critical Neurological Disease in Children: A Global Epidemiological Assessment Study. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 18(4), 330–342. <https://doi.org/10.1097/PCC.0000000000001093>

Fink, E. L., Maddux, A. B., Pinto, N., Sorenson, S., Notterman, D., Dean, J. M., Carcillo, J. A., Berg, R. A., Zuppa, A., Pollack, M. M., Meert, K. L., Hall, M. W., Sapru, A., McQuillen, P. S., Mourani, P. M., Wessel, D., Amey, D., Argent, A., Brunow de Carvalho, W., ... Pediatric Outcomes STudies after PICU (POST-PICU) Investigators of the Pediatric Acute Lung Injury and Sepsis Investigators (PALISI) Network and the Eunice Kennedy Shriver National Institute of Child Health and Human Development Collaborative Pediatric Critical Care Research Network (CPCCRN). (2020). A Core Outcome Set for Pediatric Critical Care. *Critical Care Medicine*, 48(12), 1819–1828. <https://doi.org/10.1097/CCM.0000000000004660>

Fiser, D. H. (1992). Assessing the outcome of pediatric intensive care. *The Journal of Pediatrics*, 121(1), 68–74. [https://doi.org/10.1016/s0022-3476\(05\)82544-2](https://doi.org/10.1016/s0022-3476(05)82544-2)

Fiser, D. H., Tilford, J. M., & Roberson, P. K. (2000). Relationship of illness severity and length of stay to functional outcomes in the pediatric intensive care unit: a multi-institutional study. *Critical Care Medicine*, 28(4), 1173–1179. <https://doi.org/10.1097/00003246-200004000-00043>

Flaigle, M. C., Ascenzi, J., & Kudchadkar, S. R. (2016). Identifying Barriers to Delirium Screening and Prevention in the Pediatric ICU: Evaluation of PICU Staff Knowledge. *Journal of Pediatric Nursing*, 31(1), 81–84. <https://doi.org/10.1016/j.pedn.2015.07.009>

Garcia Guerra, G., Joffe, A. R., Sheppard, C., Hewson, K., Dinu, I. A., Hajhosseini, M., deCaen, A., Jou, H., Hartling, L., Vohra, S., & Canadian Critical Care Trials Group. (2021). Music Use for Sedation in Critically ill Children (MUSICC trial): a pilot randomized controlled trial. *Journal of Intensive Care Medicine*, 9(1), 7. <https://doi.org/10.1186/s40560-020-00523-7>

Garrett, K., Happy, M. B., Costello, J., & Fried-Oken, M. (2007). AAC in the ICU. *Augmentative Communication News*, 19(1). https://rerc-aac.psu.edu/files/2016/07/2007-Patient_provider_Communication_-Augmentative_Communication_News.pdf

Giacino, J. T., Katz, D. I., Schiff, N. D., Whyte, J., Ashman, E. J., Ashwal, S., Barbano, R., Hammond, F. M., Laureys, S., Ling, G. S. F., Nakase-Richardson, R., Seel, R. T., Yablon, S., Getchius, T. S. D., Gronseth, G. S., & Armstrong, M. J. (2018a). Comprehensive Systematic Review Update Summary: Disorders of Consciousness: Report of the Guideline Development, Dissemination, and Implementation Subcommittee of the American Academy of Neurology; the American Congress of Rehabilitation Medicine; and the National Institute on Disability,



Johns Hopkins Critical Care Rehabilitation Conference Pediatrics Foundations Literature List

Independent Living, and Rehabilitation Research. *Archives of Physical Medicine and Rehabilitation*, 99(9), 1710–1719. <https://doi.org/10.1016/j.apmr.2018.07.002>

Giacino, J. T., Katz, D. I., Schiff, N. D., Whyte, J., Ashman, E. J., Ashwal, S., Barbano, R., Hammond, F. M., Laureys, S., Ling, G. S. F., Nakase-Richardson, R., Seel, R. T., Yablon, S., Getchius, T. S. D., Gronseth, G. S., & Armstrong, M. J. (2018b). Practice Guideline Update Recommendations Summary: Disorders of Consciousness: Report of the Guideline Development, Dissemination, and Implementation Subcommittee of the American Academy of Neurology; the American Congress of Rehabilitation Medicine; and the National Institute on Disability, Independent Living, and Rehabilitation Research. *Archives of Physical Medicine and Rehabilitation*, 99(9), 1699–1709. <https://doi.org/10.1016/j.apmr.2018.07.001>

Giacino, J. T., Katz, D. I., Schiff, N. D., Whyte, J., Ashman, E. J., Ashwal, S., Barbano, R., Hammond, F. M., Laureys, S., Ling, G. S. F., Nakase-Richardson, R., Seel, R. T., Yablon, S., Getchius, T. S. D., Gronseth, G. S., & Armstrong, M. J. (2018c). Comprehensive systematic review update summary: Disorders of consciousness: Report of the Guideline Development, Dissemination, and Implementation Subcommittee of the American Academy of Neurology; the American Congress of Rehabilitation Medicine; and the National Institute on Disability, Independent Living, and Rehabilitation Research. *Neurology*, 91(10), 461–470. <https://doi.org/10.1212/WNL.0000000000005928>

Giacino, J. T., Katz, D. I., Schiff, N. D., Whyte, J., Ashman, E. J., Ashwal, S., Barbano, R., Hammond, F. M., Laureys, S., Ling, G. S. F., Nakase-Richardson, R., Seel, R. T., Yablon, S., Getchius, T. S. D., Gronseth, G. S., & Armstrong, M. J. (2018d). Practice guideline update recommendations summary: Disorders of consciousness: Report of the Guideline Development, Dissemination, and Implementation Subcommittee of the American Academy of Neurology; the American Congress of Rehabilitation Medicine; and the National Institute on Disability, Independent Living, and Rehabilitation Research. *Neurology*, 91(10), 450–460. <https://doi.org/10.1212/WNL.0000000000005926>

Gillies, D., Wells, D., & Bhandari, A. P. (2012). Positioning for acute respiratory distress in hospitalised infants and children. *Cochrane Database of Systematic Reviews*, 7, CD003645. <https://doi.org/10.1002/14651858.CD003645.pub3>

Gonçalves, J.-P., Severo, M., Rocha, C., Jardim, J., Mota, T., & Ribeiro, A. (2015). Performance of PRISM III and PELOD-2 scores in a pediatric intensive care unit. *European Journal of Pediatrics*, 174(10), 1305–1310. <https://doi.org/10.1007/s00431-015-2533-5>

Gouna, G., Rakza, T., Kuissi, E., Pennaforte, T., Mur, S., & Storme, L. (2013). Positioning effects on lung function and breathing pattern in premature newborns. *The Journal of Pediatrics*, 162(6), 1133–1137, 1137.e1. <https://doi.org/10.1016/j.jpeds.2012.11.036>

Green, M., Marzano, V., Leditschke, I. A., Mitchell, I., & Bissett, B. (2016). Mobilization of intensive care patients: a multidisciplinary practical guide for clinicians. *Journal of Multidisciplinary Healthcare*, 9, 247–256. <https://doi.org/10.2147/JMDH.S99811>

Gulati, I. K., & Jadcherla, S. R. (2019). Gastroesophageal Reflux Disease in the Neonatal Intensive Care Unit Infant: Who Needs to Be Treated and What Approach Is Beneficial? *Pediatric Clinics of North America*, 66(2), 461–473. <https://doi.org/10.1016/j.pcl.2018.12.012>



Johns Hopkins Critical Care Rehabilitation Conference Pediatrics Foundations Literature List

Gulla, K. M., & Sachdev, A. (2016). Illness severity and organ dysfunction scoring in Pediatric Intensive Care Unit. *Indian Journal of Critical Care Medicine: Peer-Reviewed, Official Publication of Indian Society of Critical Care Medicine*, 20(1), 27–35. <https://doi.org/10.4103/0972-5229.173685>

Haines, K. J., Kelly, P., Fitzgerald, P., Skinner, E. H., & Iwashyna, T. J. (2017). The Untapped Potential of Patient and Family Engagement in the Organization of Critical Care. *Critical Care Medicine*, 45(5), 899–906. <https://doi.org/10.1097/CCM.0000000000002282>

Hanser, A., Neunhoeffer, F., Hayer, T., Hofbeck, M., Schlensak, C., Mustafi, M., Kumpf, M., & Michel, J. (2020). A nurse-driven analgesia and sedation protocol reduces length of PICU stay and cumulative dose of benzodiazepines after corrective surgery for tetralogy of Fallot. *Journal for Specialists in Pediatric Nursing: JSPN*, 25(3), e12291. <https://doi.org/10.1111/jspn.12291>

Happ, M. B., Garrett, K. L., Tate, J. A., DiVirgilio, D., Houze, M. P., Demirci, J. R., George, E., & Sereika, S. M. (2014). Effect of a multi-level intervention on nurse-patient communication in the intensive care unit: results of the SPEACS trial. *Heart & Lung: The Journal of Critical Care*, 43(2), 89–98. <https://doi.org/10.1016/j.hrlng.2013.11.010>

Herrup, E. A., Wieczorek, B., & Kudchadkar, S. R. (2017). Characteristics of postintensive care syndrome in survivors of pediatric critical illness: A systematic review. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 6(2), 124–134. <https://doi.org/10.5492/wjccm.v6.i2.124>

Hill, C., Knafl, K. A., & Santacroce, S. J. (2018). Family-Centered Care From the Perspective of Parents of Children Cared for in a Pediatric Intensive Care Unit: An Integrative Review. *Journal of Pediatric Nursing*, 41, 22–33. <https://doi.org/10.1016/j.pedn.2017.11.007>

Ho, T., Zupancic, J. A. F., Pursley, D. M., & Dukhovny, D. (2017). Improving Value in Neonatal Intensive Care. *Clinics in Perinatology*, 44(3), 617–625. <https://doi.org/10.1016/j.clp.2017.05.009>

Hodgson, C. L., Stiller, K., Needham, D. M., Tipping, C. J., Harrold, M., Baldwin, C. E., Bradley, S., Berney, S., Caruana, L. R., Elliott, D., Green, M., Haines, K., Higgins, A. M., Kaukonen, K.-M., Leditschke, I. A., Nickels, M. R., Paratz, J., Patman, S., Skinner, E. H., ... Webb, S. A. (2014). Expert consensus and recommendations on safety criteria for active mobilization of mechanically ventilated critically ill adults. *Critical Care / the Society of Critical Care Medicine*, 18(6), 658. <https://doi.org/10.1186/s13054-014-0658-y>

Hollander, S. A., Hollander, A. J., Rizzuto, S., Reinhartz, O., Maeda, K., & Rosenthal, D. N. (2014). An inpatient rehabilitation program utilizing standardized care pathways after paracorporeal ventricular assist device placement in children. *The Journal of Heart and Lung Transplantation: The Official Publication of the International Society for Heart Transplantation*, 33(6), 587–592. <https://doi.org/10.1016/j.healun.2013.12.009>

Hopkins, R. O., Choong, K., Zebuhr, C. A., & Kudchadkar, S. R. (2015). Transforming PICU Culture to Facilitate Early Rehabilitation. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 4(4), 204–211. <https://doi.org/10.1055/s-0035-1563547>

Hughes, R. G. (Ed.). (2011). *Patient Safety and Quality: An Evidence-Based Handbook for Nurses*. Agency for Healthcare Research and Quality (US). <https://www.ncbi.nlm.nih.gov/pubmed/21328752>



Johns Hopkins Critical Care Rehabilitation Conference Pediatrics Foundations Literature List

ICU Liberation: Society of Critical Care Medicine. (n.d.). Retrieved November 1, 2021, from <https://www.sccm.org/iculiberation>

Institute for Patient and Family Centered Care. (n.d.). *Facts and Figures About Family Presence and Participation. Better Together.* <https://www.ipfcc.org/bestpractices/Better-Together-Facts-and-Figures.pdf>

Ista, E., Scholefield, B. R., Manning, J. C., Harth, I., Gawronski, O., Bartkowska-Śniatkowska, A., Ramelet, A.-S., Kudchadkar, S. R., & EU PARK-PICU Collaborators. (2020). Mobilization practices in critically ill children: a European point prevalence study (EU PARK-PICU). *Critical Care / the Society of Critical Care Medicine*, 24(1), 368. <https://doi.org/10.1186/s13054-020-02988-2>

Jacobs, B. R., Salman, B. A., Cotton, R. T., Lyons, K., & Brilli, R. J. (2001). Postoperative management of children after single-stage laryngotracheal reconstruction. *Critical Care Medicine*, 29(1), 164–168. <https://doi.org/10.1097/00003246-200101000-00032>

Janssen, J., Hale, L., Mirfin-Veitch, B., & Harland, T. (2013). Building the research capacity of clinical physical therapists using a participatory action research approach. *Physical Therapy*, 93(7), 923–934. <https://doi.org/10.2522/ptj.20120030>

Jesus, T. S., Papadimitriou, C., Pinho, C. S., & Hoenig, H. (2018). Key Characteristics of Rehabilitation Quality Improvement Publications: Scoping Review From 2010 to 2016. *Archives of Physical Medicine and Rehabilitation*, 99(6), 1141–1148.e4. <https://doi.org/10.1016/j.apmr.2017.08.491>

Jewell, D. V., Moore, J. D., & Goldstein, M. S. (2013). Delivering the physical therapy value proposition: a call to action. *Physical Therapy*, 93(1), 104–114. <https://doi.org/10.2522/ptj.20120175>

Kalmar, K., & Giacino, J. T. (2005). The JFK Coma Recovery Scale--Revised. *Neuropsychological Rehabilitation*, 15(3-4), 454–460. <https://doi.org/10.1080/09602010443000425>

Kamat, P. P., & Kudchadkar, S. R. (2018). IV Clonidine in the PICU: Time for Dexmedetomidine to Share the Limelight? [Review of *IV Clonidine in the PICU: Time for Dexmedetomidine to Share the Limelight?*]. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 19(8), 792–794. <https://doi.org/10.1097/PCC.00000000000001649>

Kelo, M., Eriksson, E., & Eriksson, I. (2013). Perceptions of patient education during hospital visit--described by school-age children with a chronic illness and their parents. *Scandinavian Journal of Caring Sciences*, 27(4), 894–904. <https://doi.org/10.1111/scs.12001>

Kerson, A. G., DeMaria, R., Mauer, E., Joyce, C., Gerber, L. M., Greenwald, B. M., Silver, G., & Traube, C. (2016). Validity of the Richmond Agitation-Sedation Scale (RASS) in critically ill children. *Journal of Intensive Care Medicine*, 4, 65. <https://doi.org/10.1186/s40560-016-0189-5>

Khan, B. A., Fadel, W. F., Tricker, J. L., Carlos, W. G., Farber, M. O., Hui, S. L., Campbell, N. L., Ely, E. W., & Boustani, M. A. (2014). Effectiveness of implementing a wake up and breathe program on sedation and delirium in the ICU. *Critical Care Medicine*, 42(12), e791–e795. <https://doi.org/10.1097/CCM.0000000000000660>



Johns Hopkins Critical Care Rehabilitation Conference Pediatrics Foundations Literature List

- Kirk, K. A., Shoykhet, M., Jeong, J. H., Tyler-Kabara, E. C., Henderson, M. J., Bell, M. J., & Fink, E. L. (2012). Dysautonomia after pediatric brain injury. *Developmental Medicine and Child Neurology*, 54(8), 759–764. <https://doi.org/10.1111/j.1469-8749.2012.04322.x>
- Klepper, S. E., & Muir, N. B. (2018). Commentary on “Thirty-Second Walk Test: Expansion of Normative Data” [Review of *Commentary on “Thirty-Second Walk Test: Expansion of Normative Data”*]. *Pediatric Physical Therapy: The Official Publication of the Section on Pediatrics of the American Physical Therapy Association*, 30(1), 26. <https://doi.org/10.1097/PEP.0000000000000473>
- Koo, K. K., Choong, K., & Fan, E. (2011). Prioritizing rehabilitation strategies in the care of the critically ill. *Critical Care Rounds*, 8(4), 1–7. https://canadiancriticalcare.org/resources/Pictures/ccroundsv8i4_11.pdf
- Koo, K. K. Y., Choong, K., Cook, D. J., Herridge, M., Newman, A., Lo, V., Guyatt, G., Priestap, F., Campbell, E., Burns, K. E. A., Lamontagne, F., Meade, M. O., & Canadian Critical Care Trials Group. (2016). Early mobilization of critically ill adults: a survey of knowledge, perceptions and practices of Canadian physicians and physiotherapists. *CMAJ Open*, 4(3), E448–E454. <https://doi.org/10.9778/cmajo.20160021>
- Kristensson-Hallström, I. (1999). Strategies for feeling secure influence parents' participation in care. *Journal of Clinical Nursing*, 8(5), 586–592. <https://doi.org/10.1046/j.1365-2702.1999.00282.x>
- Kudchadkar, S. R., Aljohani, O. A., & Punjabi, N. M. (2014). Sleep of critically ill children in the pediatric intensive care unit: a systematic review. *Sleep Medicine Reviews*, 18(2), 103–110. <https://doi.org/10.1016/j.smrv.2013.02.002>
- Kudchadkar, S. R., Nelliot, A., Awojoodu, R., Vaidya, D., Traube, C., Walker, T., Needham, D. M., & Prevalence of Acute Rehabilitation for Kids in the PICU (PARK-PICU) Investigators and the Pediatric Acute Lung Injury and Sepsis Investigators (PALISI) Network. (2020). Physical Rehabilitation in Critically Ill Children: A Multicenter Point Prevalence Study in the United States. *Critical Care Medicine*, 48(5), 634–644. <https://doi.org/10.1097/CCM.0000000000004291>
- Kudchadkar, S. R., Yaster, M., & Punjabi, N. M. (2014). Sedation, sleep promotion, and delirium screening practices in the care of mechanically ventilated children: a wake-up call for the pediatric critical care community*. *Critical Care Medicine*, 42(7), 1592–1600. <https://doi.org/10.1097/CCM.0000000000000326>
- Langley, G. J., Moen, R. D., Nolan, K. M., Nolan, T. W., Norman, C. L., & Provost, L. P. (2009). *The Improvement Guide: A Practical Approach to Enhancing Organizational Performance* (2nd ed.). Jossey-Bass. <https://www.amazon.com/Improvement-Guide-Practical-Organizational-Performance/dp/0470192410>
- Latchem, J., Kitzinger, J., & Kitzinger, C. (2016). Physiotherapy for vegetative and minimally conscious state patients: family perceptions and experiences. *Disability and Rehabilitation*, 38(1), 22–29. <https://doi.org/10.3109/09638288.2015.1005759>
- Latour, J. M., van Goudoever, J. B., Schuurman, B. E., Albers, M. J. I. J., van Dam, N. A. M., Dullaart, E., van Heerde, M., Verlaat, C. W. M., van Vught, E. M., & Hazelzet, J. A. (2011). A qualitative study exploring the experiences of parents of children admitted to seven Dutch pediatric intensive care units. *Intensive Care Medicine*, 37(2), 319–325. <https://doi.org/10.1007/s00134-010-2074-3>



Johns Hopkins Critical Care Rehabilitation Conference Pediatrics Foundations Literature List

Lehner, D. C., & Sadler, L. S. (2015). Toddler Developmental Delays After Extensive Hospitalization: Primary Care Practitioner Guidelines. *Pediatric Nursing*, 41(5), 236–242. <https://www.ncbi.nlm.nih.gov/pubmed/26665423>

Lemke, D. M. (2007). Sympathetic storming after severe traumatic brain injury. *Critical Care Nurse*, 27(1), 30–37; quiz 38. <https://www.ncbi.nlm.nih.gov/pubmed/17244857>

Letzkus, L., Hengartner, M., Yeago, D., & Crist, P. (2013). The immobile pediatric population: can progressive mobility hasten recovery? *Journal of Pediatric Nursing*, 28(3), 296–299. <https://doi.org/10.1016/j.pedn.2013.02.029>

Lieberstein, M., Weingarten, G., Vialu, C., Itzkowitz, A., Doyle, M., Covino, F., & Kaplan, S. L. (2018). Thirty-Second Walk Test: Expansion of Normative Data. *Pediatric Physical Therapy: The Official Publication of the Section on Pediatrics of the American Physical Therapy Association*, 30(1), 18–25. <https://doi.org/10.1097/PEP.0000000000000464>

Lombardi, F., Taricco, M., De Tanti, A., Telaro, E., & Liberati, A. (2002). Sensory stimulation for brain injured individuals in coma or vegetative state. *Cochrane Database of Systematic Reviews*, 2, CD001427. <https://doi.org/10.1002/14651858.CD001427>

Lombardi, F., Taricco, M., De Tanti, A., Telaro, E., & Liberati, A. (2002). Sensory stimulation of brain-injured individuals in coma or vegetative state: results of a Cochrane systematic review. *Clinical Rehabilitation*, 16(5), 464–472. <https://doi.org/10.1191/0269215502cr519oa>

Lubiani, G. G., & Okunade, A. A. (2014). Quality-adjusted output cost economies of US adult versus paediatric physical therapy production. *Applied Economics Letters*, 21(1), 6–12. <https://doi.org/10.1080/13504851.2013.831166>

Manning, J. C., Pinto, N. P., Rennick, J. E., Colville, G., & Curley, M. A. Q. (2018). Conceptualizing Post Intensive Care Syndrome in Children-The PICS-p Framework. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 19(4), 298–300. <https://doi.org/10.1097/PCC.0000000000001476>

Manworren, R. C. B., & Stinson, J. (2016). Pediatric Pain Measurement, Assessment, and Evaluation. *Seminars in Pediatric Neurology*, 23(3), 189–200. <https://doi.org/10.1016/j.spen.2016.10.001>

Miller-Hoover, S. R. (2019). Using Valid and Reliable Tools for Pain and Sedation Assessment in Pediatric Patients. *Critical Care Nurse*, 39(3), 59–66. <https://doi.org/10.4037/ccn2019713>

Miura, S., Wieczorek, B., Lenker, H., & Kudchadkar, S. R. (2020). Normal Baseline Function Is Associated With Delayed Rehabilitation in Critically Ill Children. *Journal of Intensive Care Medicine*, 35(4), 405–410. <https://doi.org/10.1177/0885066618754507>

Moore, L., Lavoie, A., Bourgeois, G., & Lapointe, J. (2015). Donabedian's structure-process-outcome quality of care model: Validation in an integrated trauma system. *The Journal of Trauma and Acute Care Surgery*, 78(6), 1168–1175. <https://doi.org/10.1097/TA.0000000000000663>

Moreau, J. F., Fink, E. L., Hartman, M. E., Angus, D. C., Bell, M. J., Linde-Zwirble, W. T., & Watson, R. S. (2013). Hospitalizations of children with neurologic disorders in the United States. *Pediatric Critical Care Medicine: A*



Johns Hopkins Critical Care Rehabilitation Conference Pediatrics Foundations Literature List

Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies, 14(8), 801–810. <https://doi.org/10.1097/PCC.0b013e31828aa71f>

Morris, P. E. (2007). Moving our critically ill patients: mobility barriers and benefits. *Critical Care Clinics*, 23(1), 1–20. <https://doi.org/10.1016/j.ccc.2006.11.003>

Munkwitz, M., Hopkins, R. O., Miller, R. R., Iii, Luckett, P. M., & Hirshberg, E. L. (2010). A perspective on early mobilization for adult patients with respiratory failure: Lessons for the pediatric population. *Journal of Pediatric Rehabilitation Medicine*, 3(3), 215–227. <https://doi.org/10.3233/PRM-2010-0130>

Needham, D. M. (2008). Mobilizing patients in the intensive care unit: improving neuromuscular weakness and physical function. *JAMA: The Journal of the American Medical Association*, 300(14), 1685–1690. <https://doi.org/10.1001/jama.300.14.1685>

Needham, D. M., Davidson, J., Cohen, H., Hopkins, R. O., Weinert, C., Wunsch, H., Zawistowski, C., Bemis-Dougherty, A., Berney, S. C., Bienvenu, O. J., Brady, S. L., Brodsky, M. B., Denehy, L., Elliott, D., Flatley, C., Harabin, A. L., Jones, C., Louis, D., Meltzer, W., ... Harvey, M. A. (2012). Improving long-term outcomes after discharge from intensive care unit: report from a stakeholders' conference. *Critical Care Medicine*, 40(2), 502–509. <https://doi.org/10.1097/CCM.0b013e318232da75>

Needham, D. M., Korupolu, R., Zanni, J. M., Pradhan, P., Colantuoni, E., Palmer, J. B., Brower, R. G., & Fan, E. (2010). Early physical medicine and rehabilitation for patients with acute respiratory failure: a quality improvement project. *Archives of Physical Medicine and Rehabilitation*, 91(4), 536–542. <https://doi.org/10.1016/j.apmr.2010.01.002>

Netzer, G. (Ed.). (2018). *Families in the Intensive Care Unit: A Guide to Understanding, Engaging, and Supporting at the Bedside*. Springer, Cham. <https://doi.org/10.1007/978-3-319-94337-4>

Ohtake, P. J., Lee, A. C., Scott, J. C., Hinman, R. S., Ali, N. A., Hinkson, C. R., Needham, D. M., Shutter, L., Smith-Gabai, H., Spires, M. C., Thiele, A., Wiencek, C., & Smith, J. M. (2018). Physical Impairments Associated With Post-Intensive Care Syndrome: Systematic Review Based on the World Health Organization's International Classification of Functioning, Disability and Health Framework. *Physical Therapy*, 98(8), 631–645. <https://doi.org/10.1093/ptj/pzy059>

Ong, C., Lee, J. H., Leow, M. K. S., & Puthucheary, Z. A. (2016). Functional Outcomes and Physical Impairments in Pediatric Critical Care Survivors: A Scoping Review. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 17(5), e247–e259. <https://doi.org/10.1097/PCC.0000000000000706>

Owens, T., & Tapley, C. (2018). Pediatric Mobility: The Development of Standard Assessments and Interventions for Pediatric Patients for Safe Patient Handling and Mobility. *Critical Care Nursing Quarterly*, 41(3), 314–322. <https://doi.org/10.1097/CNQ.0000000000000210>

Parchem, K., Peck, A., & Tales, K. (2018). A Multidisciplinary Approach to Equipment Use in Pediatric Patient Mobilization. *Critical Care Nursing Quarterly*, 41(3), 330–339. <https://doi.org/10.1097/CNQ.0000000000000211>



Johns Hopkins Critical Care Rehabilitation Conference Pediatrics Foundations Literature List

- Parisien, R. B., Gillanders, K., Hennessy, E. K., Herterich, L., Saunders, K., Lati, J., Dos Santos, S., Hassall, A., & O'Brien, K. K. (2016). Experiences of four parents with physical therapy and early mobility of their children in a pediatric critical care unit: A case series. *Journal of Pediatric Rehabilitation Medicine*, 9(2), 159–168. <https://doi.org/10.3233/PRM-160374>
- Petty, T. L. (1998). Suspended life or extending death? [Review of *Suspended life or extending death?*]. *Chest*, 114(2), 360–361. <https://doi.org/10.1378/chest.114.2.360>
- Pfoh, E. R., Chan, K. S., Dinglas, V. D., Girard, T. D., Jackson, J. C., Morris, P. E., Hough, C. L., Mendez-Tellez, P. A., Ely, E. W., Huang, M., Needham, D. M., Hopkins, R. O., & NIH NHLBI ARDS Network. (2015). Cognitive screening among acute respiratory failure survivors: a cross-sectional evaluation of the Mini-Mental State Examination. *Critical Care / the Society of Critical Care Medicine*, 19, 220. <https://doi.org/10.1186/s13054-015-0934-5>
- Poh, Y. N., Poh, P. F., Buang, S. N. H., & Lee, J. H. (2014). Sedation guidelines, protocols, and algorithms in PICUs: a systematic review. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 15(9), 885–892. <https://doi.org/10.1097/PCC.0000000000000255>
- Pohlman, M. C., Schweickert, W. D., Pohlman, A. S., Nigos, C., Pawlik, A. J., Esbrook, C. L., Spears, L., Miller, M., Franczyk, M., Deprizio, D., Schmidt, G. A., Bowman, A., Barr, R., McCallister, K., Hall, J. B., & Kress, J. P. (2010). Feasibility of physical and occupational therapy beginning from initiation of mechanical ventilation. *Critical Care Medicine*, 38(11), 2089–2094. <https://doi.org/10.1097/CCM.0b013e3181f270c3>
- Pollack, M. M., Holubkov, R., Funai, T., Clark, A., Berger, J. T., Meert, K., Newth, C. J. L., Shanley, T., Moler, F., Carcillo, J., Berg, R. A., Dalton, H., Wessel, D. L., Harrison, R. E., Doctor, A., Dean, J. M., Jenkins, T. L., & Eunice Kennedy Shriver National Institute of Child Health and Human Development Collaborative Pediatric Critical Care Research Network. (2014). Pediatric intensive care outcomes: development of new morbidities during pediatric critical care. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 15(9), 821–827. <https://doi.org/10.1097/PCC.0000000000000250>
- Pollack, M. M., Holubkov, R., Glass, P., Dean, J. M., Meert, K. L., Zimmerman, J., Anand, K. J. S., Carcillo, J., Newth, C. J. L., Harrison, R., Willson, D. F., Nicholson, C., & Eunice Kennedy Shriver National Institute of Child Health and Human Development Collaborative Pediatric Critical Care Research Network. (2009). Functional Status Scale: new pediatric outcome measure. *Pediatrics*, 124(1), e18–e28. <https://doi.org/10.1542/peds.2008-1987>
- Porter, M. E. (2010). What is value in health care? *The New England Journal of Medicine*, 363(26), 2477–2481. <https://doi.org/10.1056/NEJMmp1011024>
- Potter, C., & Carlton, E. (n.d.). *Impacting Unit Culture Through Interdisciplinary Collaboration*. Association of Child Life Professionals. Retrieved November 1, 2021, from <https://www.childlife.org/membership/aclp-bulletin/summer-2017-table-of-contents/impacting-unit-culture>
- Powers, J. H. (1944). THE ABUSE OF REST AS A THERAPEUTIC MEASURE IN SURGERY: EARLY POSTOPERATIVE ACTIVITY AND REHABILITATION. *JAMA: The Journal of the American Medical Association*, 125(16), 1079–1083. <https://doi.org/10.1001/jama.1944.02850340005003>



Johns Hopkins Critical Care Rehabilitation Conference Pediatrics Foundations Literature List

- Pronovost, P. J., Berenholtz, S. M., & Needham, D. M. (2008). Translating evidence into practice: a model for large scale knowledge translation. *BMJ*, 337, a1714. <https://doi.org/10.1136/bmj.a1714>
- Pun, B. T., Balas, M. C., Barnes-Daly, M. A., Thompson, J. L., Aldrich, J. M., Barr, J., Byrum, D., Carson, S. S., Devlin, J. W., Engel, H. J., Esbrook, C. L., Hargett, K. D., Harmon, L., Hielsberg, C., Jackson, J. C., Kelly, T. L., Kumar, V., Millner, L., Morse, A., ... Ely, E. W. (2019). Caring for Critically Ill Patients with the ABCDEF Bundle: Results of the ICU Liberation Collaborative in Over 15,000 Adults. *Critical Care Medicine*, 47(1), 3–14. <https://doi.org/10.1097/CCM.0000000000003482>
- Radtke, J. V., Tate, J. A., & Happ, M. B. (2012). Nurses' perceptions of communication training in the ICU. *Intensive & Critical Care Nursing: The Official Journal of the British Association of Critical Care Nurses*, 28(1), 16–25. <https://doi.org/10.1016/j.iccn.2011.11.005>
- Randolph, A. G., Wypij, D., Venkataraman, S. T., Hanson, J. H., Gedeit, R. G., Meert, K. L., Luckett, P. M., Forbes, P., Lilley, M., Thompson, J., Cheifetz, I. M., Hibberd, P., Wetzel, R., Cox, P. N., Arnold, J. H., & Pediatric Acute Lung Injury and Sepsis Investigators (PALISI) Network. (2002). Effect of mechanical ventilator weaning protocols on respiratory outcomes in infants and children: a randomized controlled trial [Review of *Effect of mechanical ventilator weaning protocols on respiratory outcomes in infants and children: a randomized controlled trial*]. *JAMA: The Journal of the American Medical Association*, 288(20), 2561–2568. <https://doi.org/10.1001/jama.288.20.2561>
- Rappaport, M., Dougherty, A. M., & Kelting, D. L. (1992). Evaluation of coma and vegetative states. *Archives of Physical Medicine and Rehabilitation*, 73(7), 628–634. <https://www.ncbi.nlm.nih.gov/pubmed/1622317>
- Reade, M. C., & Finfer, S. (2014). Sedation and delirium in the intensive care unit. *The New England Journal of Medicine*, 370(5), 444–454. <https://doi.org/10.1056/NEJMra1208705>
- Reames, C. D., Price, D. M., King, E. A., & Dickinson, S. (2016). Mobilizing Patients Along the Continuum of Critical Care. *Dimensions of Critical Care Nursing: DCCN*, 35(1), 10–15. <https://doi.org/10.1097/DCC.0000000000000151>
- Rettig, J. S., & Arnold, J. H. (2017). Dexmedetomidine in the PICU: Can We Get More for Less? [Review of *Dexmedetomidine in the PICU: Can We Get More for Less?*]. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 18(9), 893–894. <https://doi.org/10.1097/PCC.0000000000001240>
- Rickelmann, C., & Knoblauch, D. J. (2018). Incorporating Safe Patient-Handling Techniques to Mobilize Our Most Complex Patients on Extra Corporeal Membrane Oxygenation. *Critical Care Nursing Quarterly*, 41(3), 272–281. <https://doi.org/10.1097/CNQ.0000000000000206>
- Ries, E. (1899). SOME RADICAL CHANGES IN THE AFTER-TREATMENT OF CELIOTOMY CASES. *JAMA: The Journal of the American Medical Association*, XXXIII(8), 454–456. <https://doi.org/10.1001/jama.1899.9245060002001g>
- Rukstel, C. D., & Gagnon, M. M. (2013). Making strides in preventing ICU-acquired weakness: involving family in early progressive mobility. *Critical Care Nursing Quarterly*, 36(1), 141–147. <https://doi.org/10.1097/CNQ.0b013e31827539cc>



Johns Hopkins Critical Care Rehabilitation Conference Pediatrics Foundations Literature List

Saliski, M., & Kudchadkar, S. R. (2015). Optimizing Sedation Management to Promote Early Mobilization for Critically Ill Children. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 4(4), 188–193. <https://doi.org/10.1055/s-0035-1563543>

Sanavia, E., Mencía, S., Lafever, S. N., Solana, M. J., Garcia, M., & López-Herce, J. (2019). Sedative and Analgesic Drug Rotation Protocol in Critically Ill Children With Prolonged Sedation: Evaluation of Implementation and Efficacy to Reduce Withdrawal Syndrome. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 20(12), 1111–1117. <https://doi.org/10.1097/PCC.0000000000002071>

Sanavia, E., Mencía, S., & López-Herce, J. (2020). The authors reply [Review of *The authors reply*]. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 21(12), 1212–1213. <https://doi.org/10.1097/PCC.0000000000002148>

Saraff, V., Schneider, J., Colleselli, V., Ruepp, M., Rauchenzauner, M., Neururer, S., Geiger, R., & Höglér, W. (2015). Sex-, age-, and height-specific reference curves for the 6-min walk test in healthy children and adolescents. *European Journal of Pediatrics*, 174(6), 837–840. <https://doi.org/10.1007/s00431-014-2454-8>

Seel, R. T., Douglas, J., Dennison, A. C., Heaner, S., Farris, K., & Rogers, C. (2013). Specialized early treatment for persons with disorders of consciousness: program components and outcomes. *Archives of Physical Medicine and Rehabilitation*, 94(10), 1908–1923. <https://doi.org/10.1016/j.apmr.2012.11.052>

Simone, S., Edwards, S., Lardieri, A., Walker, L. K., Graciano, A. L., Kishk, O. A., & Custer, J. W. (2017). Implementation of an ICU Bundle: An Interprofessional Quality Improvement Project to Enhance Delirium Management and Monitor Delirium Prevalence in a Single PICU. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 18(6), 531–540. <https://doi.org/10.1097/PCC.0000000000001127>

Slomine, B. S., Suskauer, S. J., Nicholson, R., & Giacino, J. T. (2019). Preliminary validation of the coma recovery scale for pediatrics in typically developing young children. *Brain Injury: [BI]*, 33(13-14), 1640–1645. <https://doi.org/10.1080/02699052.2019.1658221>

Smith, H. A. B., Boyd, J., Fuchs, D. C., Melvin, K., Berry, P., Shintani, A., Eden, S. K., Terrell, M. K., Boswell, T., Wolfram, K., Sopfe, J., Barr, F. E., Pandharipande, P. P., & Ely, E. W. (2011). Diagnosing delirium in critically ill children: Validity and reliability of the Pediatric Confusion Assessment Method for the Intensive Care Unit. *Critical Care Medicine*, 39(1), 150–157. <https://doi.org/10.1097/CCM.0b013e3181feb489>

Smithburger, P. L., Korenosi, A. S., Alexander, S. A., & Kane-Gill, S. L. (2017). Perceptions of Families of Intensive Care Unit Patients Regarding Involvement in Delirium-Prevention Activities: A Qualitative Study. *Critical Care Nurse*, 37(6), e1–e9. <https://doi.org/10.4037/ccn2017485>

Smithburger, P. L., Korenosi, A. S., Kane-Gill, S. L., & Alexander, S. A. (2017). Perceptions of Family Members, Nurses, and Physicians on Involving Patients' Families in Delirium Prevention. *Critical Care Nurse*, 37(6), 48–57. <https://doi.org/10.4037/ccn2017901>

So, S., Rogers, A., Patterson, C., Drew, W., Maxwell, J., Darch, J., Hoyle, C., Patterson, S., & Pollock-BarZiv, S. (2014). Parental experiences of a developmentally focused care program for infants and children during



Johns Hopkins Critical Care Rehabilitation Conference Pediatrics Foundations Literature List

- prolonged hospitalization. *Journal of Child Health Care: For Professionals Working with Children in the Hospital and Community*, 18(2), 156–167. <https://doi.org/10.1177/1367493513485476>
- Solodiuk, J. C., Greco, C. D., O'Donnell, K. A., Morrill, D. R., & Curley, M. A. Q. (2019). Effect of a Sedation Weaning Protocol on Safety and Medication Use among Hospitalized Children Post Critical Illness. *Journal of Pediatric Nursing*, 49, 18–23. <https://doi.org/10.1016/j.pedn.2019.08.001>
- Sosnowski, K., Mitchell, M. L., White, H., Morrison, L., Sutton, J., Sharratt, J., & Lin, F. (2018). A feasibility study of a randomised controlled trial to examine the impact of the ABCDE bundle on quality of life in ICU survivors. *Pilot and Feasibility Studies*, 4, 32. <https://doi.org/10.1186/s40814-017-0224-x>
- Speech-Language-Hearing Association, A. (2005). *Sorry! That Page Cannot Be Found.* ASHA. <https://www2.asha.org/policy/PS2005-00221/>
- Staab, J. H., Klayman, G. J., & Lin, L. (2014). Assessing pediatric patient's risk of distress during health-care encounters: The psychometric properties of the Psychosocial Risk Assessment in Pediatrics. *Journal of Child Health Care: For Professionals Working with Children in the Hospital and Community*, 18(4), 378–387. <https://doi.org/10.1177/1367493513496671>
- Svenningsen, H. (2015). A shared language regarding sedation and delirium in critically ill patients. *Nursing in Critical Care*, 20(4), 204–209. <https://doi.org/10.1111/nicc.12187>
- Sweeney, S., Rothstein, R., Visintainer, P., Rothstein, R., & Singh, R. (2017). Impact of kangaroo care on parental anxiety level and parenting skills for preterm infants in the neonatal intensive care unit. *Journal of Neonatal Nursing: JNN*, 23(3), 151–158. <https://doi.org/10.1016/j.jnn.2016.09.003>
- The Child Life Profession.* (n.d.). Child Life. Retrieved November 1, 2021, from <https://www.childlife.org/the-child-life-profession>
- Thibaut, A., Schiff, N., Giacino, J., Laureys, S., & Gosseries, O. (2019). Therapeutic interventions in patients with prolonged disorders of consciousness. *Lancet Neurology*, 18(6), 600–614. [https://doi.org/10.1016/S1474-4422\(19\)30031-6](https://doi.org/10.1016/S1474-4422(19)30031-6)
- Thibaut, A., Wannez, S., Deltombe, T., Martens, G., Laureys, S., & Chatelle, C. (2018). Physical therapy in patients with disorders of consciousness: Impact on spasticity and muscle contracture. *NeuroRehabilitation*, 42(2), 199–205. <https://doi.org/10.3233/NRE-172229>
- Titler, M. G. (2014). Overview of evidence-based practice and translation science. *The Nursing Clinics of North America*, 49(3), 269–274. <https://doi.org/10.1016/j.cnur.2014.05.001>
- Traube, C., Mauer, E. A., Gerber, L. M., Kaur, S., Joyce, C., Kerson, A., Carlo, C., Notterman, D., Worgall, S., Silver, G., & Greenwald, B. M. (2016). Cost Associated With Pediatric Delirium in the ICU. *Critical Care Medicine*, 44(12), e1175–e1179. <https://doi.org/10.1097/CCM.0000000000002004>
- Traube, C., Silver, G., Kearney, J., Patel, A., Atkinson, T. M., Yoon, M. J., Halpert, S., Augenstein, J., Sickles, L. E., Li, C., & Greenwald, B. (2014). Cornell Assessment of Pediatric Delirium: a valid, rapid, observational tool for screening delirium in the PICU*. *Critical Care Medicine*, 42(3), 656–663. <https://doi.org/10.1097/CCM.0b013e3182a66b76>



Johns Hopkins Critical Care Rehabilitation Conference Pediatrics Foundations Literature List

- Tsuboi, N., Hiratsuka, M., Kaneko, S., Nishimura, N., Nakagawa, S., Kasahara, M., & Kamikubo, T. (2019). Benefits of Early Mobilization After Pediatric Liver Transplantation. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 20(2), e91–e97. <https://doi.org/10.1097/PCC.0000000000001815>
- Turner, D. A., Cheifetz, I. M., Rehder, K. J., Williford, W. L., Bonadonna, D., Banuelos, S. J., Peterson-Carmichael, S., Lin, S. S., Davis, R. D., & Zaas, D. (2011). Active rehabilitation and physical therapy during extracorporeal membrane oxygenation while awaiting lung transplantation: a practical approach. *Critical Care Medicine*, 39(12), 2593–2598. <https://doi.org/10.1097/CCM.0b013e3182282bbe>
- van Vlimmeren, L. A., van der Graaf, Y., Boere-Boonekamp, M. M., L'Hoir, M. P., Helders, P. J. M., & Engelbert, R. H. H. (2007). Risk factors for deformational plagiocephaly at birth and at 7 weeks of age: a prospective cohort study. *Pediatrics*, 119(2), e408–e418. <https://doi.org/10.1542/peds.2006-2012>
- Walker, T. C., & Kudchadkar, S. R. (2018). Early mobilization in the pediatric intensive care unit. *Translational Pediatrics*, 7(4), 308–313. <https://doi.org/10.21037/tp.2018.09.02>
- Walker, T., & Kudchadkar, S. R. (2018). Early Mobility in the Pediatric Intensive Care Unit: Can We Move On? [Review of *Early Mobility in the Pediatric Intensive Care Unit: Can We Move On?*]. *The Journal of Pediatrics*, 203, 10–12. <https://doi.org/10.1016/j.jpeds.2018.08.058>
- Walker, T., & Kudchadkar, S. R. (2019). Pain and Sedation Management: 2018 Update for the Rogers' Textbook of Pediatric Intensive Care. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 20(1), 54–61. <https://doi.org/10.1097/PCC.0000000000001765>
- Watson, R. S., Choong, K., Colville, G., Crow, S., Dervan, L. A., Hopkins, R. O., Knoester, H., Pollack, M. M., Rennick, J., & Curley, M. A. Q. (2018). Life after Critical Illness in Children-Toward an Understanding of Pediatric Post-intensive Care Syndrome. *The Journal of Pediatrics*, 198, 16–24. <https://doi.org/10.1016/j.jpeds.2017.12.084>
- Wieczorek, B., Ascenzi, J., Kim, Y., Lenker, H., Potter, C., Shata, N. J., Mitchell, L., Haut, C., Berkowitz, I., Pidcock, F., Hoch, J., Malamed, C., Kravitz, T., & Kudchadkar, S. R. (2016). PICU Up!: Impact of a Quality Improvement Intervention to Promote Early Mobilization in Critically Ill Children. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 17(12), e559–e566. <https://doi.org/10.1097/PCC.0000000000000983>
- Wieczorek, B., Burke, C., Al-Harbi, A., & Kudchadkar, S. R. (2015). Early mobilization in the pediatric intensive care unit: a systematic review. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 2015, 129–170. <https://doi.org/10.1055/s-0035-1563386>
- Williams, T. A., Leslie, G. D., Bingham, R., & Brearley, L. (2011). Optimizing seating in the intensive care unit for patients with impaired mobility. *American Journal of Critical Care: An Official Publication, American Association of Critical-Care Nurses*, 20(1), e19–e27. <https://doi.org/10.4037/ajcc2011239>
- Winkelman, C., & Peereboom, K. (2010). Staff-perceived barriers and facilitators. *Critical Care Nurse*, 30(2), S13–S16. <https://doi.org/10.4037/ccn2010393>



Johns Hopkins Critical Care Rehabilitation Conference

Pediatrics Foundations Literature List

Withington, D. E., Mujallid, R., & Al Sabaa, Z. (2019). Sedation and neurodevelopmental outcomes in PICU: Identification of study groups. *Paediatric Anaesthesia*, 29(2), 175–179. <https://doi.org/10.1111/pan.13558>

Yaghoubinia, F., Navidian, A., Sheikh, S., Safarzai, E., & Tabatabaei, S. M. N.-A.-D. (2016). *Effect of music therapy and reflexology on pain in unconscious patients: A randomized clinical trial.* <https://www.semanticscholar.org/paper/e9543a82d79b78eef24a7a38ec9a5a480780bb5c>

Yocom, A., McCoy, S. W., Bjornson, K. F., Mullens, P., & Burton, G. N. (2010). Reliability and validity of the standing heel-rise test. *Physical & Occupational Therapy in Pediatrics*, 30(3), 190–204. <https://doi.org/10.3109/01942631003761380>

Zanni, J. M., Korupolu, R., Fan, E., Pradhan, P., Janjua, K., Palmer, J. B., Brower, R. G., & Needham, D. M. (2010). Rehabilitation therapy and outcomes in acute respiratory failure: an observational pilot project. *Journal of Critical Care*, 25(2), 254–262. <https://doi.org/10.1016/j.jcrc.2009.10.010>

Zebuhr, C., Sinha, A., Skillman, H., & Buckvold, S. (2014). Active rehabilitation in a pediatric extracorporeal membrane oxygenation patient. *PM & R: The Journal of Injury, Function, and Rehabilitation*, 6(5), 456–460. <https://doi.org/10.1016/j.pmrj.2013.11.005>

Zraick, R. I., Harten, A. C., & Hagstrom, F. (2014). Interprofessional Education and Practice: A Primer for Training Future Clinicians. *Division 10 Newsletter*. <https://doi.org/10.1044/aihe17.2.39>

